


# GRAY'S

# ATLAS OF ANATOMY



Richard L. Drake   A. Wayne Vogl   Adam W.M. Mitchell  
Richard M. Tibbitts   Paul E. Richardson



Third Edition

Enhanced  
**DIGITAL  
VERSION**  
Included



# **GRAY'S ATLAS OF ANATOMY**

---

**THIRD EDITION**

*Richard L. Drake, PhD, FAAA*

*Director of Anatomy, Professor of Surgery, Cleveland Clinic Lerner College of Medicine, Case Western Reserve University, Cleveland, Ohio, USA*

*A. Wayne Vogl, PhD, FAAA*

*Professor of Anatomy and Cell Biology, Department of Cellular and Physiological Sciences, Faculty of Medicine, University of British Columbia, Vancouver, British Columbia, Canada*

*Adam W.M. Mitchell, MBBS, FRCS, FRCR*

*Consultant Radiologist and Senior Lecturer Imperial College, Chelsea and Westminster Hospital, London, UK*

*Illustrated by*

*Richard M. Tibbitts*

*Saffron Walden, UK*

*Paul E. Richardson*

*Cambridge, UK*

*Photographs by*

Ansell Horn



**ELSEVIER**

---

# Table of Contents

---

Cover image

Title page

Copyright

Dedication

## ACKNOWLEDGMENTS

FOREWORD

FOREWORD

PREFACE

## Chapter 1: THE BODY

Anatomical position, terms, and planes

Anatomical planes and imaging

Surface anatomy: anterior view

Surface anatomy: posterior view

Skeleton: anterior

Skeleton: posterior

Muscles: anterior

Muscles: posterior

Vascular system: arteries

Vascular system: veins

Lymphatic system

Nervous system

Sympathetics

Parasympathetics

Dermatomes

Cutaneous nerves

## Chapter 2: BACK

Surface anatomy

Vertebral column

Regional vertebrae

Cervical vertebrae

Thoracic vertebrae

Lumbar vertebrae

Sacrum

Intervertebral foramina and discs

Intervertebral disc problems

Joints and ligaments

Back musculature: surface anatomy

Superficial musculature

Intermediate musculature

Deep musculature

Back musculature: transverse section

Suboccipital region

Spinal nerves

Spinal cord

Spinal cord vasculature

Venous drainage of spinal cord

Meninges

Spinal cord: imaging

Transverse section: thoracic region

Dermatomes and cutaneous nerves

Tables

## Chapter 3: THORAX

Surface anatomy with bones

Bony framework

Ribs

Articulations

Breast

Pectoral region

Thoracic wall muscles

Diaphragm

Arteries of the thoracic wall

Veins of the thoracic wall

Nerves of the thoracic wall

Lymphatics of the thoracic wall

Intercostal nerves and arteries

Pleural cavities and mediastinum

Parietal pleura

Surface projections of pleural recesses

Right lung

Left lung

Lung lobes: surface relationship

Lung lobes: imaging

Bronchial tree

Bronchopulmonary segments

Pulmonary vessels and plexus

Pulmonary vessels: imaging

Mediastinum

Pericardium

Pericardial layers

Anterior surface of heart

Base and diaphragmatic surface of heart

Right atrium

Right ventricle

Left atrium

Left ventricle

Aortic valve and cardiac skeleton

Cardiac chambers and heart valves

Coronary vessels

Coronary arteries and variations

Cardiac conduction system

Auscultation points and heart sounds

Cardiac innervation

Superior mediastinum: thymus

Superior mediastinum: veins and arteries

Superior mediastinum: arteries and nerves

Superior mediastinum: imaging

Superior mediastinum: veins and trachea

Mediastinum: imaging

Mediastinum: view from right

Mediastinum: imaging – view from right

Mediastinum: view from left

Mediastinum: imaging – view from left

Posterior mediastinum

Mediastinum: imaging

Transverse section: TVIII level

Dermatomes and cutaneous nerves

Visceral efferent (motor) innervation of the heart

Visceral afferents

Tables

## Chapter 4: ABDOMEN

Surface anatomy

Quadrants and regions

Abdominal wall

Muscles

Muscles: rectus sheath

Vessels of the abdominal wall

Arteries and lymphatics of the abdominal wall

Nerves of the abdominal wall

Dermatomes and cutaneous nerves

Inguinal region

Inguinal canal in men

Inguinal canal in women

Inguinal hernias

Anterior abdominal wall

Greater omentum

Abdominal viscera

Peritoneal cavity

Abdominal sagittal section

Abdominal coronal section

Arterial supply of viscera

Stomach

Spleen

Arteries of stomach and spleen

Duodenum

Small intestine

Large intestine

Ileocecal junction

Gastrointestinal tract: imaging

Mesenteric arteries

Liver

Vessels of the liver

Segments of the liver

Pancreas and gallbladder

Vasculature of pancreas and duodenum

Venous drainage of viscera

Portosystemic anastomoses

Posterior wall

Vessels of the posterior wall

Diaphragm

Kidneys

Gross structure of kidneys

Kidneys: imaging

Renal vasculature

Branches of the abdominal aorta

Inferior vena cava

Abdominal aorta and inferior vena cava: imaging

Lumbar plexus

Lumbar plexus: cutaneous distribution

Lymphatics

Abdominal innervation

Splanchnic nerves

Visceral efferent (motor) innervation diagram

Visceral afferent (sensory) innervation and referred pain diagram

Kidney and ureter visceral afferent (sensory) diagram

Tables

## Chapter 5: PELVIS AND PERINEUM

Surface anatomy and articulated pelvis in men

Surface anatomy and articulated pelvis in women

Pelvic girdle

Pelvic girdle: imaging

Lumbosacral joint

Sacro-iliac joint

Pelvic inlet and outlet

Orientation of pelvic girdle and pelvic brim

Pelvic viscera and perineum in men

Pelvic viscera and perineum in men: imaging

Pelvic viscera and perineum in women

Pelvic viscera and perineum in women: imaging

Lateral wall of pelvic cavity

Floor of pelvic cavity: pelvic diaphragm

Rectum and bladder in situ

Rectum

Bladder in men

Bladder in women

Reproductive system in men

Prostate

Prostate and seminal vesicles

Scrotum

Testes

Penis

Reproductive system in women

Uterus and ovaries

Uterus

Uterus: imaging

Pelvic fascia

Arterial supply of pelvis

Venous drainage of pelvis

Vasculature of the pelvic viscera

Vasculature of uterus

Venous drainage of prostate and penis

Venous drainage of rectum

Sacral and coccygeal nerve plexuses

Pelvic nerve plexus

Hypogastric plexus

Surface anatomy of the perineum

Borders and ceiling of the perineum

Deep pouch and perineal membrane

Muscles and erectile tissues in men

Erectile tissue in men: imaging

Muscles and erectile tissues in women

Erectile tissue in women: imaging

Internal pudendal artery and vein

Pudendal nerve

Vasculature of perineum

Nerves of perineum

Lymphatics of pelvis and perineum in men

Lymphatics of pelvis and perineum in women

Lymphatics

Dermatomes

Innervation of reproductive system in men

Innervation of reproductive system in women

Innervation of bladder

Pelvic cavity imaging in men

Pelvic cavity imaging in women

Tables

## Chapter 6: LOWER LIMB

Surface anatomy

Bones of the lower limb

Pelvic bones and sacrum

Articulated pelvis

Proximal femur

Hip joint

Hip joint: structure and arterial supply

Gluteal region: attachments and superficial musculature

Gluteal region: superficial and deep muscles

Gluteal region: arteries and nerves

Distal femur and proximal tibia and fibula

Thigh: muscle attachments

Thigh: anterior superficial musculature

Thigh: posterior superficial musculature

Thigh: anterior compartment muscles

Thigh: medial compartment muscles

Femoral triangle

Anterior thigh: arteries and nerves

Anterior thigh: arteries

Thigh: posterior compartment muscles

Posterior thigh: arteries and nerves

Transverse sections: thigh

Knee joint

Ligaments of the knee

Menisci and cruciate ligaments

Knee: bursa and capsule

Knee surface: muscles, capsule, and arteries

Popliteal fossa

Tibia and fibula

Bones of the foot

Bones and joints of the foot

Talus and calcaneus

Ankle joint

Ligaments of the ankle joint

Leg: muscle attachments

Posterior leg: superficial muscles

Posterior compartment: deep muscles

Posterior leg: arteries and nerves

Lateral compartment: muscles

Anterior leg: superficial muscles

Anterior compartment: muscles

Anterior leg: arteries and nerves

Leg: cutaneous nerves

Transverse sections: leg

Foot: muscle attachments

Foot: ligaments

Dorsum of foot

Dorsum of foot: arteries and nerves

Plantar aponeurosis

Plantar region (sole) musculature: first layer

Plantar region (sole) musculature: second layer

Plantar region (sole) musculature: third layer

Plantar region (sole) musculature: fourth layer

Plantar region (sole): arteries and nerves

Dorsal hood and tarsal tunnel

Superficial veins of the lower limb

Lymphatics of the lower limb

Anterior cutaneous nerves and dermatomes of the lower limb

Posterior cutaneous nerves and dermatomes of the lower limb

Tables

Chapter 7: UPPER LIMB

Surface anatomy

Bones of the upper limb

Bony framework of shoulder

Scapula

Clavicle: joints and ligaments

Proximal humerus

Glenohumeral joint

Muscle attachments

Pectoral region

Deep pectoral region

Walls of the axilla

The four rotator cuff muscles

Deep vessels and nerves of the shoulder

Axillary artery

Brachial artery

Brachial plexus

Medial and lateral cords

Posterior cord

Distal end of humerus and proximal end of radius and ulna

Muscle attachments

Anterior compartment: muscles

Anterior compartment: arteries and nerves

Veins of the arm

Posterior compartment: muscles

Posterior compartment: arteries and nerves

Lymphatics of the arm

Transverse sections: arm

Anterior cutaneous nerves of the arm

Posterior cutaneous nerves of the arm

Elbow joint

Elbow joint: capsule and ligaments

Cubital fossa

Radius and ulna

Bones of the hand and wrist joint

Imaging of the hand and wrist joint

Bones of the hand

Joints and ligaments of the hand

Muscle attachments of forearm

Anterior compartment of forearm: muscles

Anterior compartment of forearm: arteries and nerves

Posterior compartment of forearm: muscles

Posterior compartment of forearm: arteries and nerves

Transverse sections: forearm

Carpal tunnel

Muscle attachments of the hand

Superficial palmar region (palm) of hand

Tendon sheaths of hand

Lumbrical muscles

Intrinsic muscles of hand

Palmar region (palm) of hand: arteries and nerves

Arteries of the hand

Innervation of the hand: median and ulnar nerves

Dorsum of hand

Dorsal hoods

Dorsum of hand: arteries

Dorsum of hand: nerves

Anatomical snuffbox

Superficial veins and lymphatics of forearm

Anterior cutaneous nerves of forearm

Posterior cutaneous nerves of upper limb

Tables

## Chapter 8: HEAD AND NECK

Surface anatomy with bones

Bones of the skull

Skull: anterior view

Skull: lateral view

Skull: posterior view

Skull: superior view and roof

Skull: inferior view

Skull: cranial cavity

Ethmoid, lacrimal bone, inferior concha, and vomer

Maxilla and palatine bone

Skull: muscle attachments

Scalp and meninges

Dural partitions

Dural arteries and nerves

Dural venous sinuses

Brain

Brain: imaging

Cranial nerves

Arterial supply to brain

Cutaneous distribution of trigeminal nerve [V]

Facial muscles

Vasculature, facial nerve [VII] and lymphatics

Deep arteries and veins of parotid region

Bony orbit

Section through orbit and structures of eyelid

Eyelids and lacrimal apparatus

Innervation of the lacrimal gland

Muscles of the eyeball

Innervation of the orbit and eyeball

Eye movements

Vasculation of orbit

Eyeball

Eye imaging

Ear surface and sensory innervation

Ear

Middle ear

Internal ear

Ear imaging

Temporal and infratemporal fossae

Bones of the temporal and infratemporal fossae

Temporal and infratemporal fossae

Temporomandibular joint

Mandibular division of the trigeminal nerve [V]

Parasympathetic innervation

Arteries and veins of temporal and infratemporal fossae

Pterygopalatine fossa

Neck surface anatomy

Bones of the neck

Compartments and fascia of the neck

Superficial veins of the neck

Muscles of the neck

Nerves in the neck

Cranial nerves in the neck

Cervical plexus and sympathetic trunk

Arteries of the neck

Root of the neck: arteries

Lymphatics of the neck

Pharynx

Muscles of the pharynx

Innervation of the pharynx

Vasculation of the pharynx

Larynx

Laryngeal cavity

Muscles of the larynx

Innervation of the larynx

Thyroid gland

Vasculature of the thyroid gland

Nose and paranasal sinuses

Nasal cavity: bones

Nasal cavity: mucosal linings

Vasculature and innervation of the nasal cavity

Sinus imaging

Oral cavity: bones

Teeth

Teeth: imaging

Anatomy of teeth

Vessels and nerves supplying teeth

Innervation of teeth and gums

Muscles and salivary glands of the oral cavity

Vessels and nerves of the tongue

Tongue

Hard and soft palate

Palate

Innervation of oral cavity

Cranial nerves

Visceral motor pathways in the head

## Tables

## INDEX

---

# Copyright

---

Elsevier  
1600 John F. Kennedy Blvd.  
Ste 1800  
Philadelphia, PA 19103-2899

GRAY'S ATLAS OF ANATOMY, THIRD EDITION  
INTERNATIONAL EDITION

ISBN: 978-0-323-63639-1  
ISBN: 978-0-323-63640-7

**Copyright © 2021 by Elsevier, Inc. All rights reserved.**

No part of this publication may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopying, recording, or any information storage and retrieval system, without permission in writing from the publisher. Details on how to seek permission, further information about the Publisher's permissions policies and our arrangements with organizations such as the Copyright Clearance Center and the Copyright Licensing Agency can be found at our website: [www.elsevier.com/permissions](http://www.elsevier.com/permissions).

This book and the individual contributions contained in it are protected under copyright by the Publisher (other than as may be noted herein).

## Notices

Practitioners and researchers must always rely on their own experience and knowledge in evaluating and using any information, methods, compounds or experiments described herein. Because of rapid advances in the medical sciences, in particular, independent verification of diagnoses and drug dosages should be made. To the fullest extent of the law, no responsibility is assumed by Elsevier, authors, editors or contributors for any injury and/or damage to persons or property as a matter of products liability, negligence or otherwise, or from any use or operation of any methods, products,

instructions, or ideas contained in the material herein.

Previous editions copyrighted 2015 and 2008.

**Library of Congress Control Number: 2019957237**

*Content Strategist:* Jeremy Bowes

*Director, Content Development:* Rebecca Grulio

*Publishing Services Manager:* Catherine Jackson


*Senior Project Manager:* Daniel Fitzgerald

*Design and Art Direction:* Antbits Ltd.

*Cover design:* Amy Buxton

Printed in Canada

Last digit is the print number: 9      8      7      6      5      4      3      2      1



Working together  
to grow libraries in  
developing countries

[www.elsevier.com](http://www.elsevier.com) • [www.bookaid.org](http://www.bookaid.org)

---

# Dedication

---

To my wife who supports me and to my parents who are always with me.

*Richard L. Drake*

To my family, to my professional colleagues and role models, and to my students.

*A. Wayne Vogl*

Thanks, to Cathy, Max and Elsa

*Adam W.M. Mitchell*

To my family – my inspiration, Evi, Zoë, and Nicholas

*Richard M. Tibbitts*

To my wife Fern, Junior, Ava and Henry, to Lesley and in memory of AMR and JER

*Paul E. Richardson*

---

# ACKNOWLEDGMENTS

---

The following reviewers helped enormously with their detailed critiques and suggestions for every chapter. Their assistance was invaluable.

Mark Hankin, PhD, University of Toledo College of Medicine, Toledo, Ohio

Marios Loukas, MD, PhD, St. George's University School of Medicine, Grenada

James J. Rechtien, DO, PhD, Michigan State University School of Medicine, East Lansing, Michigan

William A. Roy, PT, PhD, Touro University Henderson, Nevada

Susan Standring, MBE, PhD, DSc, FKC, Hon FRCS, Emeritus Professor of Anatomy, King's College London, London

William Swartz, PhD, Louisiana State University Health Sciences Center, Baton Rouge, Louisiana

Mark F. Teaford, PhD, Johns Hopkins University School of Medicine, Baltimore, Maryland

We want to thank Dr. Bruce Crawford for a radiograph of the head and neck and Dr. Murray Morrison for laryngoscopic images of the larynx; Dr. Jerry Healy for three images in the Abdomen section: the celiac artery, the bile duct system, and a three-dimensional view of abdominal vessels; and Siemens Medical Solutions USA and the following individuals with that company: Mollie Beaver, Director, CT Clinical Solutions, and Dr. Louise McKenna, Global Clinical Marketing Manager, CT Oncology, who supplied a *syngo* Multi-modality Workplace, which was used to acquire the majority of the clinical images.

Stuart Morrison, MD, helped with all aspects of coordinating the collection of the radiographic material. Radiological assistance and images were contributed in each of the following areas:

<b>Back</b>	Mark Kayanja, MD, PhD Jeffrey S. Ross, MD
<b>Thorax</b>	Mario Garcia, MD A. Michael Lincoff, MD
<b>Abdomen</b>	Namita Gandhi, MD Michelle Inkster, MD, PhD Brian R. Lane, MD Anand Rao, MD James S. Wu, MD
<b>Pelvis</b>	Matthew Barber, MD, MHS Tommaso Falcone, MD J. Stephen Jones, MD Eunice Moon, MD James S. Newman, MD, PhD
<b>Extremities</b>	Hakan Ilaslan, MD Bradford J. Richmond, MD Joshua Polster, MD
<b>Head and Neck</b>	Todd W. Stultz, DDS, MD J. Martin Paloma, DDS, MSD Cindy McConnaughy Ronald Lemmo, DDS

---

# FOREWORD

---

A working knowledge of anatomy is not an “optional extra” for health care professionals – it is fundamental. Acquiring that knowledge has always challenged even the most motivated students. Over many generations, learning materials that aid the process effectively have been warmly welcomed by students and their teachers (and by patients, who are the ultimate beneficiaries of that knowledge). I remember my own students’ response when I first included illustrations from *Gray’s Anatomy for Students* in a lecture—afterward, I was asked repeatedly for the source of the marvelous pictures. Looking beyond the “wow” factor that leapt from the pages of the book, it was clear that an enormous amount of thought and skill had gone into producing the artwork.

This atlas contains a series of additional outstanding pieces of anatomical art from the illustrative team of Richard Tibbitts and Paul Richardson that will complement those in *Gray’s Anatomy for Students*, combined with relevant clinical pictures, surface anatomy, and images from a range of modern imaging procedures. Of course, anatomy cannot be learned from books and interactive DVDs alone, no matter how excellent they may be. Anatomy is a practical subject, best learned by gaining hands-on experience of the body. Students should spend as much time as they can examining cadaveric dissections (if they do not have the opportunity to dissect themselves) and should always read from screen or page with the appropriate bones in front of them. They need to combine and correlate information from a wide variety of sources in order to gain the working knowledge mentioned earlier.

This atlas will provide a valuable companion to their studies, and I am confident that it will remain in their libraries long after they have completed the early stages of their training.

**Susan Standring, MBE, PhD, DSc, FKC, Hon FRCS,** Emeritus Professor of Anatomy, King’s College, London



مديسكا

*Meddisca*

Telegram : @Meddisca

# FOREWORD

---

We began working on *Gray's Atlas of Anatomy* in 2005 following the publication of our textbook, *Gray's Anatomy for Students*. We wanted to produce an atlas that would build on themes and concepts established in the textbook and that would couple artistic renderings of “internal” gross anatomy with actual “living” anatomy as visualized with modern imaging techniques and with surface anatomy. We believe that the final atlas, now in its third edition, presents a fresh and integrated approach to anatomy that is accessible to entry-level students in anatomy, as well as to students at more advanced levels.

Because an atlas is used in a much different way than a textbook, we could not simply repackage figures used in *Gray's Anatomy for Students* and put them in the atlas. Consequently most of the figures in the atlas are new and were designed to present structures in a more complete context than in the textbook, even though the color palette and overall look of the figures in both the atlas and textbook are similar. Also, figures in the atlas provide additional detail not included in the textbook and directly correlate artistic representations of anatomy with computed tomography (CT) and magnetic resonance imaging (MRI). Where appropriate, we have included endoscopic, laryngoscopic, and laparoscopic views of the anatomy and have included examples of ultrasound images. In a number of regions, we also have reconstructed the internal anatomy of patients by abstracting specific information from multiple MR or CT images, and we present these reconstructions together with artwork of the same anatomy. Although the artwork was done independently of the reconstructed images, the two types of representations are strikingly similar.

Each page of this atlas was planned prior to beginning work on the figures, and all of the artwork was generated digitally. Most of the figures were created from an extensive digital database created for the textbook. In this third edition, we have updated the images and added a few new ones in response to feedback from our readers.

We hope that the textbook and this edition of the atlas used together will provide powerful learning tools for students of human gross anatomy.

The Authors



---

# PREFACE

---

This 3rd edition of *Gray's Atlas of Anatomy* continues in the tradition of the first two editions, coupling artistic rendering with actual living anatomy as visualized with modern imaging techniques and surface anatomy. The combination of modern illustrations, imaging, and surface anatomy is unique among atlases available today.

At the end of every chapter, tables and schematic drawings allow for quick review of subject matter. These include major nerves plexuses throughout the body, branching patterns of major arteries, summaries of muscles organized into compartments or regions, and other helpful information. This material is designed to provide the reader quick access to information.

It's our hope that the 3rd edition of *Gray's Atlas of Anatomy* will become a valuable learning aid for students encountering anatomy for the first time or for the individual seeking to review information critical to their daily experiences.

The Authors




# THE BODY

---


# CONTENTS

- Anatomical position, terms, and planes 2
- Anatomical planes and imaging 3
- Surface anatomy: anterior view 4
- Surface anatomy: posterior view 5
- Skeleton: anterior 6
- Skeleton: posterior 7
- Muscles: anterior 8
- Muscles: posterior 9
- Vascular system: arteries 10
- Vascular system: veins 11
- Lymphatic system 12
- Nervous system 13
- Sympathetics 14
- Parasympathetics 15
- Dermatomes 16
- Cutaneous nerves 17


# Anatomical position, terms, and planes



# Anatomical planes and imaging



T2-weighted MR image, in sagittal plane




CT image, with contrast, in coronal plane




CT image, with contrast, in axial plane





## Surface anatomy: anterior view



## **Surface anatomy: posterior view**




## **Skeleton: anterior**






## **Skeleton: posterior**




## Muscles: anterior





## Muscles: posterior






مديسكا

*Meddisca*


Telegram : [@Meddisca](https://t.me/Meddisca)

## Vascular system: arteries






## Vascular system: veins






# Lymphatic system




# **Nervous system**







# Sympathetics

**Peripheral****Organs**


# Parasympathetics



# Dermatomes



# Cutaneous nerves






# BACK

---

# CONTENTS


- Surface anatomy 20
- Vertebral column 21
- Regional vertebrae 22
  - Cervical vertebrae 23
  - Thoracic vertebrae 26
  - Lumbar vertebrae 28
  - Sacrum 31
- Intervertebral foramina and discs 32
- Intervertebral disc problems 33
- Joints and ligaments 35
- Back musculature: surface anatomy 36
- Superficial musculature 37
- Intermediate musculature 39
- Deep musculature 40
- Back musculature: transverse section 42
- Suboccipital region 43
- Spinal nerves 44
- Spinal cord 45
- Spinal cord vasculature 46
- Venous drainage of spinal cord 47
- Meninges 48
- Spinal cord: imaging 50
- Transverse section: thoracic region 52
- Dermatomes and cutaneous nerves 53
- Tables 54

# Surface anatomy








Surface anatomy of the back


# **Vertebral column**




# Regional vertebrae







## Cervical vertebrae






Cervical vertebrae lateral view












## **Thoracic vertebrae**




**Thoracic vertebrae lateral view**




#### Thoracic region of vertebral column.

T2-weighted MR image in sagittal plane (compression fracture T1X)




**T11 vertebra superior view**




**T11 vertebra lateral view**







**Thoracic region of vertebral column.**  
Radiograph, AP view




**TIII vertebra posterior view**



**Thoracic vertebra with rib articulations.**  
CT image in axial plane








**TXII vertebra superior view**




**TXII vertebra lateral view**

## Lumbar vertebrae







L4 vertebra superior view




L4 vertebra posterior view





Articulation of lumbar vertebrae.  
T1-weighted MR image in axial plane






L4 vertebra lateral view




L4 vertebra oblique view




Lumbar region of vertebral column ("Scottie dog").  
Radiograph, oblique view


# **Sacrum**




Sacrum and coccyx anterior view



Sacrum and coccyx posterior view




Sacral region of vertebral column.  
T2-weighted MR image in sagittal plane



Sacrum and coccyx lateral view

# **Intervertebral foramina and discs**



**Intervertebral disc in lower lumbar region of vertebral column.**  
T2-weighted MR image in sagittal plane


**Intervertebral foramina and discs in the thoracic region**

# **Intervertebral disc problems**




**Intervertebral disc protrusion in lower lumbar region of vertebral column.**

T2-weighted MR image in sagittal plane




**Intervertebral disc protrusion in lower lumbar region of vertebral column.**

T2-weighted MR image in axial plane




**Intervertebral disc protrusion (mid sagittal section)**



**Intervertebral disc protrusion (superior view)**






Intervertebral disc protrusion (posterior view)


Nerve root	Main weakness	Reflex decreased	Area of sensory decrease	Disc involved
C5	Deltoid (biceps)	(biceps, pectoralis)	Shoulder, upper lateral arm	C4-C5
C6	Wrist extension	(biceps, brachioradialis)	1st and 2nd digits (lateral forearm)	C5-C6
C7	Triceps	Triceps	Third finger	C6-C7
C8	Intrinsic hand muscles		4th and 5th digits (medial forearm)	C7-T1

Clinically important nerve roots in the upper limb





Nerve root	Main weakness	Reflex decreased	Area of sensory decrease	Disc involved
L4	Iliopsoas and quadriceps	Patellar tendon (knee jerk)	Knee, medial lower leg	L3-L4
L5	Dorsiflexion of foot at ankle (big toe extension, foot eversion and inversion)		Dorsum of foot, big toe	L4-L5
S1	Plantar flexion of foot at ankle	Achilles tendon (ankle jerk)	Lateral foot, small toe, sole	L5-S1

Clinically important nerve roots in the lower limb




# Joints and ligaments



**Vertebral ligaments of the lumbar region  
(posterior oblique view)**


# **Back musculature: surface anatomy**



Posterior view of male showing surface projections of back muscles




# **Superficial musculature**




Superficial musculature – trapezius and latissimus dorsi





Superficial musculature – levator scapulae and rhomboid major and minor


# Intermediate musculature



Intermediate musculature




## Deep musculature



Deep group of back muscles – erector spinae muscles







Deep group of back muscles – transversospinales and segmental muscles






## **Back musculature: transverse section**




# **Suboccipital region**




# **Spinal nerves**





# **Spinal cord**




# **Spinal cord vasculature**




# **Venous drainage of spinal cord**




# Meninges




Cord and meninges at thoracic level



Cauda equina and meninges at lumbar level





Nerve roots and meninges at sacral level





Meninges covering parts of the thoracic region of the spinal cord (posterior view)


# **Spinal cord: imaging**




**Cervical and upper thoracic vertebral column showing upper and middle portions of spinal cord.**  
T2-weighted MR image in sagittal plane



## **Transverse section: thoracic region**




Transverse section through thoracic region of vertebral column



Thoracic region of back.  
CT image in axial plane

# Dermatomes and cutaneous nerves



Dermatomes and cutaneous nerves of the back



# Tables

## Superficial (appendicular) group of back muscles

Muscle		Origin	Insertion	Innervation	Function
Trapezius	1	Superior nuchal line, external occipital protuberance, ligamentum nuchae, spinous processes of CVII to TXII	Lateral one-third of clavicle, acromion, spine of scapula	Motor—accessory nerve [XI]; proprioception —C3 and C4	Assists in rotating the scapula during abduction of humerus above horizontal; upper fibers elevate, middle fibers adduct, and lower fibers depress scapula
Latissimus dorsi	2	Spinous processes of TVII to LV and sacrum, iliac crest, ribs X to XII	Floor of intertubercular sulcus of humerus	Thoracodorsal nerve (C6 to C8)	Extends, adducts, and medially rotates humerus
Levator scapulae	3	Transverse processes of CI to CIV	Upper portion medial border of scapula	C3 to C4 and dorsal scapular nerve (C4, C5)	Elevates scapula
Rhomboïd major	4	Spinous processes of TII to TV	Medial border of scapula between spine and inferior angle	Dorsal scapular nerve (C4, C5)	Retracts (adducts) and elevates scapula
Rhomboïd minor	5	Lower portion of ligamentum nuchae, spinous processes of CVII and TI	Medial border of scapula at the spine of scapula	Dorsal scapular nerve (C4, C5)	Retracts (adducts) and elevates scapula


## Intermediate (respiratory) group of back muscles

Serratus posterior superior	6	Lower portion of ligamentum nuchae, spinous processes of CVII to TIII and supraspinous ligaments	Mastoid process, skull below lateral one-third of superior nuchal line	Anterior rami of upper thoracic nerves (T2 to T5)	Elevates ribs II to V
Serratus posterior inferior	7	Spinous processes of TXI to LIII and supraspinous ligaments	Lower border of ribs IX to XII just lateral to their angles	Anterior rami of lower thoracic nerves (T9 to T12)	Depresses ribs IX to XII and may prevent lower ribs from being elevated when the diaphragm contracts

## Spinotransversales muscles

Splenius capitis	8	Lower half of ligamentum nuchae, spinous processes of CVII to TIV	Mastoid process, skull below lateral one-third of superior nuchal line	Posterior rami middle cervical nerves	Together—draw head backward, extending neck; individually—draw and rotate head to one side (turn face to same side)
Splenius cervicis	9	Spinous processes of TIII to TVI	Transverse processes of CI to CIII	Posterior rami lower cervical nerves	Together—extend neck; individually—draw and rotate head to one side (turn face to same side)






## Erector spinae group of back muscles

Muscle		Origin	Insertion
Iliocostalis lumborum	1	Sacrum, spinous processes of lumbar and lower two thoracic vertebrae and their supraspinous ligaments, and the iliac crest	Angles of the lower six or seven ribs
Iliocostalis thoracis	2	Angles of the lower six ribs	Angles of the upper six ribs and the transverse process of CVII
Iliocostalis cervicis	3	Angles of ribs III to VI	Transverse processes of CIV to CVI
Longissimus thoracis	4	Blends with iliocostalis in lumbar region and is attached to transverse processes of lumbar vertebrae	Transverse processes of all thoracic vertebrae and just lateral to the tubercles of the lower nine or ten ribs
Longissimus cervicis	5	Transverse processes of upper four or five thoracic vertebrae	Transverse processes of CII to CVI
Longissimus capitis	6	Blends with iliocostalis in lumbar region and is attached to transverse processes of lumbar vertebrae	Transverse processes of all thoracic vertebrae and just lateral to the tubercles of the lower nine or ten ribs
Spinalis thoracis	7	Spinous processes of TX or TXI to LII	Spinous processes of TI to TVIII (varies)
Spinalis cervicis	8	Lower part of ligamentum nuchae and spinous process of CVII (sometimes TI to III)	Spinous process of CII (axis)
Spinalis capitis	9	Usually blends with semispinalis capitis	With semispinalis capitis

## Transversospinales group of back muscles


Semispinalis thoracis	10	Transverse processes of TVI to TX	Spinous processes of upper four thoracic and lower two cervical vertebrae
Semispinalis cervicis	11	Transverse processes of upper five or six thoracic vertebrae	Spinous processes of CII (axis) to CV
Semispinalis capitis	12	Transverse processes of TI to TVI (or TVII) and CVII and articular processes of CIV to CVI	Medial area between the superior and inferior nuchal lines of occipital bone
Multifidus	13	Sacrum, origin of erector spinae, posterior superior iliac spine, mammillary processes of lumbar vertebrae, transverse processes of thoracic vertebrae, and articular processes of lower four cervical vertebrae	Base of spinous processes of all vertebrae from LV to CII (axis)
Rotatores lumborum	14	Mammillary processes of lumbar vertebrae	Spinous processes of lumbar vertebrae
Rotatores thoracis	15	Transverse processes of thoracic vertebrae	Spinous processes of thoracic vertebrae
Rotatores cervicis	16	Articular processes of cervical vertebrae	Spinous processes of cervical vertebrae



## Segmental back muscles


---

Muscle		Origin	Insertion	Function
<b>Levatores costarum</b>	1	Short paired muscles arising from transverse processes of CVII to TXI	The rib below vertebra of origin near tubercle	Contraction elevates rib
<b>Interspinales</b>	2	Short paired muscles attached to the spinous processes of contiguous vertebrae, one on each side of the interspinous ligament		Postural muscles that stabilize adjoining vertebra during movements of vertebral column
<b>Intertransversarii</b>	3	Small muscles between the transverse processes of contiguous vertebrae		Postural muscles that stabilize adjoining vertebra during movements of vertebral column



## Suboccipital group of back muscles

Muscle		Origin	Insertion	Innervation	Function
Rectus capitis posterior major	1	Spinous process of axis (CII)	Lateral portion of occipital bone below inferior nuchal line	Posterior ramus of C1	Extension of head; rotation of face to same side as muscle
Rectus capitis posterior minor	2	Posterior tubercle of atlas (CI)	Medial portion of occipital bone below inferior nuchal line	Posterior ramus of C1	Extension of head
Obliquus capitis superior	3	Transverse process of atlas (CI)	Occipital bone between superior and inferior nuchal lines	Posterior ramus of C1	Extension of head and bends it to same side
Obliquus capitis inferior	4	Spinous process of axis (CII)	Transverse process of atlas (CI)	Posterior ramus of C1	Rotation of face to same side





# THORAX


---

# CONTENTS


- Surface anatomy with bones [62](#)
- Bony framework [63](#)
- Ribs [65](#)
- Articulations [66](#)
- Breast [68](#)
- Pectoral region [70](#)
- Thoracic wall muscles [72](#)
- Diaphragm [73](#)
- Arteries of the thoracic wall [74](#)
- Veins of the thoracic wall [75](#)
- Nerves of the thoracic wall [76](#)
- Lymphatics of the thoracic wall [77](#)
- Intercostal nerves and arteries [78](#)
- Pleural cavities and mediastinum [79](#)
- Parietal pleura [80](#)
- Surface projections of pleural recesses [81](#)
- Right lung [82](#)
- Left lung [83](#)
- Lung lobes: surface relationship [84](#)
- Lung lobes: imaging [85](#)
- Bronchial tree [86](#)
- Bronchopulmonary segments [87](#)
- Pulmonary vessels and plexus [88](#)
- Pulmonary vessels: imaging [89](#)
- Mediastinum [91](#)
- Pericardium [92](#)
- Pericardial layers [93](#)
- Anterior surface of heart [94](#)
- Base and diaphragmatic surface of heart [95](#)

- Right atrium 96
- Right ventricle 97
- Left atrium 98
- Left ventricle 99
- Aortic valve and cardiac skeleton 100
- Cardiac chambers and heart valves 101
- Coronary vessels 102
- Coronary arteries and variations 103
- Cardiac conduction system 105
- Auscultation points and heart sounds 106
- Cardiac innervation 107
- Superior mediastinum: thymus 108
- Superior mediastinum: veins and arteries 109
- Superior mediastinum: arteries and nerves 110
- Superior mediastinum: imaging 111
- Superior mediastinum: veins and trachea 112
- Mediastinum: imaging 113
- Mediastinum: view from right 114
- Mediastinum: imaging – view from right 115
- Mediastinum: view from left 116
- Mediastinum: imaging – view from left 117
- Posterior mediastinum 118
- Mediastinum: imaging 120
- Transverse section: TVIII level 124
- Dermatomes and cutaneous nerves 125
- Visceral efferent (motor) innervation of the heart 126
- Visceral afferents 127
- Tables 128

# **Surface anatomy with bones**




Anterior chest wall in a woman




Anterior chest wall in a man




# Bony framework



**Bony framework of thorax**  
(anterior view)




**Bony framework of thorax**  
(posterior view)




**Positioning of structures in chest.**  
Radiograph, AP view







# Ribs



# Articulations









**Articulation of costal cartilage with sternum.**

CT image, with contrast, in axial plane

# Breast





**Anterior view**



**Sagittal section**






Mammography. Craniocaudal (cc) view of a normal right breast showing a heterogeneously dense appearance

Mammography. Mediolateral oblique (mlo) view of a normal right breast showing a heterogeneously dense appearance


## Pectoral region





Pectoralis major muscle and related deep structures



Pectoralis major and minor muscles on anterior thoracic wall.  
CT image, with contrast, in axial plane






**Pectoralis minor and the anterior thoracic wall  
(pectoralis major removed)**





**Muscles of the posterior thoracic wall**




# **Thoracic wall muscles**




# Diaphragm




**Diaphragm superior view**



**Diaphragm within the rib cage**




**Major structures that pass through the diaphragm**




**Features of diaphragm**

# **Arteries of the thoracic wall**




**Arteries of the thoracic wall**




**Arteries of the thoracic wall.**  
Volume-rendered right lateral view  
of structures in the thorax using  
multidetector computed tomography


## **Veins of the thoracic wall**




## **Nerves of the thoracic wall**





## **Lymphatics of the thoracic wall**




# Intercostal nerves and arteries




**Intercostal nerves**




**Intercostal arteries**




# Pleural cavities and mediastinum




## Parietal pleura



## Surface projections of pleural recesses




Surface projections of the pleura and lungs (anterior view)




Surface projections of the pleura and lungs (posterior view)

Surface projections of the pleura and right lung (lateral view)

## **Right lung**




Lobes of the right lung (anteromedial view)




Right lung and related structures (medial view)


# **Left lung**



## Lung lobes: surface relationship




Surface projections of the lobes and fissures of the lungs (anterior view)




Surface projections of the lobes and fissures of the lungs (posterior view)

## Lung lobes: imaging



Superior lobe of right lung



Superior lobe of left lung

Oblique fissure

Oblique fissure

Inferior lobe of right lung

Inferior lobe of left lung

**Right lung and left lung demonstrating superior and inferior lobes. The oblique fissures are visible.**  
CT image, with contrast, in axial plane

Superior lobe of right lung

Superior lobe of left lung

Middle lobe of right lung

Oblique fissure

Inferior lobe of right lung

Inferior lobe of left lung

**Right lung demonstrating superior, middle, and inferior lobes and the left lung demonstrating superior and inferior lobes. The oblique fissure associated with the left lung is visible.**  
CT image, with contrast, in axial plane

Middle lobe of right lung

Superior lobe of left lung

Oblique fissure

Oblique fissure


Inferior lobe of right lung

Inferior lobe of left lung

**Right lung demonstrating middle and inferior lobes and the left lung demonstrating superior and inferior lobes. The oblique fissures are visible.**






CT image, with contrast, in axial plane

# Bronchial tree





Trachea and bronchial tree

# Bronchopulmonary segments




Bronchopulmonary segments

# Pulmonary vessels and plexus








# Pulmonary vessels: imaging




**A through C – Relationships of the pulmonary arteries, pulmonary veins, and bronchi in the mediastinum.**  
CT images, with contrast, in axial plane






D through F – Relationships of the pulmonary arteries, pulmonary veins, and bronchi in the mediastinum.  
CT images, with contrast, in axial plane


# **Mediastinum**




Structures of the mediastinum as they relate to the surface



# Pericardium




**Pericardium with nerves and vessels**




**Mediastinal structures and lungs.**  
CT image, with contrast, in coronal plane

# Pericardial layers




Sagittal section of the pericardium and heart




Pericardial sac with heart removed

## **Anterior surface of heart**





**Anterior surface of the heart**




**Anterior view of the heart.**  
Volume-rendered anterior view using multidetector computed tomography


## **Base and diaphragmatic surface of heart**



# Right atrium




**Internal view of right atrium**




**Positioning of right atrium in relation to other cardiac chambers.**  
CT image, with contrast, in axial plane

## **Right ventricle**




**Internal view of right ventricle**




**Positioning of right ventricle in relation to other cardiac chambers.**  
CT image, with contrast, in axial plane

## **Left atrium**





**Internal view of left atrium**





**Positioning of left atrium in relation to other cardiac chambers.**  
CT image, with contrast, in axial plane

## Left ventricle




**Positioning of left ventricle in relation to other cardiac chambers.**  
CT image, with contrast, in axial plane

## Aortic valve and cardiac skeleton




# **Cardiac chambers and heart valves**




Cardiac chambers and direction of blood flow

# Coronary vessels




**Cardiac vasculature anterior view**




**Posterior view of the heart showing the coronary sinus**  
Volume-rendered posterior view using multidetector computed tomography

**Posteroinferior view**

# **Coronary arteries and variations**




**Coronary arteries (right dominant system)**




**Coronary angiography (right dominant system).**  
Left anterior oblique projection, cranial angulation, of right coronary artery

**Coronary angiography (right dominant system).**  
Left anterior oblique projection, cranial angulation, of left coronary artery






**Coronary arteries (left dominant system)**




**Coronary angiography (left dominant system).**  
Left anterior oblique projection, cranial angulation, of right coronary artery

**Coronary angiography (left dominant system).**  
Left anterior oblique projection, cranial angulation, of left coronary artery

# **Cardiac conduction system**



# Auscultation points and heart sounds




**Auscultation points**

Closure of mitral and tricuspid valves




Closure of aortic and pulmonary valves



Ventricular pressure

ECG


Heart sounds



**Cardiac auscultation**




# **Cardiac innervation**




Cardiac plexus and nerves of the heart

## **Superior mediastinum: thymus**




Surface projections of structures in the superior mediastinum




Thymus gland

## **Superior mediastinum: veins and arteries**




Veins of the superior mediastinum



Anterior view of the superior mediastinum showing venous and arterial channels.


Volume-rendered anterior view using multidetector computed tomography

## **Superior mediastinum: arteries and nerves**




Arteries and nerves of the superior mediastinum

## **Superior mediastinum: imaging**




**Positioning of venous channels in the superior mediastinum.**  
CT image, with contrast, in coronal plane




**Anterior view of the superior mediastinum with the venous channels, pulmonary trunk, and heart removed.**  
Volume-rendered anterior view using multidetector computed tomography

## **Superior mediastinum: veins and trachea**




Trachea and structures relating to it in the superior mediastinum


# **Mediastinum: imaging**



**Positioning of brachiocephalic trunk in relation to other structures in the superior mediastinum.**  
CT image, with contrast, in coronal plane




**Positioning of left common carotid artery in relation to other structures in the superior mediastinum.**  
CT image, with contrast, in coronal plane




**Positioning of left subclavian artery and the bifurcation of the trachea in relation to other structures in the superior mediastinum.**  
CT image, with contrast, in coronal plane

## **Mediastinum: view from right**




Right side of mediastinum and right thoracic cavity

## **Mediastinum: imaging – view from right**




**View of mediastinal structures from the right side of the thorax.**  
Volume-rendered lateral view from the right side using multidetector computed tomography

## **Mediastinum: view from left**




Left side of mediastinum and left thoracic cavity

## **Mediastinum: imaging – view from left**




**View of mediastinal structures from the left side of the thorax.**  
Volume-rendered lateral view from the left side using multidetector computed tomography

## **Posterior mediastinum**










Structures of the posterior mediastinum  
(thoracic aorta and esophagus removed)

# **Mediastinum: imaging**







**A through I – This is a series of images that pass through the thorax from superior to inferior showing the various mediastinal structures and their relationships with each other.**

CT images, with contrast, in axial plane




Transverse section through the superior mediastinum at the level of vertebra TIII






Transverse section through the superior mediastinum at the level of vertebra TIV





Transverse section through the superior mediastinum at the level of vertebra TV






Ascending aorta

Right atrium

Right pulmonary vein

Left atrium



G

Right atrium

Left atrium

Esophagus

Right ventricle

Left ventricle

Thoracic aorta

H

Liver

Inferior vena cava

Esophagus

Left ventricle

Thoracic aorta


I

A through I – This is a series of images that pass through the thorax from superior to inferior showing the various mediastinal structures and their relationships with each other.

CT images, with contrast, in axial plane




## **Transverse section: TVIII level**




Transverse section through thorax  
(approximately TVII)

# Dermatomes and cutaneous nerves




Dermatomes and cutaneous nerves of the thoracic region

## **Visceral efferent (motor) innervation of the heart**



Visceral efferent (motor) innervation of the heart  
(sympathetic and parasympathetic)

# Visceral afferents






# Tables

## Muscles of the pectoral region

Muscle		Origin	Insertion	Innervation	Function
Pectoralis major	1	Medial half of clavicle and anterior surface of sternum, first seven costal cartilages, aponeurosis of external oblique	Lateral lip of intertubercular sulcus of humerus	Medial and lateral pectoral nerves	Adduction, medial rotation, and flexion of the humerus at the shoulder joint
Subclavius	2	Rib I at junction between rib and costal cartilage	Groove on inferior surface of middle third of clavicle	Nerve to subclavius	Pulls clavicle medially to stabilize sternoclavicular joint; depresses tip of shoulder
Pectoralis minor	3	Anterior surfaces of the third, fourth and fifth ribs, and deep fascia overlying the related intercostal spaces	Coracoid process of scapula	Medial pectoral nerves	Depresses tip of shoulder; protracts scapula

## Muscles of the thoracic wall


External intercostal	4	Inferior margin of rib above	Superior margin of rib below	Intercostal nerves; T1-T11	Most active during inspiration; supports intercostal space; moves ribs superiorly
Internal intercostal	5	Lateral edge of costal groove of rib above	Superior margin of rib below deep to the attachment of the related external intercostal	Intercostal nerves; T1-T11	Most active during expiration; supports intercostal space; moves ribs inferiorly
Innermost intercostal	6	Medial edge of costal groove of rib above	Internal aspect of superior margin of rib below	Intercostal nerves; T1-T11	Acts with internal intercostal muscles
Subcostales	7	Internal surface (near angle) of lower ribs	Internal surface of second or third rib below	Related intercostal nerves	May depress ribs
Transversus thoracis	8	Inferior margins and internal surfaces of costal cartilages of second to sixth ribs	Inferior aspect of deep surface of body of sternum, xiphoid process and costal cartilages ribs IV-VII	Related intercostal nerves	Depresses costal cartilages



## Branches of the thoracic aorta

---

Branches	Origin and course
<b>Pericardial branches</b>	1 A few small vessels to the posterior surface of the pericardial sac
<b>Bronchial branches</b>	2 Vary in number, size, and origin—usually, two left bronchial arteries from the thoracic aorta and one right bronchial artery from the third posterior intercostal artery or the superior left bronchial artery
<b>Esophageal branches</b>	3 Four or five vessels from the anterior aspect of the thoracic aorta, which form a continuous anastomotic chain—anastomotic connections include esophageal branches of the inferior thyroid artery superiorly, and esophageal branches of the left inferior phrenic and the left gastric arteries inferiorly
<b>Mediastinal branches</b>	4 Several small branches supplying lymph nodes, vessels, nerves, and areolar tissue in the posterior mediastinum
<b>Posterior intercostal arteries</b>	5 Usually nine pairs of vessels branching from the posterior surface of the thoracic aorta—usually supply lower nine intercostal spaces (first two spaces are supplied by the supreme intercostal artery—a branch of the costocervical trunk)
<b>Superior phrenic arteries</b>	6 Small vessels from the lower part of the thoracic aorta supplying the posterior part of the superior surface of the diaphragm—they anastomose with the musculophrenic and pericardiophrenic arteries
<b>Subcostal artery</b>	7 The lowest pair of branches from the thoracic aorta located inferior to rib XII





# **ABDOMEN**

---

# CONTENTS

- Surface anatomy 134
- Quadrants and regions 135
- Abdominal wall 136
- Muscles 138
  - Muscles: rectus sheath 141
  - Vessels of the abdominal wall 142
  - Arteries and lymphatics of the abdominal wall 143
  - Nerves of the abdominal wall 144
  - Dermatomes and cutaneous nerves 145
- Inguinal region 146
  - Inguinal canal in men 148
  - Inguinal canal in women 150
  - Inguinal hernias 152
- Anterior abdominal wall 153
- Greater omentum 154
- Abdominal viscera 155
- Peritoneal cavity 156
- Abdominal sagittal section 157
- Abdominal coronal section 158
- Arterial supply of viscera 159
- Stomach 160
- Spleen 161
  - Arteries of stomach and spleen 162
- Duodenum 164
- Small intestine 166
- Large intestine 168
- Ileocecal junction 170
- Gastrointestinal tract: imaging 171
- Mesenteric arteries 172

Liver 174

Vessels of the liver 176

Segments of the liver 177

Pancreas and gallbladder 178

Vasculation of pancreas and duodenum 181

Venous drainage of viscera 182

Portosystemic anastomoses 184

Posterior wall 185

Vessels of the posterior wall 186

Diaphragm 187

Kidneys 188

Gross structure of kidneys 190

Kidneys: imaging 191

Renal vasculature 192

Branches of the abdominal aorta 194

Inferior vena cava 195

Abdominal aorta and inferior vena cava: imaging 196

Lumbar plexus 198

Lumbar plexus: cutaneous distribution 199

Lymphatics 200

Abdominal innervation 201

Splanchnic nerves 202


Visceral efferent (motor) innervation diagram 203

Visceral afferent (sensory) innervation and referred pain diagram 204

Kidney and ureter visceral afferent (sensory) diagram 206


Tables 208

# Surface anatomy




Anterior abdominal wall surface anatomy

# **Quadrants and regions**




Abdominal quadrants and the positions of major viscera




The nine regions of the abdomen




# **Abdominal wall**



**Layers of the abdominal wall**




**Transverse section showing the layers of the abdominal wall  
(above umbilicus)**




**Layers of the abdominal wall.**  
CT image, with contrast, in axial plane

# Muscles




External and internal oblique muscles






Internal oblique and transversus abdominis muscles






Rectus abdominis and pyramidalis muscles

## Muscles: rectus sheath




### Organization of the rectus sheath.

- A. Transverse section through the upper three quarters of the rectus sheath  
 B. Transverse section through the lower one quarter of the rectus sheath




# **Vessels of the abdominal wall**




Vasculature of the anterior abdominal wall

# **Arteries and lymphatics of the abdominal wall**




**Arteries of the anterior abdominal wall**




**Superficial lymphatic drainage of the anterolateral abdominal wall**

# **Nerves of the abdominal wall**




Nerves of the anterolateral abdominal wall

# Dermatomes and cutaneous nerves




Dermatomes and cutaneous nerves of the anterolateral abdominal wall

# Inguinal region




Inguinal region in a man



Inguinal region in a woman







Inguinal region in men

Inguinal region in women


# Inguinal canal in men








# Inguinal canal in women









Inguinal canal and structures within

# Inguinal hernias



Indirect inguinal hernia


Direct inguinal hernia



#### Right inguinal triangle.


Laparoscopic view showing the parietal peritoneum still covering the area  
(inside the peritoneal cavity looking anteroinferior)

# **Anterior abdominal wall**




Internal view of anterior abdominal wall in men

## Greater omentum




Greater omentum

# **Abdominal viscera**





Abdominal viscera (greater omentum removed)

# **Peritoneal cavity**




Greater and lesser sacs of the peritoneal cavity

# **Abdominal sagittal section**




**Arrangement of abdominal contents in peritoneal cavity.**  
CT images with contrast, in sagittal plane

## **Abdominal coronal section**




Coronal section




Coronal section.  
CT image with contrast, in coronal plane




# **Arterial supply of viscera**




# **Stomach**




# Spleen



Surface projection of the spleen (posterior view)




Surfaces and hilum of the spleen




Lateral view of abdominal cavity with spleen




Location of the spleen.  
CT image, with contrast, in coronal plane



# **Arteries of stomach and spleen**




**Distribution of the celiac trunk**




**Branches of the gastroduodenal artery**






Digital subtraction angiography of the celiac trunk and its branches




Positioning of the celiac trunk in relation to other structures.  
CT image, with contrast, in coronal plane

Branching of the celiac trunk from the abdominal aorta.  
CT image, with contrast, in axial plane

# Duodenum




Duodenum in situ



Double contrast radiograph showing the duodenal cap






Parts of the duodenum and related structures




Relationship of duodenum to structures in the vicinity.  
CT image, with contrast, in coronal plane

# **Small intestine**




Small intestine displaced to show superior mesenteric vessels






Differences in the arterial supply to the jejunum and ileum





Jejunum and ileum




Radiograph using barium, showing jejunum and ileum

# Large intestine




**Large intestine left lateral view**




**Surface projection of the large intestine**






Radiograph using barium showing the large intestine




Transverse colon showing right and left colic flexures.  
CT image, with contrast, in coronal plane


# Ileocecal junction



**Ileocecal junction**



**Colonoscopy showing ileocecal fold**




**Positions of the appendix**



# Gastrointestinal tract: imaging



A



B




C



D




E



F



G




H



I




J




**Endoscopy and colonoscopy showing different parts of the gastrointestinal tract.**

- A. Gastroesophageal junction
- B. Cardiac orifice and fundus of stomach-retroflexed view
- C. Body of stomach
- D. Pylorus of stomach and pyloric sphincter
- E. Duodenum
- F. Cecum showing appendiceal opening.
- G. Transverse colon
- H. Sigmoid colon
- I. Rectum-retroflexed view
- J. Pectinate line


# **Mesenteric arteries**



**Superior and inferior mesenteric arteries**





**Digital subtraction angiography of the superior mesenteric artery and its branches**




**Digital subtraction angiography of the inferior mesenteric artery and its branches**






**Branching of the superior mesenteric artery from the abdominal aorta.**  
CT image, with contrast, in axial plane



**Positioning of the superior mesenteric artery in relation to other structures.**  
CT image, with contrast, in coronal plane


# Liver



**Location of the liver.**



CT image, with contrast, in coronal plane

**Surface projection of the liver anterior view**




**Anterior surface of liver**






**Visceral surface of liver**


## Vessels of the liver



**Anterior surface of liver with hepatic veins, portal vein, and associated vessels**




**Hepatic veins entering the inferior vena cava  
in the substance of the liver.**  
CT image, with contrast, in axial plane





**Arrangement of the hepatic venous segments**

# **Segments of the liver**




Segments of the liver shown on anterior and visceral surfaces


# Pancreas and gallbladder



**Anterior surface of the pancreas**



**Pancreas.**  
CT image, with contrast, in axial plane




Bile and pancreatic ducts



Positioning of the gallbladder in relation to other structures.

CT image, with contrast, in axial plane






**Section through gallbladder and bile ducts**




**Bile duct system.**

Percutaneous transhepatic cholangiogram



**Positioning of the pancreas in relation to other structures.**


CT image, with contrast, in coronal plane




**Relationship of pancreas to the stomach and spleen.**

CT image, with contrast, in coronal plane

# **Vasculation of pancreas and duodenum**




Vasculation of the pancreas posterior view




Distribution of the common hepatic artery

## **Venous drainage of viscera**



Venous drainage of the abdominal portion of the gastrointestinal tract in situ




Venous drainage of the abdominal portion of the gastrointestinal tract




Formation of the portal vein.  
CT image, with contrast, in coronal plane

# **Portosystemic anastomoses**




#### Portosystemic anastomoses

- 1 Esophageal varices:  
swollen connections between systemic and portal systems at inferior end of esophagus
- 2 Varices at the anorectal junction:  
swollen connections between systemic and portal systems at inferior end of rectum and anal canal
- 3 Caput medusae:  
swollen connections between systemic and portal systems around umbilicus
- 4 Swollen connections between systemic and portal systems at bare area of liver
- 5 Swollen connections between veins associated with retroperitoneal parts of the gastro-intestinal tract and the body wall




Venous enlargement in portal hypertension(varices)

## **Posterior wall**




Muscles of the posterior abdominal wall

## Vessels of the posterior wall




Vessels and their relationship to the posterior abdominal wall

# Diaphragm




Inferior view of diaphragm




Positioning of the diaphragm in relation to other structures.  
CT image, with contrast, in axial plane


# Kidneys




Peritoneum and the retroperitoneal position of the kidneys




Organization of fat and fascia surrounding the kidneys



Surface projection of the kidneys and ureters (posterior view)




Structures related to the posterior surface of each kidney




Structures related to the anterior surface of each kidney



## Gross structure of kidneys




Anterior surface of right kidney




Internal structure of the right kidney




# Kidneys: imaging



**Renal pelvis.**  
CT image, with contrast, in axial plane




**Location of ureters.**  
CT image, with contrast, in axial plane



**Pathway of ureter in relation to other structures.**  
Coronal view of 3-D urogram using multidetector computed tomography

# **Renal vasculature**



Vasculature relating to kidneys, suprarenal glands, and ureters



**Renal vasculature.**  
CT image, with contrast, in axial plane




**Renal arteries.**  
CT image, with contrast, in coronal plane



**Renal arteries.**  
Volume-rendered anterior view using multidetector computer tomography




## **Branches of the abdominal aorta**




Abdominal aorta and branches

## Inferior vena cava





Inferior vena cava and tributaries

# **Abdominal aorta and inferior vena cava: imaging**




**Abdominal aorta and inferior vena cava.**  
CT images, with contrast, in axial plane






**Positioning of the abdominal aorta and inferior vena cava in relation to other structures.**  
CT images, with contrast, in coronal plane

# Lumbar plexus



Lumbar plexus


## Lumbar plexus: cutaneous distribution



Cutaneous distribution of the nerves from the lumbar plexus




# Lymphatics




Abdominal lymphatics

# **Abdominal innervation**




Prevertebral plexuses and ganglia with sympathetic trunks


# **Splanchnic nerves**



# **Visceral efferent (motor) innervation diagram**




# **Visceral afferent (sensory) innervation and referred pain diagram**







Visceral "pain" referred to somatic area innervated by same spinal cord level



MIDGUT




FOREGUT




HINDGUT


# **Kidney and ureter visceral afferent (sensory) diagram**







T10-L1 dermatomes



Pain fibers mainly follow sympathetic nerves to the central nervous system (CNS). This pain is 'referred' by the CNS to the somatic area innervated by the same spinal levels. Other types of visceral afferent (sensory) fibers (related to reflex activities) follow mainly parasympathetic nerves


# Tables

## Abdominal wall muscles


Muscle		Origin	Insertion	Innervation	Function
External oblique	1	Muscular slips from the outer surfaces of the lower eight ribs (ribs V to XII)	Lateral lip of iliac crest; aponeurosis ending in midline raphe (linea alba)	Anterior rami of lower six thoracic spinal nerves (T7 to T12)	Compress abdominal contents; both muscles flex trunk; each muscle bends trunk to same side, turning anterior part of abdomen to opposite side
Internal oblique	2	Thoracolumbar fascia; iliac crest between origins of external and transversus; lateral two-thirds of inguinal ligament	Inferior border of the lower three or four ribs; aponeurosis ending in linea alba; pubic crest and pecten line	Anterior rami of lower six thoracic spinal nerves (T7 to T12) and L1	Compress abdominal contents; both muscles flex trunk; each muscle bends trunk and turns anterior part of abdomen to same side
Transversus abdominis	3	Thoracolumbar fascia; medial lip of iliac crest; lateral one-third of inguinal ligament; costal cartilages lower six ribs (ribs VII to XII)	Aponeurosis ending in linea alba; pubic crest and pecten line	Anterior rami of lower six thoracic spinal nerves (T7 to T12) and L1	Compress abdominal contents
Rectus abdominis	4	Pubic crest, pubic tubercle, and pubic symphysis	Costal cartilages of ribs V to VII; xiphoid process	Anterior rami of lower seven thoracic spinal nerves (T7 to T12)	Compress abdominal contents; flex vertebral column; tense abdominal wall
Pyramidalis	5	Front of pubis and pubic symphysis	Into linea alba	Anterior ramus of T12	Tenses the linea alba

## Posterior abdominal wall muscles


Psoas major	6	Lateral surface of bodies of TXII and LI to LV vertebrae, transverse processes of the lumbar vertebrae, and the intervertebral discs between TXII and LI to LV vertebrae	Lesser trochanter of the femur	Anterior rami of L1 to L3	Flexion of thigh at hip joint
Psoas minor	7	Lateral surface of bodies of TXII and LI vertebrae and intervening intervertebral disc	Pecten line of the pelvic brim and iliopubic eminence	Anterior rami of L1	Weak flexion of lumbar vertebral column
Quadratus lumborum	8	Transverse process of LV vertebra, iliolumbar ligament, and iliac crest	Transverse processes of LI to LIV vertebrae and inferior border of rib XII	Anterior rami of T12 and L1 to L4	Depress and stabilize rib XII and some lateral bending of trunk
Iliacus	9	Upper two-thirds of iliac fossa, anterior sacro-iliac and iliolumbar ligaments, and upper lateral surface of sacrum	Lesser trochanter of femur	Femoral nerve (L2 to L4)	Flexion of thigh at hip joint





1



2




3



6

7



8



9

## Branches of the abdominal aorta

Artery		Branch	Origin	Parts supplied
Celiac trunk	1	Anterior	Immediately inferior to the aortic hiatus of the diaphragm	Abdominal foregut
Superior mesenteric artery	2	Anterior	Immediately inferior to the celiac trunk	Abdominal midgut
Inferior mesenteric artery	3	Anterior	Inferior to the renal arteries	Abdominal hindgut
Middle suprarenal arteries	4	Lateral	Immediately superior to the renal arteries	Suprarenal glands
Renal arteries	5	Lateral	Immediately inferior to the superior mesenteric artery	Kidneys
Testicular or ovarian arteries	6	Paired anterior	Inferior to the renal arteries	Testes in male and ovaries in female
Inferior phrenic arteries	7	Lateral	Immediately inferior to the aortic hiatus	Diaphragm
Lumbar arteries	8	Posterior	Usually four pairs	Posterior abdominal wall and spinal cord
Median sacral artery	9	Posterior	Just superior to the aortic bifurcation, passes inferiorly across lumbar vertebrae, sacrum, and coccyx	
Common iliac arteries	10	Terminal	Bifurcation usually occurs at the level of L1V vertebra	

## Branches of the lumbar plexus

Branch		Origin	Spinal segments	Function: motor	Function: sensory
Iliohypogastric	1	Anterior ramus L1	L1	Internal oblique and transversus abdominis	Posterolateral gluteal skin and skin in pubic region
Ilio-inguinal	2	Anterior ramus L1	L1	Internal oblique and transversus abdominis	Skin in the upper medial thigh, and either the skin over the root of the penis and anterior scrotum or the mons pubis and labium majus
Genitofemoral	3	Anterior rami L1 and L2	L1, L2	Genital branch—male cremasteric muscle	Genital branch—skin of anterior scrotum or skin of mons pubis and labium majus; femoral branch—skin of upper anterior thigh
Lateral cutaneous nerve of thigh	4	Anterior rami L2 and L3	L2, L3		Skin on anterior and lateral thigh to the knee
Obturator	5	Anterior rami L2 to L4	L2 to L4	Obturator externus, pectenous, and muscles in medial compartment of thigh	Skin on medial aspect of the thigh
Femoral	6	Anterior rami L2 to L4	L2 to L4	Iliacus, pectenous, and muscles in anterior compartment of thigh	Skin on anterior thigh and medial surface of leg





# **PELVIS AND PERINEUM**


---

# CONTENTS


- Surface anatomy and articulated pelvis in men **214**
- Surface anatomy and articulated pelvis in women **216**
- Pelvic girdle **218**
- Pelvic girdle: imaging **219**
- Lumbosacral joint **220**
- Sacro-iliac joint **221**
- Pelvic inlet and outlet **222**
- Orientation of pelvic girdle and pelvic brim **223**
- Pelvic viscera and perineum in men **224**
- Pelvic viscera and perineum in men: imaging **225**
- Pelvic viscera and perineum in women **226**
- Pelvic viscera and perineum in women: imaging **227**
- Lateral wall of pelvic cavity **228**
- Floor of pelvic cavity: pelvic diaphragm **229**
- Rectum and bladder in situ **232**
- Rectum **233**
- Bladder in men **234**
- Bladder in women **235**
- Reproductive system in men **236**
- Prostate **237**
- Prostate and seminal vesicles **239**
- Scrotum **240**
- Testes **241**
- Penis **242**
- Reproductive system in women **243**
- Uterus and ovaries **244**
- Uterus **245**
- Uterus: imaging **246**
- Pelvic fascia **247**

- Arterial supply of pelvis **248**
- Venous drainage of pelvis **249**
- Vasculation of the pelvic viscera **250**
- Vasculation of uterus **251**
- Venous drainage of prostate and penis **252**
- Venous drainage of rectum **253**
- Sacral and coccygeal nerve plexuses **254**
- Pelvic nerve plexus **255**
- Hypogastric plexus **256**
- Surface anatomy of the perineum **257**
- Borders and ceiling of the perineum **260**
- Deep pouch and perineal membrane **261**
- Muscles and erectile tissues in men **262**
- Erectile tissue in men: imaging **263**
- Muscles and erectile tissues in women **264**
- Erectile tissue in women: imaging **265**
- Internal pudendal artery and vein **266**
- Pudendal nerve **267**
- Vasculation of perineum **268**
- Nerves of perineum **269**
- Lymphatics of pelvis and perineum in men **270**
- Lymphatics of pelvis and perineum in women **271**
- Lymphatics **272**
- Dermatomes **273**
- Innervation of reproductive system in men **274**
- Innervation of reproductive system in women **275**
- Innervation of bladder **276**
- Pelvic cavity imaging in men **277**
- Pelvic cavity imaging in women **280**
- Tables **286**

## **Surface anatomy and articulated pelvis in men**




Surface anatomy with bones (anterior view)




Articulated pelvis (anterior view)






Surface anatomy with bones (posterior view)




Articulated pelvis (posterior view)

# **Surface anatomy and articulated pelvis in women**




Surface anatomy with bones (anterior view)




Articulated pelvis (anterior view)






Surface anatomy with bones (posterior view)




Articulated pelvis (posterior view)


# Pelvic girdle



## Pelvic girdle: imaging




**Male bony pelvis.**  
Radiograph, anterior-posterior view




**Female bony pelvis.**  
Radiograph, anterior-posterior view

## Lumbosacral joint




Lumbosacral joints and associated ligaments (anterior view)




Lumbosacral joints and associated ligaments (posterior view)

## Sacro-iliac joint




Sacro-iliac joints and associated ligaments (lateral view with left pelvic bone removed)




Sacro-iliac joints (anterosuperior view)

## Pelvic inlet and outlet



Pelvic inlet (shown in red; anterosuperior view)




Pelvic outlet (shown in green; anteroinferior view)

# **Orientation of pelvic girdle and pelvic brim**




Pelvic orientation in anatomical position (lateral view)





Pelvic inlet (shown in red; anterior view)

# Pelvic viscera and perineum in men




Pelvic viscera and perineum in men *in situ* (sagittal section)

# **Pelvic viscera and perineum in men: imaging**




Pelvic viscera in men.  
T2-weighted MR image in sagittal plane

# Pelvic viscera and perineum in women




Pelvic viscera and perineum in women *in situ* (sagittal section)

# **Pelvic viscera and perineum in women: imaging**




**Pelvic viscera in women.**  
T2-weighted MR image in sagittal plane

## Lateral wall of pelvic cavity




**Obturator internus and piriformis muscles (oblique medial view)**




**Obturator internus and piriformis muscles (posterior view)**




## **Floor of pelvic cavity: pelvic diaphragm**



Levator ani and coccygeus (ischiococcygeus) muscles (oblique sagittal view)




Levator ani and coccygeus (ischiococcygeus) muscles (anterosuperior view)




Pelvic diaphragm in relation to other structures in the pelvic cavity and perineum.

T2-weighted MR image in coronal plane






Levator ani muscle (inferior view)




Obturator internus muscle and its relationship to other pelvic structures.  
T2-weighted MR image in axial plane

## **Rectum and bladder in situ**




Bladder, prostate, and rectum within pelvic cavity in men (oblique sagittal view)

# **Rectum**




**Positioning of the rectum and anal canal in relation to the other female pelvic viscera.**  
T2-weighted MR image in sagittal plane

**Surface projection of the rectum in women**




**Coronal section through rectum and anal canal (posterior view)**

## **Bladder in men**




Surface projection of the bladder in men (lateral view)




Urinary bladder in men

## **Bladder in women**




Surface projection of the bladder in women (lateral view)



Urinary bladder and urethral sphincter muscles in women (anterior view of posterior wall)


Appearance and positioning of the bladder in relation to other structures in the female pelvic cavity.  
T2-weighted MR image in coronal plane

# **Reproductive system in men**




Reproductive system in men (oblique sagittal view)

# **Prostate**



Coronal section through bladder and prostate (anterior view)




Appearance and positioning of bladder and prostate in relation to other structures in the male pelvis and perineum.

T2-weighted MR image in coronal plane


Appearance and positioning of ductus deferens, and seminal vesicles in relation to other structures in the male pelvis and perineum.

T2-weighted MR image in coronal plane




**Zonal anatomy of the prostate gland.**  
**Most carcinomas originate in the peripheral zone.**  
**Benign prostatic hypertrophy (BPH)**  
**affects mainly the transitional zone**

Rectal ultrasound imaging of the prostate, bladder, and seminal vesicle. Sagittal view also showing the urethra




Rectal ultrasound imaging of the prostate.  
Axial view showing the central and peripheral zones




Rectal ultrasound imaging of the prostate.  
Axial view showing the surrounding plexus of veins


# **Prostate and seminal vesicles**



**Rectal ultrasound imaging of the prostate.**  
Sagittal view showing the central and peripheral zones




**Rectal ultrasound imaging of the prostate.**  
Axial view showing the urethra and seminal colliculus




**Bladder and prostate (posterior view)**

# **Scrotum**




Contents of the scrotum (anterior view)




Transverse section through the scrotum and testes

# Testes




**Spermatic cord appearance and positioning in a young male.**

T1-weighted MR images in coronal plane




**Testis and surrounding structures**

# **Penis**




Structure of the penis



Structure of the penis


Roof of spongy urethra (inferior view)

# **Reproductive system in women**




Reproductive system in women (oblique sagittal view)

# **Uterus and ovaries**




Surface projection of the uterus

Structure of the uterus and ovaries (posterior view)




Structure of the uterine tube and ovary (posterior view)

# **Uterus**




Uterus and broad ligament (posterior view)



Uterine tube and ovary (posterior view)



# Uterus: imaging



**Appearance of cervix of uterus, uterus, ovaries, and uterine tubes  
in relation to other pelvic structures.**  
T2-weighted MR images in axial plane




# Pelvic fascia




Pelvic fascia and related structures in women

# **Arterial supply of pelvis**




Arterial supply to the pelvis  
(right side sagittal view)

## **Venous drainage of pelvis**




**Veins of the pelvis**  
(right side sagittal view)

# Vasculature of the pelvic viscera




Vasculature of the pelvic viscera in women (superior view)




Vasculature of the pelvic viscera in men (superior view)

## Vasculation of uterus




Vascular supply to uterus (posterior view)





Vascular supply to uterus.  
Angiogram

## **Venous drainage of prostate and penis**




Venous drainage of pelvic viscera in men  
(oblique sagittal view)

## **Venous drainage of rectum**




**Inferior rectal neurovascular bundle crossing the ischio-anal fossa.**  
T2-weighted MR image in axial plane

# **Sacral and coccygeal nerve plexuses**




**Components and branches of the sacral and coccygeal nerve plexuses**




**Sacral and coccygeal nerve plexuses within the pelvic cavity (sagittal view)**

# Pelvic nerve plexus




Pelvic extensions of the prevertebral nerve plexus (anterior view)


# Hypogastric plexus



# **Surface anatomy of the perineum**




**Structures of the perineum in men**




**Surface anatomy of the perineum in men**








Structures of the perineum in women



Surface anatomy of the perineum in women




**Superficial features of the perineum in men**




**Superficial features of the perineum in women**



## Borders and ceiling of the perineum




**Borders and ceiling of the perineum in men**




**Borders and ceiling of the perineum in women**


## **Deep pouch and perineal membrane**




**Muscles of deep perineal pouch in men**  
(perineal membrane removed on left side to expose deep perineal pouch)



**Muscles of deep perineal pouch in women**  
(perineal membrane removed on left side to expose deep perineal pouch)




**Muscles of deep perineal pouch in men**




**Muscles of deep perineal pouch in women**

# **Muscles and erectile tissues in men**




Muscles of the superficial perineal pouch in men




Erectile tissues of the superficial perineal pouch in men

# **Erectile tissue in men: imaging**




**Erectile tissues in relation to other structures in the male perineum.**  
T2-weighted MR image in axial plane




**Erectile tissues in relation to other structures in the male perineum.**  
T2-weighted MR image in axial plane

# **Muscles and erectile tissues in women**





**Muscles of the superficial perineal pouch in women**




**Erectile tissues of the superficial perineal pouch in women**

# **Erectile tissue in women: imaging**




Erectile tissues in relation to other structures in the female perineum.  
T2-weighted MR image in axial plane




Erectile tissues in relation to other structures in the female perineum.  
T2-weighted MR image in axial plane

# **Internal pudendal artery and vein**




Course of internal pudendal artery and vein in men  
(oblique sagittal view)

# Pudendal nerve




Course of pudendal nerve in men  
(oblique sagittal view)

## Vasculature of perineum




**Arteries and veins of perineum in men**  
(perineal membrane removed on left side to expose deep perineal pouch, inferior view)




**Arteries and veins of perineum in women**  
(perineal membrane removed on left side to expose deep perineal pouch, inferior view)

## **Nerves of perineum**




**Nerves of the perineum in men**  
(perineal membrane removed on left side to expose deep perineal pouch, inferior view)




**Nerves of the perineum in women**  
(perineal membrane removed on left side to expose deep perineal pouch, inferior view)

## **Lymphatics of pelvis and perineum in men**




Lymphatics of pelvis and perineum in men

# **Lymphatics of pelvis and perineum in women**




Lymphatics of pelvis and perineum in women

# Lymphatics




Lymphatics of pelvic cavity (sagittal view)

# Dermatomes





**Dermatomes and cutaneous nerves of perineum in men**




**Dermatomes and cutaneous nerves of perineum in women**



# **Innervation of reproductive system in men**




# **Innervation of reproductive system in women**






Innervation of reproductive system in women

## **Innervation of bladder**

**Visceral efferent (parasympathetic and sympathetic) innervation of bladder and visceral afferent nerves**







# Pelvic cavity imaging in men



**A through C – Series of axial images that pass through the pelvic cavity and perineum from inferior to superior showing the various structures and their relationships with each other.**






T2-weighted MR images in axial plane









**D through J – Series of axial images that pass through the pelvic cavity and perineum from inferior to superior showing the various structures and their relationships with each other.**  
T2-weighted MR images in axial plane












# Pelvic cavity imaging in women



**A through F – Series of sagittal images that pass through the female pelvic cavity and perineum showing the various structures and their relationships with each other.**  
T2-weighted MR images in sagittal plane










A through G – Series of coronal images that pass through the pelvic cavity and perineum from anterior to posterior showing the various structures and their relationships with each other.  
T2-weighted MR images in coronal plane







E



F








G



**A through H – Series of axial images that pass through the pelvic cavity and perineum from inferior to superior showing the various structures and their relationships with each other.**  
 T2-weighted MR images in axial plane





# Tables


## Branches of the sacral plexus (spinal segments in parentheses do not consistently participate)

Branch		Spinal segments	Motor function	Sensory (cutaneous) function
Tibial part	1	L4 to S3	All muscles in the posterior or hamstring compartment of the thigh (including the hamstring part of the adductor magnus) except for the short head of the biceps All muscles in the posterior compartment of the leg All muscles in the sole of the foot	Skin on posterolateral and lateral surfaces of foot and sole of foot
Common fibular part	2	L4 to S2	Short head of biceps in the posterior compartment of the thigh All muscles in the anterior and lateral compartments of the leg Extensor digitorum brevis in the foot (also contributes to the supply of the first dorsal interosseous muscle)	Skin on the anterolateral surface of the leg and dorsal surface of the foot
Pudendal	3	S2 to S4	Skeletal muscles in the perineum including the external urethral and anal sphincters and levator ani (overlaps in supply of the levator ani and external sphincter with branches directly from ventral division of S4)	Most skin of the perineum. Penis and clitoris
Superior gluteal	4	L4 to S1	Gluteus medius, gluteus minimus, and tensor fasciae latae	
Inferior gluteal	5	L5 to S2	Gluteus maximus	
Nerve to obturator internus and superior gemellus	6	L5 to S2	Obturator internus and superior gemellus	
Nerve to quadratus femoris and inferior gemellus	7	L4 to S1	Quadratus femoris and inferior gemellus	
Posterior femoral cutaneous (posterior cutaneous nerve of thigh)	8	S1, S3		Skin on the posterior aspect of the thigh
Perforating cutaneous	9	S2, S3		Skin over gluteal fold (overlaps with posterior femoral cutaneous)
Nerve to piriformis	10	(L5), S1, S2	Piriformis muscle	
Nerves to levator ani, coccygeus, and external anal sphincter	11	S4	Levator ani, coccygeus, and external anal sphincter. (Overlaps with pudendal nerve)	Small patch of skin between anus and coccyx
Pelvic splanchnic nerves	12	S2, S3 (4)	Visceral motor (preganglionic parasympathetic) to pelvic part of prevertebral plexus Stimulate erection, modulate motility in gastrointestinal system distal to the left colic flexure, inhibitory to internal urethral sphincter	Visceral afferents from pelvic viscera and distal parts of colon. Pain from cervix and possibly from bladder and proximal urethra

## Branches of the coccygeal plexus

Anococcygeal nerves	13	S4 to Co	Perianal skin	
---------------------	----	----------	---------------	--





## Muscles of the pelvic walls




Muscle		Origin	Insertion	Innervation	Function
Obturator internus	1	Anterolateral wall of true pelvis (deep surface of obturator membrane and surrounding bone)	Medial surface of greater trochanter of femur	Nerve to obturator internus L5, SI	Lateral rotation of the extended hip joint; abduction of flexed hip
Piriformis	2	Anterior surface of sacrum between anterior sacral foramina	Medial side of superior border of greater trochanter of femur	Branches from L5, SI, and S2	Lateral rotation of the extended hip joint; abduction of flexed hip

## Muscles of the pelvic diaphragm

<b>Levator ani</b>	3	In a line around the pelvic wall beginning on the posterior aspect of the pubic bone and extending across the obturator internus muscle as a tendinous arch (thickening of the obturator internus fascia) to the ischial spine	The anterior part is attached to the superior surface of the perineal membrane; the posterior part meets its partner on the other side at the perineal body, around the anal canal, and along the anococcygeal ligament	Branches direct from the anterior ramus of S4, and by the inferior rectal branch of the pudendal nerve (S2 to S4)	Contributes to the formation of the pelvic floor, which supports the pelvic viscera; maintains an angle between the rectum and anal canal. Reinforces the external anal sphincter and, in women, functions as a vaginal sphincter
<b>Coccygeus</b>	4	Ischial spine and pelvic surface of the sacrospinous ligament	Lateral margin of coccyx and related border of sacrum	Branches from the anterior rami of S3 and S4	Contributes to the formation of the pelvic floor, which supports the pelvic viscera; pulls coccyx forward after defecation


## Muscles within the deep perineal pouch

<b>External urethral sphincter</b>	5	From the inferior ramus of the pubis on each side and adjacent walls of the deep perineal pouch	Surrounds membranous part of urethra	Perineal branches of the pudendal nerve (S2 to S4)	Compresses the membranous urethra; relaxes during micturition
<b>Deep transverse perineal</b>	6	Medial aspect of ischial ramus	Perineal body	Perineal branches of the pudendal nerve (S2 to S4)	Stabilizes the position of the perineal body
<b>Compressor urethrae (in women only)</b>	7	Ischiopubic ramus on each side	Blends with partner on other side anterior to the urethra	Perineal branches of the pudendal nerve (S2 to S4)	Functions as an accessory sphincter of the urethra
<b>Sphincter urethrovaginalis (in women only)</b>	8	Perineal body	Passes forward lateral to the vagina to blend with partner on other side anterior to the urethra	Perineal branches of the pudendal nerve (S2 to S4)	Functions as an accessory sphincter of the urethra (also may facilitate closing the vagina)



## Muscles of the anal triangle


Muscle		Origin	Insertion	Innervation	Function
EXTERNAL ANAL SPHINCTER Deep part	1	Surrounds superior aspect of anal canal		Pudendal nerve (S2 and S3) and branches directly from S4	Closes anal canal
Superficial part	2	Surrounds lower part of anal canal	Anchored to perineal body and anococcygeal body		
Subcutaneous part	3	Surrounds anal aperture			



## Muscles of the superficial perineal pouch

Muscle		Origin	Insertion	Innervation	Function
<b>Ischiocavernosus</b>	1	Ischial tuberosity and ramus	Crus of penis and clitoris	Pudendal nerve (S2 to S4)	Move blood from crura into the body of the erect penis and clitoris
<b>Bulbospongiosus</b>	2	In women: perineal body In men: perineal body, midline raphe	In women: bulb of vestibule, perineal membrane, body of clitoris, and corpus cavernosum In men: bulbospongiosus, perineal membrane, corpus cavernosum	Pudendal nerve (S2 to S4)	Move blood from attached parts of the clitoris and penis into the glans In men: removal of residual urine from urethra after urination; pulsatile emission of semen during ejaculation
<b>Superficial transverse perineal</b>	3	Ischial tuberosity and ramus	Perineal body	Pudendal nerve (S2 to S4)	Stabilize the perineal body







# **LOWER LIMB**


---

# CONTENTS


- Surface anatomy **294**
- Bones of the lower limb **295**
- Pelvic bones and sacrum **296**
- Articulated pelvis **297**
- Proximal femur **298**
- Hip joint **299**
  - Hip joint: structure and arterial supply **301**
  - Gluteal region: attachments and superficial musculature **302**
  - Gluteal region: superficial and deep muscles **303**
  - Gluteal region: arteries and nerves **304**
- Distal femur and proximal tibia and fibula **306**
- Thigh: muscle attachments **307**
- Thigh: anterior superficial musculature **308**
- Thigh: posterior superficial musculature **309**
- Thigh: anterior compartment muscles **310**
- Thigh: medial compartment muscles **311**
- Femoral triangle **312**
  - Anterior thigh: arteries and nerves **313**
  - Anterior thigh: arteries **314**
  - Thigh: posterior compartment muscles **315**
- Posterior thigh: arteries and nerves **316**
- Transverse sections: thigh **318**
- Knee joint **320**
  - Ligaments of the knee **322**
    - Menisci and cruciate ligaments **324**
  - Knee: bursa and capsule **328**
  - Knee surface: muscles, capsule, and arteries **329**
  - Popliteal fossa **330**
  - Tibia and fibula **331**

- Bones of the foot **332**  
Bones and joints of the foot **335**  
Talus and calcaneus **336**  
Ankle joint **337**  
Ligaments of the ankle joint **338**  
Leg: muscle attachments **341**  
Posterior leg: superficial muscles **342**  
Posterior compartment: deep muscles **343**  
Posterior leg: arteries and nerves **344**  
Lateral compartment: muscles **345**  
Anterior leg: superficial muscles **346**  
Anterior compartment: muscles **347**  
Anterior leg: arteries and nerves **348**  
Leg: cutaneous nerves **349**  
Transverse sections: leg **350**  
Foot: muscle attachments **352**  
Foot: ligaments **353**  
Dorsum of foot **355**  
Dorsum of foot: arteries and nerves **356**  
Plantar aponeurosis **358**  
Plantar region (sole) musculature: first layer **359**  
Plantar region (sole) musculature: second layer **360**  
Plantar region (sole) musculature: third layer **361**  
Plantar region (sole) musculature: fourth layer **362**  
Plantar region (sole): arteries and nerves **363**  
Dorsal hood and tarsal tunnel **365**  
Superficial veins of the lower limb **366**  
Lymphatics of the lower limb **367**  
Anterior cutaneous nerves and dermatomes of the lower limb **368**  
Posterior cutaneous nerves and dermatomes of the lower limb **369**  
Tables **370**

# Surface anatomy





# **Bones of the lower limb**









## Pelvic bones and sacrum




# **Articulated pelvis**




## **Proximal femur**



# Hip joint




**Acetabular fossa and transverse acetabular ligament**




**Ligament of head of femur.**  
The head of the femur has been laterally rotated




**Normal hip joint.**  
Radiograph, AP view



**Obturator artery and branches**




Coronal section through hip joint




Hip joints.  
CT image in coronal plane


# Hip joint: structure and arterial supply




**Joint capsule and synovial membrane**



**Iliofermoral and pubofemoral ligaments (anterior view)**





**Ischiofemoral ligament (posterior view)**



**Arterial supply of the hip joint**


# **Gluteal region: attachments and superficial musculature**




**Muscle attachments of the gluteal region**

**Muscles of the hip and thigh (lateral view)**

## **Gluteal region: superficial and deep muscles**



## **Gluteal region: arteries and nerves**




Arteries and nerves of the gluteal region




Sciatic nerve in the gluteal region  
as it relates to the surface  
(posterior view)






Branches of the lumbosacral plexus related to lower limb


## **Distal femur and proximal tibia and fibula**



Distal end of (right) femur





Proximal end of (right) tibia




Proximal end of (right) fibula

## **Thigh: muscle attachments**



### Muscle attachments of the pelvis and thigh




Anterior view




Posterior view

■ Origins  
■ Insertions

## **Thigh: anterior superficial musculature**




## **Thigh: posterior superficial musculature**




Surface anatomy of lower limb  
with overlay of muscles  
(posterior view)

Superficial muscles of the thigh (posterior view)


## **Thigh: anterior compartment muscles**



**Muscle attachments of the anterior compartment of the thigh**




**Superficial muscles of the anterior compartment of the thigh**




**Deep muscles of the anterior compartment of the thigh**


## **Thigh: medial compartment muscles**




# Femoral triangle



## **Anterior thigh: arteries and nerves**




Superficial arteries and nerves of the thigh (anterior view)



Deep arteries and nerves of the thigh (anterior view)


## **Anterior thigh: arteries**




Arteries of the thigh (anterior view)



## **Thigh: posterior compartment muscles**




## **Posterior thigh: arteries and nerves**




Arteries and nerves of the thigh (posterior view)

Deep arteries of the thigh (posterior view)









Nerves of the thigh (posterior view)





Arteries of the thigh (posterior view)

## **Transverse sections: thigh**



Transverse sections through thigh







Transverse/axial sections through the thigh.

- Proximal/upper thigh. T1-weighted MR image in axial plane
- Middle thigh. T1-weighted MR image in axial plane
- Distal/lower thigh. T2-weighted MR image in axial plane



# Knee joint






**Normal knee joint.**  
Radiograph, AP view



**Normal knee joint.**  
Radiograph, lateral view




# Ligaments of the knee



Anterior view

Posterior view




Medial view

Lateral view






**Normal knee joint.**  
T2-weighted MR image in sagittal plane




**Unique view showing the fibular collateral ligament and the tendon of the biceps femoris muscle attaching to the head of the fibula.**  
T2-weighted MR image in sagittal plane

# **Menisci and cruciate ligaments**




**Coronal view of knee joint showing the fibular collateral ligament and its relationship to surrounding structures.**

T2-weighted MR image in coronal plane




**Anterior view of knee joint showing the relationship between the tibial collateral ligament and the medial meniscus.**

T1-weighted MR image in coronal plane




**Anterior view (flexed)**



**Posterior view**






**Attachments of menisci, cruciate ligaments, and synovial membrane of the right tibia.  
(superior view)**

**Menisci of the right knee joint.  
(superior view)**




**Anterior view of knee joint showing the anterior and posterior cruciate ligaments.  
T2-weighted MR image in coronal plane**



A series of images moving from lateral to medial showing the relationship between anterior and posterior cruciate ligaments.



T2-weighted MR images in sagittal plane






Knee joint with patella removed (anterosuperior view)

## Knee: bursa and capsule




## Knee surface: muscles, capsule, and arteries







## Knee joint capsule and related structures (anterior view)

# **Popliteal fossa**



# Tibia and fibula




Distal tibia and fibula (inferior view)

Proximal tibia and fibula (superior view)




Cross section through shafts

## Bones of the foot




Dorsal view


Plantar view








## **Bones and joints of the foot**




**Foot bones.**  
Radiograph, lateral view




**Irtarsal joints:** A. Dorsal view (talus drawn as transparent) B. Lateral view C. Medial view

## Talus and calcaneus




**Talus: A. Superior view B. Inferior view C. Lateral view D. Medial view**



**Calcaneus: A. Superior view B. Inferior view C. Lateral view D. Medial view**

# Ankle joint



**Anterior view**  
(metatarsals and phalanges removed)

**Posterior view**




Tuberosity of fifth metatarsal


Normal ankle joint.  
Radiograph, lateral view

Normal ankle joint.  
Radiograph, AP view


# **Ligaments of the ankle joint**














**Coronal view of the ankle joint showing the medial ligament of the ankle joint (deltoid ligament).**  
T2-weighted MR image in coronal plane



**Coronal view of the ankle joint showing the posterior talofibular and calcaneofibular ligaments.**  
T2-weighted MR image in coronal plane




**Coronal view of the ankle joint showing the flexor hallucis longus passing inferior to the sustentaculum tali.**  
T2-weighted MR image in coronal plane




Tibia  
Medial malleolus  
Lateral malleolus  
Talus  
Sustentaculum tali  
Flexor hallucis longus tendon  
Calcaneus


## **Leg: muscle attachments**




## **Posterior leg: superficial muscles**



**Surface anatomy of leg  
with overlay of muscles  
(posterior view)**




**Superficial muscles of leg  
(posterior view)**




**Superficial muscles of the posterior  
compartment of leg**

## **Posterior compartment: deep muscles**




Deep muscles of the posterior compartment of leg

## **Posterior leg: arteries and nerves**




Arteries and nerves of leg (posterior view)





Arteries of leg (posterior view)

## Lateral compartment: muscles




## **Anterior leg: superficial muscles**



**Superficial muscles of leg  
(anterior view)**

## **Anterior compartment: muscles**




Superficial muscles of the anterior compartment of leg


Deep muscles of the anterior compartment of leg

**Muscle attachments of the anterior compartment of leg**

## **Anterior leg: arteries and nerves**




Arteries and nerves of leg  
(anterior view)




Arteries of leg (anterior view)

## **Leg: cutaneous nerves**







Anterior view




Posterior view

## **Transverse sections: leg**



Transverse sections through leg






Transverse/axial sections through the leg.

- Proximal/upper leg. T1-weighted MR image in axial plane
- Middle leg. T1-weighted MR image in axial plane
- Distal/lower leg. T1-weighted MR image in axial plane

## Foot: muscle attachments


### Muscle attachments of the foot




Dorsal view

Plantar view


# Foot: ligaments








## Dorsum of foot




Superficial structures of the foot (dorsal view)


## Dorsum of foot: arteries and nerves








Deep arteries and nerves of the foot (dorsal view)



# Plantar aponeurosis




Surface anatomy showing the area in contact with the ground when standing




Superficial structures of the foot (plantar view)

## **Plantar region (sole) musculature: first layer**




## **Plantar region (sole) musculature: second layer**






## **Plantar region (sole) musculature: third layer**




Muscles of sole of foot (third layer)

## **Plantar region (sole) musculature: fourth layer**




## **Plantar region (sole): arteries and nerves**




Arteries and nerves of sole of foot (plantar view)






## Dorsal hood and tarsal tunnel




**Extensor hood  
(posteromedial view)**


**Lateral view**




# **Superficial veins of the lower limb**




# **Lymphatics of the lower limb**




# **Anterior cutaneous nerves and dermatomes of the lower limb**



Cutaneous nerves of the lower limb






Areas of distribution of the cutaneous nerves of the lower limb



Dermatomes of the lower limb

# **Posterior cutaneous nerves and dermatomes of the lower limb**




**Areas of distribution of the cutaneous nerves of the lower limb**

# Tables

## Branches of the lumbosacral plexus associated with the lower limb

Branch		Spinal segments	Function: motor	Function: sensory (cutaneous)
Ilio-inguinal	1	L1	No motor function in lower limb, but innervates muscles of the abdominal wall	Skin over anteromedial part of upper thigh and adjacent skin of perineum
Genitofemoral	2	L1, L2	No motor function in lower limb, but genital branch innervates cremaster muscle in the wall of the spermatic cord in men	Femoral branch innervates skin on anterior central part of upper thigh; the genital branch innervates skin in anterior part of perineum (anterior scrotum in men, and mons pubis and anterior labia majora in women)
Femoral	3	L2 to L4	All muscles in the anterior compartment of thigh; in the abdomen, also gives rise to branches that supply iliacus and pectenous	Skin over the anterior thigh, anteromedial knee, medial side of the leg, and the medial side of the foot
Obturator	4	L2 to L4	All muscles in the medial compartment of thigh (except pectenous and the part of adductor magnus attached to the ischium); also innervates obturator externus	Skin over upper medial aspect of thigh
Sciatic	5	L4 to S3	All muscles in the posterior compartment of thigh and the part of adductor magnus attached to the ischium; all muscles in the leg and foot	Skin over lateral side of leg and foot, and over the sole and dorsal surface of foot
Superior gluteal	6	L4 to S1	Muscles of the gluteal region (gluteus medius, gluteus minimus, tensor fasciae latae)	
Inferior gluteal	7	L5 to S2	Muscle of the gluteal region (gluteus maximus)	
Lateral cutaneous nerve of thigh	8	L2, L3		Parietal peritoneum in iliac fossa; skin over anterolateral thigh
Posterior cutaneous nerve of thigh	9	S1 to S3		Skin over gluteal fold and upper medial aspect of thigh and adjacent perineum, posterior aspect of thigh and upper posterior leg
Nerve to quadratus femoris	10	L4 to S1	Muscles of gluteal region (quadratus femoris and gemellus inferior)	
Nerve to obturator internus	11	L5 to S2	Muscles of gluteal region (obturator internus and gemellus superior)	
Perforating cutaneous nerve	12	S2, S3		Skin over medial aspect of gluteal fold





**Muscles of the gluteal region**  
**(spinal segments in bold are the major segments innervating the muscle)**

---


Muscle		Origin	Insertion	Innervation	Function
<b>Piriformis</b>	1	Anterior surface of sacrum between anterior sacral foramina	Medial side of superior border of greater trochanter of femur	Branches from L5, S1, S2	Laterally rotates the extended femur at hip joint; abducts flexed femur at hip joint
<b>Obturator internus</b>	2	Anterolateral wall of true pelvis; deep surface of obturator membrane and surrounding bone	Medial side of greater trochanter of femur	Nerve to obturator internus (L5, S1)	Laterally rotates the extended femur at hip joint; abducts flexed femur at hip joint
<b>Gemellus superior</b>	3	External surface of ischial spine	Along length of superior surface of the obturator internus tendon and into the medial side of greater trochanter of femur with obturator internus tendon	Nerve to obturator internus (L5, S1)	Laterally rotates the extended femur at hip joint; abducts flexed femur at hip joint
<b>Gemellus inferior</b>	4	Upper aspect of ischial tuberosity	Along length of inferior surface of the obturator internus tendon and into the medial side of greater trochanter of femur with obturator internus tendon	Nerve to quadratus femoris (L5, S1)	Laterally rotates the extended femur at hip joint; abducts flexed femur at hip joint
<b>Quadratus femoris</b>	5	Lateral aspect of the ischium just anterior to the ischial tuberosity	Quadrato tubercle on the intertrochanteric crest of the proximal femur	Nerve to quadratus femoris (L5, S1)	Laterally rotates femur at hip joint
<b>Gluteus minimus</b>	6	External surface of ilium between inferior and anterior gluteal lines	Linear facet on the anterolateral aspect of the greater trochanter	Superior gluteal nerve (L4, L5, S1)	Abducts femur at hip joint; holds pelvis secure over stance leg and prevents pelvic drop on the opposite swing side during walking; medially rotates thigh
<b>Gluteus medius</b>	7	External surface of ilium between anterior and posterior gluteal lines	Elongate facet on the lateral surface of the greater trochanter	Superior gluteal nerve (L4, L5, S1)	Abducts femur at hip joint; holds pelvis secure over stance leg and prevents pelvic drop on the opposite swing side during walking; medially rotates thigh
<b>Gluteus maximus</b>	8	Fascia covering gluteus medius, external surface of ilium behind posterior gluteal line, fascia of erector spinae, dorsal surface of lower sacrum, lateral margin of coccyx, external surface of sacrotuberous ligament	Posterior aspect of iliotibial tract of fascia lata and gluteal tuberosity of proximal femur	Inferior gluteal nerve (L5, S1, S2)	Powerful extensor of flexed femur at hip joint; lateral stabilizer of hip joint and knee joint; laterally rotates and abducts thigh
<b>Tensor fasciae latae</b>	9	Lateral aspect of crest of ilium between anterior superior iliac spine and tubercle of the crest	Iliotibial tract of fascia lata	Superior gluteal nerve (L4, L5, S1)	Stabilizes the knee in extension






## Muscles of the anterior compartment of thigh (spinal segments in bold are the major segments innervating the muscle)

Muscle		Origin	Insertion	Innervation	Function
<b>Psoas major</b>	<b>1</b>	Posterior abdominal wall (lumbar transverse processes, intervertebral discs, and adjacent bodies from T12 to L5 and tendinous arches between these points)	Lesser trochanter of femur	Anterior rami [L1, L2, L3]	Flexes the thigh at the hip joint
<b>Iliacus</b>	<b>2</b>	Posterior abdominal wall (iliac fossa)	Lesser trochanter of femur	Femoral nerve [L2, L3]	Flexes the thigh at the hip joint
<b>Vastus medialis</b>	<b>3</b>	Femur—medial part of intertrochanteric line, pectineal line, medial lip of the linea aspera, medial supracondylar line	Quadriceps femoris tendon and medial border of patella	Femoral nerve [L2, L3, L4]	Extends the leg at the knee joint
<b>Vastus intermedius</b>	<b>4</b>	Femur—upper two-thirds of anterior and lateral surfaces	Quadriceps femoris tendon and lateral margin of patella	Femoral nerve [L2, L3, L4]	Extends the leg at the knee joint
<b>Vastus lateralis</b>	<b>5</b>	Femur—lateral part of intertrochanteric line, margin of greater trochanter, lateral margin of gluteal tuberosity, lateral lip of the linea aspera	Quadriceps femoris tendon	Femoral nerve [L2, L3, L4]	Extends the leg at the knee joint
<b>Rectus femoris</b>	<b>6</b>	Straight head originates from the anterior inferior iliac spine; reflected head originates from the ilium just superior to the acetabulum	Quadriceps femoris tendon	Femoral nerve [L2, L3, L4]	Flexes the thigh at the hip joint and extends the leg at the knee joint
<b>Sartorius</b>	<b>7</b>	Anterior superior iliac spine	Medial surface of tibia just inferomedial to tibial tuberosity	Femoral nerve [L2, L3]	Flexes the thigh at the hip joint and flexes the leg at the knee joint



## Muscles of the medial compartment of thigh (spinal segments in bold are the major segments innervating the muscle)


Muscle		Origin	Insertion	Innervation	Function
<b>Gracilis</b>	<b>1</b>	A line on the external surfaces of the body of the pubis, the inferior pubic ramus, and the ramus of the ischium	Medial surface of proximal shaft of tibia	Obturator nerve [L2, L3]	Adducts thigh at hip joint and flexes leg at knee joint
<b>Pectineus</b>	<b>2</b>	Pecten line (pecten pubis) and adjacent bone of pelvis	Oblique line extending from base of lesser trochanter to linea aspera on posterior surface of proximal femur	Femoral nerve [L2, L3]	Adducts and flexes thigh at hip joint
<b>Adductor longus</b>	<b>3</b>	External surface of body of pubis (triangular depression inferior to pubic crest and lateral to pubic symphysis)	Linea aspera on middle one-third of shaft of femur	Obturator nerve (anterior division) [L2, L3, L4]	Adducts and medially rotates thigh at hip joint
<b>Adductor brevis</b>	<b>4</b>	External surface of body of pubis and inferior pubic ramus	Posterior surface of proximal femur and upper one-third of linea aspera	Obturator nerve [L2, L3]	Adducts and medially rotates thigh at hip joint
<b>Adductor magnus</b>	<b>5</b>	Adductor part – ischiopubic ramus Hamstring part – ischial tuberosity	Posterior surface of proximal femur, linea aspera, medial supracondylar line Adductor tubercle and supracondylar line	Obturator nerve [L2, L3, L4] Sciatic nerve (tibial division) [L2, L3, L4]	Adducts and medially rotates thigh at hip joint
<b>Obturator externus</b>	<b>6</b>	External surface of obturator membrane and adjacent bone	Trochanteric fossa	Obturator nerve (posterior division) [L3, L4]	Laterally rotates thigh at hip joint



## Muscles of the posterior compartment of thigh (spinal segments in bold are the major segments innervating the muscle)

Muscle	Origin	Insertion	Innervation	Function
Biceps femoris	1 Long head—inferomedial part of the upper area of the ischial tuberosity; short head—lateral lip of linea aspera	Head of fibula	Sciatic nerve [L5, S1, S2]	Flexes leg at knee joint; extends and laterally rotates thigh at hip joint and laterally rotates leg at knee joint
Semitendinosus	2 Inferomedial part of the upper area of the ischial tuberosity	Medial surface of proximal tibia	Sciatic nerve [L5, S1, S2]	Flexes leg at knee joint and extends thigh at hip joint; medially rotates thigh at hip joint and leg at knee joint
Semimembranosus	3 Superolateral impression on the ischial tuberosity	Groove and adjacent bone on medial and posterior surface of medial tibial condyle	Sciatic nerve [L5, S1, S2]	Flexes leg at knee joint and extends thigh at hip joint; medially rotates thigh at hip joint and leg at knee joint






## Superficial group of muscles in the posterior compartment of leg (spinal segments in bold are the major segments innervating the muscle)

Muscle		Origin	Insertion	Innervation	Function
Gastrocnemius	<b>1</b>	Medial head—posterior surface of distal femur just superior to medial condyle; lateral head—upper posterolateral surface of lateral femoral condyle	Via calcaneal tendon, to posterior surface of calcaneus	Tibial nerve [S1, S2]	Plantarflexes foot and flexes knee
Plantaris	<b>2</b>	Inferior part of lateral supracondylar line of femur and oblique popliteal ligament of knee	Via calcaneal tendon, to posterior surface of calcaneus	Tibial nerve [S1, S2]	Plantarflexes foot and flexes knee
Soleus	<b>3</b>	Soleal line and medial border of tibia; posterior aspect of fibular head and adjacent surfaces of neck and proximal shaft; tendinous arch between tibial and fibular attachments	Via calcaneal tendon, to posterior surface of calcaneus	Tibial nerve [S1, S2]	Plantarflexes the foot






## Deep group of muscles in the posterior compartment of leg (spinal segments in bold are the major segments innervating the muscle)

Muscle		Origin	Insertion	Innervation	Function
Popliteus	1	Lateral femoral condyle	Posterior surface of proximal tibia	Tibial nerve [L4 to S1]	Stabilizes knee joint (resists lateral rotation of tibia on femur) Unlocks knee joint (laterally rotates femur on fixed tibia)
Flexor hallucis longus	2	Posterior surface of fibula and adjacent interosseous membrane	Plantar surface of distal phalanx of great toe	Tibial nerve [S2, S3]	Flexes great toe
Flexor digitorum longus	3	Medial side of posterior surface of the tibia	Plantar surfaces of bases of distal phalanges of the lateral four toes	Tibial nerve [S2, S3]	Flexes lateral four toes
Tibialis posterior	4	Posterior surfaces of interosseous membrane and adjacent regions of tibia and fibula	Mainly to tuberosity of navicular and adjacent region of medial cuneiform	Tibial nerve [L4, L5]	Inversion and plantarflexion of foot; support of medial arch of foot during walking





## Muscles of the lateral compartment of leg (spinal segments in bold are the major segments innervating the muscle)



Muscle		Origin	Insertion	Innervation	Function
Fibularis longus	<b>1</b>	Upper lateral surface of fibula, head of fibula, and occasionally the lateral tibial condyle	Undersurface of lateral sides of distal end of medial cuneiform and base of metatarsal I	Superficial fibular nerve [ <b>L5, S1, S2</b> ]	Eversion and plantarflexion of foot; supports arches of foot
Fibularis brevis	<b>2</b>	Lower two-thirds of lateral surface of shaft of fibula	Lateral tubercle at base of metatarsal V	Superficial fibular nerve [ <b>L5, S1, S2</b> ]	Eversion of foot

## Muscles of the anterior compartment of leg

Tibialis anterior	3	Lateral surface of tibia and adjacent interosseous membrane	Medial and inferior surfaces of medial cuneiform and adjacent surfaces on base of metatarsal I	Deep fibular nerve [L4, L5]	Dorsiflexion of foot at ankle joint; inversion of foot; dynamic support of medial arch of foot
Extensor hallucis longus	4	Middle one-half of medial surface of fibula and adjacent surface of interosseous membrane	Dorsal surface of base of distal phalanx of great toe	Deep fibular nerve [L5, S1]	Extension of great toe and dorsiflexion of foot
Extensor digitorum longus	5	Proximal one-half of medial surface of fibula and related surface of lateral tibial condyle	Via dorsal digital expansions into bases of distal and middle phalanges of lateral four toes	Deep fibular nerve [L5, S1]	Extension of lateral four toes and dorsiflexion of foot
Fibularis tertius	6	Distal part of medial surface of fibula	Dorsomedial surface of base of metatarsal V	Deep fibular nerve [L5, S1]	Dorsiflexion and eversion of foot

## Muscles of the dorsal aspect of the foot

Extensor digitorum brevis	7	Superolateral surface of the calcaneus	Lateral sides of the tendons of extensor digitorum longus of toes II to IV	Deep fibular nerve [S1, S2]	Extension of metatarsophalangeal joints of toes II to IV
Extensor hallucis brevis	8	Superolateral surface of calcaneus	Base of proximal phalanx of great toe	Deep fibular nerve [S1, S2]	Extension of metatarsophalangeal joint of great toe




## First layer of muscles in the sole of the foot (spinal segments in bold are the major segments innervating the muscle)

Muscle		Origin	Insertion	Innervation	Function
<b>Abductor hallucis</b>	<b>1</b>	Medial process of calcaneal tuberosity	Medial side of base of proximal phalanx of great toe	Medial plantar nerve from the tibial nerve [S1, S2, S3]	Abducts and flexes great toe at metatarsophalangeal joint
<b>Flexor digitorum brevis</b>	<b>2</b>	Medial process of calcaneal tuberosity and plantar aponeurosis	Sides of plantar surface of middle phalanges of lateral four toes	Medial plantar nerve from the tibial nerve [S1, S2, S3]	Flexes lateral four toes at proximal interphalangeal joint
<b>Abductor digiti minimi</b>	<b>3</b>	Lateral and medial processes of calcaneal tuberosity, and band of connective tissue connecting calcaneus with base of metatarsal V	Lateral side of base of proximal phalanx of little toe	Lateral plantar nerve from the tibial nerve [S1, S2, S3]	Abducts little toe at the metatarsophalangeal joint

## Second layer of muscles in the sole of the foot

<b>Quadratus plantae</b>	<b>4</b>	Medial surface of calcaneus and lateral process of calcaneal tuberosity	Lateral side of tendon of flexor digitorum longus in proximal sole of the foot	Lateral plantar nerve from tibial nerve [S1, S2, S3]	Assists flexor digitorum longus tendon in flexing toes II to V
<b>Lumbricals</b>	<b>5</b>	First lumbral—medial side of tendon of flexor digitorum longus associated with toe II; second, third, and fourth lumbricals—adjacent surfaces of adjacent tendons of flexor digitorum longus	Medial free margins of extensor hood of toes II to V	First lumbral—medial plantar nerve from the tibial nerve; second, third, and fourth lumbricals—lateral plantar nerve from the tibial nerve [S2, S3]	Flexion of metatarsophalangeal joint and extension of interphalangeal joints




## Third layer of muscles in the sole of the foot (spinal segments in bold are the major segments innervating the muscle)

Muscle		Origin	Insertion	Innervation	Function
Flexor hallucis brevis	1	Plantar surface of cuboid and lateral cuneiform; tendon of tibialis posterior	Lateral and medial sides of base of proximal phalanx of the great toe	Medial plantar nerve from tibial nerve [S1, S2]	Flexes metatarsophalangeal joint of the great toe
Adductor hallucis	2	Transverse head—ligaments associated with metatarsophalangeal joints of lateral three toes; oblique head—bases of metatarsals II to IV and from sheath covering fibularis longus	Lateral side of base of proximal phalanx of great toe	Lateral plantar nerve from tibial nerve [S2, S3]	Adducts great toe at metatarsophalangeal joint
Flexor digiti minimi brevis	3	Base of metatarsal V and related sheath of fibularis longus tendon	Lateral side of base of proximal phalanx of little toe	Lateral plantar nerve from tibial nerve [S2, S3]	Flexes little toe at metatarsophalangeal joint

## Fourth layer of muscles in the sole of the foot

Dorsal interossei	4	Sides of adjacent metatarsals	Extensor hoods and bases of proximal phalanges of toes II to IV	Lateral plantar nerve from tibial nerve; first and second dorsal interossei also innervated by deep fibular nerve [S2, S3]	Abduction of toes II to IV at metatarsophalangeal joints; resist extension of metatarsophalangeal joints and flexion of interphalangeal joints
Plantar interossei	5	Medial sides of metatarsals of toes III to V	Extensor hoods and bases of proximal phalanges of toes III to V	Lateral plantar nerve from tibial nerve [S2, S3]	Adduction of toes III to V at metatarsophalangeal joints; resist extension of the metatarsophalangeal joints and flexion of the interphalangeal joints





# **UPPER LIMB**

---


# CONTENTS

- Surface anatomy 386
- Bones of the upper limb 387
- Bony framework of shoulder 388
- Scapula 389
- Clavicle: joints and ligaments 390
- Proximal humerus 391
- Glenohumeral joint 392
- Muscle attachments 394
- Pectoral region 396
- Deep pectoral region 397
- Walls of the axilla 398
- The four rotator cuff muscles 400
- Deep vessels and nerves of the shoulder 402
- Axillary artery 403
- Brachial artery 404
- Brachial plexus 405
- Medial and lateral cords 406
- Posterior cord 407
- Distal end of humerus and proximal end of radius and ulna 408
- Muscle attachments 409
- Anterior compartment: muscles 410
- Anterior compartment: arteries and nerves 412
- Veins of the arm 413
- Posterior compartment: muscles 414
- Posterior compartment: arteries and nerves 416
- Lymphatics of the arm 417
- Transverse sections: arm 418
- Anterior cutaneous nerves of the arm 420
- Posterior cutaneous nerves of the arm 421


- Elbow joint [422](#)
- Elbow joint: capsule and ligaments [424](#)
- Cubital fossa [426](#)
- Radius and ulna [427](#)
- Bones of the hand and wrist joint [428](#)
- Imaging of the hand and wrist joint [429](#)
- Bones of the hand [430](#)
- Joints and ligaments of the hand [431](#)
- Muscle attachments of forearm [432](#)
- Anterior compartment of forearm: muscles [433](#)
- Anterior compartment of forearm: arteries and nerves [436](#)
- Posterior compartment of forearm: muscles [437](#)
- Posterior compartment of forearm: arteries and nerves [439](#)
- Transverse sections: forearm [440](#)
- Carpal tunnel [442](#)
- Muscle attachments of the hand [444](#)
- Superficial palmar region (palm) of hand [445](#)
- Tendon sheaths of hand [446](#)
- Lumbrical muscles [447](#)
- Intrinsic muscles of hand [448](#)
- Palmar region (palm) of hand: arteries and nerves [450](#)
- Arteries of the hand [452](#)
- Innervation of the hand: median and ulnar nerves [453](#)
- Dorsum of hand [454](#)
- Dorsal hoods [455](#)
- Dorsum of hand: arteries [456](#)
- Dorsum of hand: nerves [457](#)
- Anatomical snuffbox [458](#)
- Superficial veins and lymphatics of forearm [459](#)
- Anterior cutaneous nerves of forearm [460](#)
- Posterior cutaneous nerves of upper limb [461](#)
- Tables [462](#)




# Surface anatomy




# **Bones of the upper limb**





## Bony framework of shoulder



# **Scapula**




# **Clavicle: joints and ligaments**




Joints and ligaments of the clavicle (anterior view)

# Proximal humerus




Proximal end of humerus

# Glenohumeral joint




Origins of biceps brachii tendons (superior view)

Articular surfaces of glenohumeral joint (anterolateral oblique view)




Synovial membrane (superior view)

Fibrous membrane of joint capsule (anterior view)




**Anterior view of the glenohumeral joint.**  
T1-weighted MR image in coronal plane




**Normal glenohumeral joint.**  
Radiograph, AP view

# Muscle attachments




Bursae of the glenohumeral joint (superior view)




Glenohumeral joint (anterior view)






Ribcage attachments of the pectoral muscles (anterior view)




Ribcage attachments of serratus anterior and scalene muscles (lateral view)




Attachments of trapezius and latissimus dorsi muscles (lateral view)


## Pectoral region




Pectoralis major and minor muscles on anterior thoracic wall.  
CT image, with contrast, in axial plane



## Deep pectoral region




Clavipectoral fascia and related structures




Pectoralis minor


## **Walls of the axilla**




**Medial and anterior walls of axilla**




**Boundaries of axilla**




**Posterior and lateral walls of axilla**




# The four rotator cuff muscles









**Muscles of the scapula (lateral view)**



**Muscles associated with the glenohumeral joint.**  
T1-weighted MR image in sagittal plane




**Muscles associated with the glenohumeral joint.**  
T1-weighted MR image in axial plane




**Muscles of the scapula and gateways to the posterior scapular region (anterior view)**

## **Deep vessels and nerves of the shoulder**




Arteries of the shoulder (posterior view)




Deep arteries and nerves of the shoulder (posterior view)

# Axillary artery






# **Brachial artery**




**Arteries of the shoulder (anterior view)**




**Branches of the axillary artery**

# **Brachial plexus**




Schematic showing branches of the brachial plexus




Brachial plexus

## **Medial and lateral cords**




**Cords around the axillary artery**




**Lateral and medial cords of the brachial plexus**

## **Posterior cord**




Posterior cord of the brachial plexus  
(ribs and associated muscles removed)


## **Distal end of humerus and proximal end of radius and ulna**



Distal end of humerus




Proximal end of ulna




Proximal end of radius

# Muscle attachments




**Muscle attachments of the shoulder and arm  
(anterior view)**





Origins  
Insertions

**Muscle attachments of the shoulder and arm  
(posterior view)**

## **Anterior compartment: muscles**




**Surface anatomy of anterior compartment**




**Muscles of anterior compartment of arm**







## **Anterior compartment: arteries and nerves**



## **Veins of the arm**




## **Posterior compartment: muscles**




**Muscles of posterior compartment of arm**







## **Posterior compartment: arteries and nerves**






## **Lymphatics of the arm**



## **Transverse sections: arm**







Transverse/axial sections through the arm.  
**A. Proximal/upper arm. B. Middle arm. C. Distal/lower arm.**  
T1-weighted MR image in axial plane




## **Anterior cutaneous nerves of the arm**



Cutaneous nerves of the arm




Areas of distribution of the cutaneous nerves of the arm




Dermatomes of the arm



## **Posterior cutaneous nerves of the arm**




# **Elbow joint**









## **Elbow joint: capsule and ligaments**




**Synovial membrane of the elbow joint  
(anterior view)**



**Synovial membrane of the elbow joint  
(posterior view)**





**Fibrous membrane of joint capsule and ligaments  
of the elbow joint (anterior view)**





**Fibrous membrane of joint capsule and ligaments  
of the elbow joint (posterior view)**






**Normal elbow joint.**  
T2-weighted MR image in coronal plane


## **Cubital fossa**



#### Margins of the cubital fossa




Contents of the cubital fossa




Superficial structures

## **Radius and ulna**



## **Bones of the hand and wrist joint**



# **Imaging of the hand and wrist joint**




**Imaging of the wrist joint, the carpal bones, and the hand.**

A. T1-weighted MR image in coronal plane


B. Radiograph, AP view




## Bones of the hand



# **Joints and ligaments of the hand**



## **Muscle attachments of forearm**







Muscle attachments of forearm (anterior view)

Muscle attachments of forearm (posterior view)

## **Anterior compartment of forearm: muscles**




**Surface anatomy (anterior view)**




**Superficial layer of forearm muscles (anterior view)**










Intermediate layer of forearm muscles (anterior view)




Deep layer of forearm muscles (anterior view)




Tendons of the flexor digitorum superficialis and flexor digitorum profundus passing through the carpal tunnel into the hand.  
T1-weighted MR image in coronal plane

## **Anterior compartment of forearm: arteries and nerves**




Arteries and nerves of forearm (anterior view)


## **Posterior compartment of forearm: muscles**




Surface anatomy (posterior view)





Superficial muscles of forearm  
(posterior view)




Superficial layer of muscles in the  
posterior compartment of forearm




## **Posterior compartment of forearm: arteries and nerves**



## **Transverse sections: forearm**





Transverse/axial sections through the forearm.



A. Proximal/upper forearm.

B. Middle forearm.


C. Distal/lower forearm.

T1-weighted MR image in axial plane

# Carpal tunnel



Carpal tunnel, structures and relations



Transverse/axial sections through the carpal tunnel.


A. Proximal end of carpal tunnel.

B. Middle portion of carpal tunnel.


C. Distal portion of carpal tunnel.

T1-weighted MR images in axial plane

# **Muscle attachments of the hand**





## **Superficial palmar region (palm) of hand**





Surface anatomy (palmar view)

Palmar aponeurosis (palmar view)


## Tendon sheaths of hand



## Lumbrical muscles




Lumbrical muscles (palmar view)





Imaging of the proximal portion of the hand.  
T1-weighted MR image in axial plane

# **Intrinsic muscles of hand**



Deep muscles of the hand (palmar view)






Dorsal interossei (palmar view)


Palmar interossei (palmar view)

## **Palmar region (palm) of hand: arteries and nerves**




### Superficial arteries and nerves of the hand (palmar view)






Deep arteries and nerves of the hand (palmar view)

# **Arteries of the hand**




Arteries of the hand (palmar view)


## **Innervation of the hand: median and ulnar nerves**



## Dorsum of hand





Surface anatomy (dorsal view)




Superficial structures of the hand (dorsal view)

(\* see page 449)



## Dorsal hoods




## Dorsum of hand: arteries



## Dorsum of hand: nerves




# Anatomical snuffbox



Anatomical snuffbox (lateral view)


# **Superficial veins and lymphatics of forearm**




Superficial veins and lymphatics of the forearm (palmar view)

Superficial veins of the forearm (dorsal view)

## **Anterior cutaneous nerves of forearm**



## **Posterior cutaneous nerves of upper limb**




# Tables

## Branches of the brachial plexus

---

Branch		Origin	Spinal segments	Function: motor	Function: sensory
Dorsal scapular	1	C5 root	C5	Rhomboid major, rhomboid minor	
Long thoracic	2	C5 to C7 roots	C5 to C7	Serratus anterior	
Suprascapular	3	Superior trunk	C5, C6	Supraspinatus, infraspinatus	
Nerve to subclavius	4	Superior trunk	C5, C6	Subclavius	
Lateral pectoral	5	Lateral cord	C5 to C7	Pectoralis major	
Musculocutaneous	6	Lateral cord	C5 to C7	All muscles in the anterior compartment of the arm	Skin on lateral side of forearm
Medial pectoral	7	Medial cord	C8, T1 (also receives contributions from spinal segments C5 to C7 through a communication with the lateral pectoral nerve)	Pectoralis major, pectoralis minor	
Medial cutaneous of arm	8	Medial cord	Spinal segments: C8, T1		Skin on medial side of distal one-third of arm
Medial cutaneous of forearm	9	Medial cord	C8, T1		Skin on medial side of forearm
Median	10	Medial and lateral cords	(C5), C6 to T1	All muscles in the anterior compartment of the forearm (except flexor carpi ulnaris and medial half of flexor digitorum profundus), three thenar muscles of the thumb and two lateral lumbrical muscles	Skin over the palmar surface of the lateral three and one-half digits and over the lateral side of the palm and middle of the wrist
Ulnar	11	Medial cord	(C7), C8, T1	All intrinsic muscles of the hand (except three thenar muscles and two lateral lumbricals); also flexor carpi ulnaris and the medial half of flexor digitorum profundus in the forearm	Skin over the palmar surface of the medial one and one-half digits and associated palm and wrist, and skin over the dorsal surface of the medial one and one-half digits
Superior subscapular	12	Posterior cord	C5, C6	Subscapularis	
Thoracodorsal	13	Posterior cord	C6 to C8	Latissimus dorsi	
Inferior subscapular	14	Posterior cord	C5, C6	Subscapularis, teres major	
Axillary	15	Posterior cord	C5, C6	Deltoid, teres minor	Skin over upper lateral part of arm
Radial	16	Posterior cord	C5 to C8, (T1)	All muscles in the posterior compartments of arm and forearm	Skin on the posterior aspects of the arm and forearm, the lower lateral surface of the arm, and the dorsal lateral surface of the hand






# Muscles of the shoulder


**(muscles of the shoulder spinal segments indicated in bold are the major segments innervating the muscle)**

Muscle		Origin	Insertion	Innervation	Function
Trapezius	1	Superior nuchal line, external occipital protuberance, medial margin of the ligamentum nuchae, spinous processes of CVII to TXII and the related supraspinous ligaments	Superior edge of the crest of the spine of the scapula, acromion, posterior border of lateral one-third of clavicle	Motor spinal part of accessory nerve [XI]. Sensory (proprioception) anterior rami of C3 and C4	Powerful elevator of the scapula; rotates the scapula during abduction of humerus above horizontal; middle fibers retract scapula; lower fibers depress scapula
Deltoid	2	Inferior edge of the crest of the spine of the scapula, lateral margin of the acromion, anterior border of lateral one-third of clavicle	Deltoid tuberosity of humerus	Axillary nerve [C5, C6]	Major abductor of arm (abducts arm beyond initial 15° done by supraspinatus); clavicular fibers assist in flexing the arm; posterior fibers assist in extending the arm
Levator scapulae	3	Transverse processes of CI and CII vertebrae and posterior tubercles of transverse processes of CIII and CIV vertebrae	Posterior surface of medial border of scapula from superior angle to root of spine of the scapula	Branches directly from anterior rami of C3 and C4 spinal nerves and by branches [C5] from the dorsal scapular nerve	Elevates the scapula
Rhomboïd minor	4	Lower end of ligamentum nuchae and spinous processes of CVII and TI vertebrae	Posterior surface of medial border of scapula at the root of the spine of the scapula	Dorsal scapular nerve [C4, C5]	Elevates and retracts the scapula
Rhomboïd major	5	Spinous processes of TII-TV vertebrae and intervening supraspinous ligaments	Posterior surface of medial border of scapula from the root of the spine of the scapula to the inferior angle	Dorsal scapular nerve [C4, C5]	Elevates and retracts the scapula



## Muscles of the posterior scapular region (spinal segments in bold are the major segments innervating the muscle)

Muscle	Origin	Insertion	Innervation	Function
<b>Supraspinatus</b>	<b>1</b> Medial two-thirds of the supraspinous fossa of the scapula and the deep fascia that covers the muscle	Most superior facet on the greater tubercle of the humerus	Suprascapular nerve [C5, C6]	Rotator cuff muscle; participates in abduction of the glenohumeral joint; stabilization of glenohumeral joint
<b>Infraspinatus</b>	<b>2</b> Medial two-thirds of the infraspinous fossa of the scapula and the deep fascia that covers the muscle	Middle facet on posterior surface of the greater tubercle of the humerus	Suprascapular nerve [C5, C6]	Rotator cuff muscle; lateral rotation of arm at the glenohumeral joint; stabilization of glenohumeral joint
<b>Teres minor</b>	<b>3</b> Upper two-thirds of a flattened strip of bone on the posterior surface of the scapula immediately adjacent to the lateral border of the scapula	Inferior facet on the posterior surface of the greater tubercle of the humerus	Axillary nerve [C5, C6]	Rotator cuff muscle; lateral rotation of arm at the glenohumeral joint; stabilization of glenohumeral joint
<b>Teres major</b>	<b>4</b> Elongate oval area on the posterior surface of the inferior angle of the scapula	Medial lip of the intertubercular sulcus on the anterior surface of the humerus	Inferior subscapular nerve [C5, C6, C7]	Medial rotation and extension of the arm at the glenohumeral joint
<b>Long head of triceps brachii</b>	<b>5</b> Infraglenoid tubercle on scapula	Common tendon of insertion with medial and lateral heads on the olecranon process of ulna	Radial nerve [C6, C7, C8]	Extension of the forearm at the elbow joint; accessory adductor and extensor of the arm at the glenohumeral joint



## Muscles of the anterior wall of the axilla (spinal segments in bold are the major segments innervating the muscle)

Muscle		Origin	Insertion	Innervation	Function
Pectoralis major	1	Clavicular head—anterior surface of medial half of clavicle; sternocostal head—anterior surface of sternum; first seven costal cartilages; sternal end of sixth rib; aponeurosis of external obliquus	Lateral lip of intertubercular sulcus of humerus	Medial and lateral pectoral nerves; clavicular head [C <sub>5</sub> , C <sub>6</sub> ]; sternocostal head [C <sub>6</sub> , C <sub>7</sub> , C <sub>8</sub> , T <sub>1</sub> ]	Flexion, adduction, and medial rotation of arm at glenohumeral joint; clavicular head—flexion of extended arm; sternocostal head—extension of flexed arm
Subclavius	2	First rib at junction between rib and costal cartilage	Groove on inferior surface of middle one-third of clavicle	Nerve to subclavius [C <sub>5</sub> , C <sub>6</sub> ]	Pulls tip of shoulder down; pulls clavicle medially to stabilize sternoclavicular joint
Pectoralis minor	3	Anterior surfaces and superior borders of ribs III to V; and from deep fascia overlying the related intercostal spaces	Coracoid process of scapula (medial border and upper surface)	Medial pectoral nerve [C <sub>5</sub> , C <sub>6</sub> , C <sub>7</sub> , C <sub>8</sub> , T <sub>1</sub> ]	Pulls tip of shoulder down; protracts scapula

## Muscles of the medial wall of the axilla

Serratus anterior	4	Lateral surfaces of upper 8–9 ribs and deep fascia overlying the related intercostal spaces	Costal surface of medial border of scapula	Long thoracic nerve [C <sub>5</sub> , C <sub>6</sub> , C <sub>7</sub> ]	Protraction and rotation of the scapula; keeps medial border and inferior angle of scapula opposed to thoracic wall
-------------------	---	---	--	---	---


## Muscles of the lateral and posterior wall of the axilla (spinal segments enclosed in parentheses do not consistently innervate the muscle)

<b>Subscapularis</b>	5	Medial two-thirds of subscapular fossa	Lesser tubercle of humerus	Upper and lower subscapular nerves [C5, C6, (C7)]	Rotator cuff muscle; medial rotation of the arm at the glenohumeral joint; stabilization of glenohumeral joint
<b>Teres major</b>	6	Elongate oval area on the posterior surface of the inferior angle of the scapula	Medial lip of the intertubercular sulcus on the anterior surface of the humerus	Lower subscapular nerve [C5, C6, C7]	Medial rotation and extension of the arm at the glenohumeral joint
<b>Latissimus dorsi</b>	7	Spinous processes of lower six thoracic vertebrae and related interspinous ligaments; via the thoracolumbar fascia to the spinous processes of the lumbar vertebrae, related interspinous ligaments, and iliac crest; lower 3–4 ribs	Floor of intertubercular sulcus	Thoracodorsal nerve [C6, C7, C8]	Adduction, medial rotation, and extension of the arm at the glenohumeral joint
<b>Long head of triceps brachii</b>	8	Infraglenoid tubercle on scapula	Common tendon of insertion with medial and lateral heads on the olecranon process of ulna	Radial nerve [C6, C7, C8]	Extension of the forearm at the elbow joint; accessory adductor and extensor of the arm at the glenohumeral joint

## Muscles having parts that pass through the axilla (spinal segments in bold are the major segments innervating the muscle)

Muscle		Origin	Insertion	Innervation	Function
<b>Biceps brachii</b>	9	Long head—supraglenoid tubercle of scapula; short head—apex of coracoid process	Tuberosity of radius	Musculocutaneous nerve [C5, C6]	Powerful flexor of the forearm at the elbow joint and supinator of the forearm; accessory flexor of the arm at the glenohumeral joint
<b>Coracobrachialis</b>	10	Apex of coracoid process	Linear roughening on midshaft of humerus on medial side	Musculocutaneous nerve [C5, C6, C7]	Flexor of the arm at the glenohumeral joint; adducts arm







## Muscles of the anterior compartment of the arm (spinal segments in bold are the major segments innervating the muscle)

Muscle		Origin	Insertion	Innervation	Function
<b>Coracobrachialis</b>	<b>1</b>	Apex of coracoid process	Linear roughening on midshaft of humerus on medial side	Musculocutaneous nerve [C5, C6, C7]	Flexor of the arm at the glenohumeral joint
<b>Biceps brachii</b>	<b>2</b>	Long head-supraglenoid tubercle of scapula; short head-apex of coracoid process	Radial tuberosity	Musculocutaneous nerve [C5, C6]	Powerful flexor of the forearm at the elbow joint and supinator of the forearm; accessory flexor of the arm at the glenohumeral joint
<b>Brachialis</b>	<b>3</b>	Anterior aspect of humerus (medial and lateral surfaces) and adjacent intermuscular septae	Tuberosity of the ulna	Musculocutaneous nerve [C5, C6]; (small contribution by the radial nerve [C7] to lateral part of muscle)	Powerful flexor of the forearm at the elbow joint

## Muscle of the posterior compartment of the arm

<b>Triceps brachii</b>	<b>4</b>	Long head— infraglenoid tubercle of scapula; medial head —posterior surface of humerus;lateral head—posterior surface of humerus	Olecranon	Radial nerve [C6, C7, C8]	Extension of the forearm at the elbow joint. Long head can also extend and adduct the arm at the shoulder joint
------------------------	----------	--	-----------	---------------------------	---



## Superficial layer of muscles in the anterior compartment of the forearm (spinal segments indicated in bold are the major segments innervating the muscle)



Muscle		Origin	Insertion	Innervation	Function
<b>Flexor carpi ulnaris</b>	1	Humeral head—medial epicondyle of humerus; ulnar head—olecranon and posterior border of ulna	Pisiform bone, and then via pisohamate and pisometacarpal ligaments into the hamate and base of metacarpal V	Ulnar nerve [C7, C8, T1]	Flexes and adducts the wrist joint
<b>Palmaris longus</b>	2	Medial epicondyle of humerus	Palmar aponeurosis of hand	Median nerve [C7, C8]	Flexes wrist joint; because the palmar aponeurosis anchors skin of the hand, contraction of the muscle resists shearing forces when gripping
<b>Flexor carpi radialis</b>	3	Medial epicondyle of humerus	Base of metacarpals II and III	Median nerve [C6, C7]	Flexes and abducts the wrist
<b>Pronator teres</b>	4	Humeral head—medial epicondyle and adjacent supraepicondylar ridge; ulnar head—medial side of coronoid process	Roughening on lateral surface, midshaft, of radius	Median nerve [C6, C7]	Pronation

## Intermediate layer of muscles in the anterior compartment of the forearm

<b>Flexor digitorum superficialis</b>	5	Humero-ulnar head—medial epicondyle of humerus and adjacent margin of coronoid process; radial head—oblique line of radius	Four tendons, which attach to the palmar surfaces of the middle phalanges of the index, middle, ring, and little fingers	Median nerve [C8, T1]	Flexes proximal interphalangeal joints of the index, middle, ring, and little fingers; can also flex metacarpophalangeal joints of the same fingers and the wrist joint
---------------------------------------	---	--	--	-----------------------	---


## Deep layer of muscles in the anterior compartment of the forearm

<b>Flexor digitorum profundus</b>	6	Anterior and medial surfaces of ulna and anterior medial half of interosseous membrane	Four tendons, which attach to the palmar surfaces of the distal phalanges of the index, middle, ring, and little fingers	Lateral half by median nerve (anterior interosseous nerve); medial half by ulnar nerve [C8, T1]	Flexes distal interphalangeal joints of the index, middle, ring, and little fingers; can also flex metacarpophalangeal joints of the same fingers and the wrist joint
<b>Flexor pollicis longus</b>	7	Anterior surface of radius and radial half of interosseous membrane	Palmar surface of base of distal phalanx of thumb	Median nerve (anterior interosseous nerve) [C7, C8]	Flexes interphalangeal joint of the thumb; can also flex metacarpophalangeal joint of the thumb
<b>Pronator quadratus</b>	8	Linear ridge on distal anterior surface of ulna	Distal anterior surface of radius	Median nerve (anterior interosseous nerve) [C7, C8]	Pronation



## Superficial layer of muscles in the posterior compartment of the forearm (spinal segments indicated in bold are the major segments innervating the muscle)


Muscle		Origin	Insertion	Innervation	Function
<b>Brachioradialis</b>	1	Proximal part of lateral supraepicondylar ridge of humerus and adjacent intermuscular septum	Lateral surface of distal end of radius	Radial nerve [C5, C6] before division into superficial and deep branches	Accessory flexor of elbow joint when forearm is midpronated
<b>Extensor carpi radialis longus</b>	2	Distal part of lateral supraepicondylar ridge of humerus and adjacent intermuscular septum	Dorsal surface of base of metacarpal II	Radial nerve [C6, C7] before division into superficial and deep branches	Extends and abducts the wrist
<b>Extensor carpi radialis brevis</b>	3	Lateral epicondyle of humerus and adjacent intermuscular septum	Dorsal surface of base of metacarpals II and III	Deep branch of radial nerve [C7, C8] before penetrating supinator muscle	Extends and abducts the wrist
<b>Extensor digitorum</b>	4	Lateral epicondyle of humerus and adjacent intermuscular septum and deep fascia	Four tendons, which insert via extensor hoods into the dorsal aspects of the bases of the middle and distal phalanges of the index, middle, ring, and little fingers	Posterior interosseous nerve [C7, C8]	Extends the index, middle, ring, and little fingers; can also extend the wrist
<b>Extensor digiti minimi</b>	5	Lateral epicondyle of humerus and adjacent intermuscular septum together with extensor digitorum	Extensor hood of the little finger	Posterior interosseous nerve [C7, C8]	Extends the little finger
<b>Extensor carpi ulnaris</b>	6	Lateral epicondyle of humerus and posterior border of ulna	Tuberole on the base of the medial side of metacarpal V	Posterior interosseous nerve [C7, C8]	Extends and adducts the wrist
<b>Anconeus</b>	7	Lateral epicondyle of humerus	Olecranon and proximal posterior surface of ulna	Radial nerve [C6, C7, C8] (via branch to medial head of triceps brachii)	Abduction of the ulna in pronation; accessory extensor of the elbow joint



**Deep layer of muscles in the posterior compartment of the forearm  
(spinal segments indicated in bold are the major segments innervating the muscle)**

Muscle	Origin	Insertion	Innervation	Function
<b>Supinator</b>	<b>1</b> Superficial part—lateral epicondyle of humerus, radial collateral and anular ligaments; deep part—supinator crest of the ulna	Lateral surface of radius superior to the anterior oblique line	Posterior interosseous nerve [ <b>C6, C7</b> ]	Supination
<b>Abductor pollicis longus</b>	<b>2</b> Posterior surfaces of ulna and radius (distal to the attachments of supinator and anconeus), and intervening interosseous membrane	Lateral side of base of metacarpal I	Posterior interosseous nerve [ <b>C7, C8</b> ]	Abducts carpometacarpal joint of thumb; accessory extensor of the thumb
<b>Extensor pollicis brevis</b>	<b>3</b> Posterior surface of radius (distal to abductor pollicis longus) and the adjacent interosseous membrane	Dorsal surface of base of proximal phalanx of the thumb	Posterior interosseous nerve [ <b>C7, C8</b> ]	Extends metacarpophalangeal joint of the thumb; can also extend the carpometacarpal joint of the thumb
<b>Extensor pollicis longus</b>	<b>4</b> Posterior surface of ulna (distal to the abductor pollicis longus) and the adjacent interosseous membrane	Dorsal surface of base of distal phalanx of thumb	Posterior interosseous nerve [ <b>C7, C8</b> ]	Extends interphalangeal joint of the thumb; can also extend carpometacarpal and metacarpophalangeal joints of the thumb
<b>Extensor indicis</b>	<b>5</b> Posterior surface of ulna (distal to extensor pollicis longus) and adjacent interosseous membrane	Extensor hood of index finger	Posterior interosseous nerve [ <b>C7, C8</b> ]	Extends index finger






## Intrinsic muscles of the hand

(spinal segments indicated in bold are the major segments innervating the muscle)

Muscle		Origin	Insertion	Innervation	Function
Palmaris brevis	1	Palmar aponeurosis and flexor retinaculum	Dermis of skin on the medial margin of the hand	Superficial branch of the ulnar nerve [C8, T1]	Improves grip
Dorsal interossei (four muscles)	2	Adjacent sides of metacarpals	Extensor hood and base of proximal phalanges of index, middle, and ring fingers	Deep branch of ulnar nerve [C8, T1]	Abduction of index, middle, and ring fingers at the metacarpophalangeal joints
Palmar interossei (four muscles: the first palmar interosseous associated with the thumb is rudimentary. When present it is often considered part of either adductor pollicis or flexor pollicis brevis)	3	Sides of metacarpals	Extensor hoods of the thumb, index, ring, and little fingers and the proximal phalanx of thumb	Deep branch of ulnar nerve [C8, T1]	Adduction of the thumb, index, ring, and little fingers at the metacarpophalangeal joints
Adductor pollicis	4	Transverse head—metacarpal III; oblique head—capitate and bases of metacarpals II and III	Base of proximal phalanx and extensor hood of thumb	Deep branch of ulnar nerve [C8, T1]	Adducts thumb
Lumbricals (four muscles)	5	Tendons of flexor digitorum profundus	Extensor hoods of index, ring, middle, and little fingers	Medial two by the deep branch of the ulnar nerve; lateral two by digital branches of the median nerve	Flex metacarpophalangeal joints while extending interphalangeal joints





# **HEAD AND NECK**

---


# CONTENTS

- Surface anatomy with bones [478](#)
- Bones of the skull [479](#)
- Skull: anterior view [480](#)
- Skull: lateral view [482](#)
- Skull: posterior view [484](#)
- Skull: superior view and roof [485](#)
- Skull: inferior view [486](#)
- Skull: cranial cavity [487](#)
- Ethmoid, lacrimal bone, inferior concha, and vomer [488](#)
- Maxilla and palatine bone [489](#)
- Skull: muscle attachments [490](#)
- Scalp and meninges [492](#)
- Dural partitions [493](#)
- Dural arteries and nerves [494](#)
- Dural venous sinuses [495](#)
- Brain [496](#)
- Brain: imaging [498](#)
- Cranial nerves [500](#)
- Arterial supply to brain [502](#)
- Cutaneous distribution of trigeminal nerve [V] [505](#)
- Facial muscles [506](#)
- Vasculation, facial nerve [VII] and lymphatics [508](#)
- Deep arteries and veins of parotid region [509](#)
- Bony orbit [510](#)
- Section through orbit and structures of eyelid [511](#)
- Eyelids and lacrimal apparatus [512](#)
- Innervation of the lacrimal gland [513](#)
- Muscles of the eyeball [514](#)
- Innervation of the orbit and eyeball [515](#)



- Eye movements 516
  - Vasculation of orbit 517
  - Eyeball 518
  - Eye imaging 519
- Ear surface and sensory innervation 522
- Ear 523
  - Middle ear 524
  - Internal ear 526
  - Ear imaging 527
- Temporal and infratemporal fossae 528
  - Bones of the temporal and infratemporal fossae 529
  - Temporal and infratemporal fossae 530
  - Temporomandibular joint 532
  - Mandibular division of the trigeminal nerve [V] 533
  - Parasympathetic innervation 534
  - Arteries and veins of temporal and infratemporal fossae 535
  - Pterygopalatine fossa 536
  - Neck surface anatomy 538
  - Bones of the neck 539
  - Compartments and fascia of the neck 540
  - Superficial veins of the neck 541
  - Muscles of the neck 542
  - Nerves in the neck 544
  - Cranial nerves in the neck 545
  - Cervical plexus and sympathetic trunk 546
  - Arteries of the neck 548
  - Root of the neck: arteries 550
  - Lymphatics of the neck 552
  - Pharynx 554
  - Muscles of the pharynx 556
  - Innervation of the pharynx 558
  - Vasculation of the pharynx 559

Larynx 560  
Laryngeal cavity 562  
Muscles of the larynx 563  
Innervation of the larynx 564  
Thyroid gland 565  
Vasculation of the thyroid gland 566  
Nose and paranasal sinuses 568  
Nasal cavity: bones 569  
Nasal cavity: mucosal linings 570  
Vasculation and innervation of the nasal cavity 571  
Sinus imaging 572  
Oral cavity: bones 574  
Teeth 575  
Teeth: imaging 576  
Anatomy of teeth 577  
Vessels and nerves supplying teeth 578  
Innervation of teeth and gums 579  
Muscles and salivary glands of the oral cavity 580  
Vessels and nerves of the tongue 581  
Tongue 582  
Hard and soft palate 583  
Palate 584  
Innervation of oral cavity 585  
Cranial nerves 586  
Visceral motor pathways in the head 588  
Tables 589



# **Surface anatomy with bones**




## **Bones of the skull**




## **Skull: anterior view**





**Anterior view of the skull.**

Radiograph, AP view




**Anterior view of the skull.**


Volume-rendered anterior view using multidetector computed tomography




## **Skull: lateral view**




Lateral view of the skull






**Lateral view of the skull.**  
Radiograph, lateral view




**Lateral view of the skull.**  
Volume-rendered lateral view using multidetector computed tomography




## **Skull: posterior view**





**Posterior view of the skull**




## **Skull: superior view and roof**





**Superior view of the skull**





**Roof of the cranial cavity**




## **Skull: inferior view**




## **Skull: cranial cavity**




Floor of the cranial cavity




## **Ethmoid, lacrimal bone, inferior concha, and vomer**




Ethmoid bone (superior view)




Ethmoid bone (posterior view)




Ethmoid bone (lateral view)



Right inferior concha  
A. Medial view B. Lateral view




Right lacrimal bone  
A. Lateral view B. Medial view



Vomer (lateral view)


# **Maxilla and palatine bone**



**Left palatine bone  
(anterior view)**



**Left maxilla bone (lateral view)**

**Left palatine bone  
(lateral view)**




**Left maxilla bone (medial view)**


# **Skull: muscle attachments**









**Medial view**




**Inferior view**




## **Scalp and meninges**



## Dural partitions




Dural partitions (sagittal section)




Cranial cavity (superior view)



# **Dural arteries and nerves**





Dural arterial supply (medial view)




Dural innervation (superior view)

# **Dural venous sinuses**











# **Brain**







# **Brain: imaging**





**Axial or horizontal sections through the brain with major structures indicated.**

**A. Section showing structures related to the internal capsule.**

**B. Section showing structures related to the midbrain.**

T1-weighted MR image in axial plane






Coronal sections through the brain with major structures indicated.

**A.** Section showing structures related to the optic chiasm.


**B.** Section showing structures related to the third ventricle.

T1-weighted MR image in coronal plane

# Cranial nerves





Cranial nerves exiting the cranial cavity




Cranial nerves in the cavernous sinus





# **Arterial supply to brain**



Arteries to brain (lateral view)







Diagram showing blood supply to brain



Cerebral arterial circle (of Willis)





**Anterior view of the carotid and vertebral arterial systems.**  
Volume-rendered anterior view using multidetector computed tomography





**Posterior view of the cerebral arterial circle (of Willis).**  
Volume-rendered posterior view using multidetector computed tomography






# **Cutaneous distribution of trigeminal nerve [V]**




**Cutaneous distribution of the trigeminal nerve [V]**


# Facial muscles








# **Vasculation, facial nerve [VII] and lymphatics**





Vasculature, facial nerve [VII] and lymphatics of the face

## **Deep arteries and veins of parotid region**




**Axial section through the parotid gland showing its relationship to surrounding structures.**  
CT image in axial plane

# Bony orbit




Bones of the right orbit

## **Section through orbit and structures of eyelid**




**Sagittal section through orbit and eyeball**




**Horizontal (axial) section through orbit and eyeball**


# **Eyelids and lacrimal apparatus**




Vasculature and nerves of the eyelids



Lacrimal papilla and punctum of left eye




Lacrimal sac (horizontal section)




Lacrimal gland and levator palpebrae superioris (parasagittal section)

# Innervation of the lacrimal gland




Visceral efferent (motor) innervation of the lacrimal gland




Coronal section through the orbit showing the lacrimal gland and its relationship to surrounding structures.

T1-weighted MR image in coronal plane


# **Muscles of the eyeball**




**Superior view**



**Lateral view**




**Anterior view**




**Origins of muscles of the eyeball**


## **Innervation of the orbit and eyeball**



**Superior view**




**Lateral view**




**Anterior view**

# **Eye movements**



Actions of individual muscles (anatomical action)




Movement of eyes when testing specific muscle (clinical testing).


For testing some muscles, a patient is "asked" to first move the eye into a position (small arrow) where the indicated muscle can best be tested. The large arrow indicates the direction the patient is then "asked" to move the eye to test the muscle.



## Vasculation of orbit




Arteries of the orbit and eyeball (superior view)




Veins of the orbit and eyeball (lateral view)

# **Eyeball**






Eyeball (horizontal section)

# **Eye imaging**





Ophthalmoscopic view of the left retina showing the optic disc,  
the macula lutea, and the retinal vasculature.







**A through D – Coronal sections that pass through the orbit from posterior to anterior showing the extrinsic (extra-ocular) muscles and their relationships with each other and with other structures.**  
T1-weighted MR images in coronal plane








# **Ear surface and sensory innervation**





Superior projection of internal ear in the temporal bone


**Ear**




## Middle ear







Right lateral wall of the middle ear




Right mastoid antrum and surrounding bone


Inferior view of the mastoid area  
on the right side of the skull.  
CT image in axial plane



## **Internal ear**




Structures of the internal ear (right)





Cross section through cochlea


# **Ear imaging**



## **Temporal and infratemporal fossae**





Temporal fossa







Infratemporal fossa

## **Bones of the temporal and infratemporal fossae**






Bones of the temporal and infratemporal fossae


## **Temporal and infratemporal fossae**








# **Temporomandibular joint**



**Movements of the temporomandibular joint.**  
A. Mouth closed. B. Mouth open




**Lateral view of the right temporomandibular joint.**


A. Mouth closed. B. Mouth open.

Image taken with Cone Beam Computerized Tomography (CBCT)  
technology viewed in the radiographic mode


# **Mandibular division of the trigeminal nerve [V]**




**Nerves and vessels of the infratemporal fossa**



# Parasympathetic innervation




Nerves of the infratemporal fossa






# **Arteries and veins of temporal and infratemporal fossae**




**Arteries of the temporal and infratemporal fossae**





**Veins of the temporal and infratemporal fossae**

# Pterygopalatine fossa









Visceral efferent (motor) pathways through the pterygopalatine fossa

# **Neck surface anatomy**




Anterior view

Lateral view




Boundaries and subdivisions of the anterior triangle  
and boundaries of the posterior triangle


## Bones of the neck




Occipital condyles of skull (inferior view)




Hyoid bone (superior view)



Atlas and axis (superior view)




Atlanto-occipital joint (posterior view)




Bones of the neck (lateral view)

## **Compartments and fascia of the neck**




Fascia of the neck (transverse view)




Fascia compartments of the neck.

CT image, with contrast, in axial plane




Fascia of the neck (sagittal view)

# **Superficial veins of the neck**




**Palpable veins of the neck  
(or visible)**




**Superficial veins of the neck**




# **Muscles of the neck**






### Superficial muscles of the neck




### Deep muscles of the neck

## **Nerves in the neck**




Cervical spinal nerves.  
Deep neck dissection.





Cervical spinal nerves, ansa cervicalis,  
and hypoglossal nerve [XII]

# Cranial nerves in the neck




Branches of glossopharyngeal [IX] and vagus nerves [X] in neck

# **Cervical plexus and sympathetic trunk**




Components of the sympathetic nervous system in the root of the neck






Cervical part of the sympathetic trunk




Branches of the cervical plexus  
(rib I removed)

# **Arteries of the neck**









**Lateral view of the branches of the external carotid artery.**

Volume-rendered angiographic image with contrast using multidetector CT

## **Root of the neck: arteries**




**Anterior view**



**Posterior view**






Lateral view




Anterior view of the root of the neck showing the branches of the subclavian arteries.

Volume-rendered angiographic image with contrast using multidetector CT


# **Lymphatics of the neck**








**Areas of lymphatic drainage**




**Lymphatic drainage of the thyroid gland, larynx, and trachea**




**Lymphatic system in the neck**

# Pharynx




Features of the pharynx (lateral view)







**Features of the pharynx**  
(posterior view with the pharyngeal wall opened)



# **Muscles of the pharynx**







**Muscles of the posterior wall of the pharynx**




# Innervation of the pharynx




# Vasculation of the pharynx



# Larynx




**Position of larynx in the neck as it relates to the surface**





**External features of the larynx (anterolateral view)**







# Laryngeal cavity




Superior view through the laryngeal inlet

Sagittal section through laryngeal cavity


# **Muscles of the larynx**




# Innervation of the larynx




# Thyroid gland



Thyroid gland as it relates to surface




# Vasculation of the thyroid gland






Anterior view






Posterior view

# **Nose and paranasal sinuses**





Surface anatomy of nose and paranasal sinuses (lateral view)




Coronal section through nasal cavity (posterior view)

## Nasal cavity: bones




# Nasal cavity: mucosal linings




Lateral wall of the nasal cavity

Medial wall of the nasal cavity




Lateral wall of the nasal cavity, concha cut away

# **Vasculation and innervation of the nasal cavity**




**Vasculature of the nasal cavities**  
A. Lateral wall of right nasal cavity. B. Medial wall of right nasal cavity




**Innervation of the nasal cavities**  
A. Lateral wall of right nasal cavity. B. Medial wall of right nasal cavity


# Sinus imaging




**Anterior view of the maxillary sinus and ethmoidal cells.**  
CT image in coronal plane




**Anterior view looking into the nasal cavity showing the relationship of various structures.**  
CT image in coronal plane




**Anterior view of the frontal sinuses.**  
CT image in coronal plane



**Anterior view of the sphenoidal sinuses showing their relationship to the nasal cavity.**  
CT image in coronal plane




Nasal cavities




Axial section showing the relationship between the nasal cavity, nasopharynx, and maxillary sinuses.

CT image in axial plane




Nasal cavities







Axial section showing the ethmoidal cells and the sphenoidal sinuses and the relationship of these structures to the orbit.

CT image in axial plane


## **Oral cavity: bones**



# **Teeth**



## Teeth: imaging




**View of the left side of the face showing the craniofacial structures including the teeth.**

Image taken with Cone Beam Computerized Tomography (CBCT) technology, viewed in the Maximum Intensity Projection (MIP) mode, which combines a radiographic view with a view of surface structures

**View of the right side of the face showing the craniofacial structures including the teeth.**


Image taken with Cone Beam Computerized Tomography (CBCT) technology, viewed in the Maximum Intensity Projection (MIP) mode, which combines a radiographic view with a view of surface structures




**Panoramic view of the teeth (dentition), which also shows the maxillary sinuses and mandibular condylar processes.**

Image taken with Cone Beam Computerized Tomography (CBCT) technology

# Anatomy of teeth




Anatomy of teeth




**Inside, lingual or sagittal view of the right side of the maxillary and mandibular alveolar processes in occlusion (teeth together).**

Image taken with Cone Beam Computerized Tomography (CBCT) technology viewed in the surface mode


## **Vessels and nerves supplying teeth**




## **Arteries and veins supplying teeth**




# **Innervation of teeth and gums**



# **Muscles and salivary glands of the oral cavity**



## Vessels and nerves of the tongue



Arteries, veins, and nerves of the tongue

**Sensory**

- Anterior two-thirds (oral)
  - general sensation
  - Mandibular nerve [V3] via lingual nerve
  - special sensation (taste)
  - Facial nerve [VII] via chorda tympani
- Posterior one-third (pharyngeal)
  - general and special sensation (taste)
  - Glossopharyngeal nerve [IX]


**Motor**

Palatoglossus – vagus nerve [X] —————

Styloglossus – hypoglossal nerve [XII]


Hyoglossus ————— Intrinsic muscle  
nerve [XII] ————— Genioglossus

Hyoglossus – hyoglossal nerve [XII]




Innervation of the tongue

# Tongue






Horizontal section showing superior view of tongue



Paramedian sagittal section through tongue

Coronal section through tongue (posterior view)



## **Hard and soft palate**




**Muscles of the soft palate (sagittal section)**

**Muscles of the soft palate (posterior view)**


# **Palate**



Open mouth showing soft palate




Inferior surface of tongue and floor of oral cavity




Sublingual glands (anterosuperior view)

# Innervation of oral cavity




Viscerotomotor innervation of glands related to the oral cavity


# Cranial nerves







# **Visceral motor pathways in the head**




Summary of visceral efferent (motor) pathways in the head

# Tables

## External foramina of the skull

---

Foramen		Structures passing through foramen
<i>Anterior view</i>		
<b>Supra-orbital foramen</b>	<b>1</b>	Supra-orbital nerve and vessels
<b>Infra-orbital foramen</b>	<b>2</b>	Infra-orbital nerve and vessels
<b>Mental foramen</b>	<b>3</b>	Mental nerve and vessels
<i>Lateral view</i>		
<b>Zygomaticofacial foramen</b>	<b>4</b>	Zygomaticofacial nerve
<i>Superior view</i>		
<b>Parietal foramen</b>	<b>5</b>	Emissary veins



## External foramina of the skull

---

Foramen		Structures passing through foramen
<i>Inferior view</i>		
<b>Incisive foramina</b>	<b>1</b>	Nasopalatine nerve; sphenopalatine vessels
<b>Greater palatine foramen</b>	<b>2</b>	Greater palatine nerve and vessels
<b>Lesser palatine foramina</b>	<b>3</b>	Lesser palatine nerves and vessels
<b>Pterygoid canal</b>	<b>4</b>	Pterygoid nerve and vessels
<b>Foramen ovale</b>	<b>5</b>	Mandibular nerve [V <sub>3</sub> ]; lesser petrosal nerve
<b>Foramen spinosum</b>	<b>6</b>	Middle meningeal artery
<b>Foramen lacerum</b>	<b>7</b>	Filled with cartilage
<b>Carotid canal</b>	<b>8</b>	Internal carotid artery and nerve plexus
<b>Foramen magnum</b>	<b>9</b>	Continuation of brain and spinal cord; vertebral arteries and nerve plexuses; anterior spinal artery; posterior spinal arteries; roots of accessory nerve [XI]; meninges
<b>Condylar canal</b>	<b>10</b>	Emissary veins
<b>Hypoglossal canal</b>	<b>11</b>	Hypoglossal nerve [XII] and vessels
<b>Jugular foramen</b>	<b>12</b>	Internal jugular vein; inferior petrosal sinus; glossopharyngeal nerve [IX]; vagus nerve [X]; accessory nerve [XI]
<b>Styломastoid foramen</b>	<b>13</b>	Facial nerve [VII]



## Internal foramina of the skull

---

<i>Anterior cranial fossa</i>		
-------------------------------	--	--


<b>Foramen cecum</b>	<b>1</b>	Emissary veins to nasal cavity
<b>Olfactory foramina in cribriform plate</b>	<b>2</b>	Olfactory nerves [I]
<b>Middle cranial fossa</b>		
<b>Optic canal</b>	<b>3</b>	Optic nerve [II]; ophthalmic artery
<b>Superior orbital fissure</b>	<b>4</b>	Oculomotor nerve [III]; trochlear nerve [IV]; ophthalmic division of the trigeminal nerve [V <sub>1</sub> ]; abducent nerve [VI]; ophthalmic veins
<b>Foramen rotundum</b>	<b>5</b>	Maxillary division of the trigeminal nerve [V <sub>2</sub> ]
<b>Foramen ovale</b>	<b>6</b>	Mandibular division of the trigeminal nerve [V <sub>3</sub> ]; lesser petrosal nerve
<b>Foramen spinosum</b>	<b>7</b>	Middle meningeal artery
<b>Hiatus for the greater petrosal nerve</b>	<b>8</b>	Greater petrosal nerve
<b>Hiatus for the lesser petrosal nervex</b>	<b>9</b>	Lesser petrosal nerve
<b>Posterior cranial fossa</b>		
<b>Foramen magnum</b>	<b>10</b>	End of brainstem/beginning of spinal cord; vertebral arteries; spinal roots of the accessory nerve; meninges
<b>Internal acoustic meatus</b>	<b>11</b>	Facial nerve [VII]; vestibulocochlear nerve [VIII]; labyrinthine artery
<b>Jugular foramen</b>	<b>12</b>	Glossopharyngeal nerve [IX]; vagus nerve [X]; accessory nerve [XI]; inferior petrosal sinus, sigmoid sinus (forming internal jugular vein)
<b>Hypoglossal canal</b>	<b>13</b>	Hypoglossal nerve [XII]; meningeal branch of the ascending pharyngeal artery
<b>Condylar canal</b>	<b>14</b>	Emissary vein






# Muscles of the face

Muscle	Origin	Insertion	Innervation	Function
Orbital group				
Orbicularis oculi—Palpebral part	1 Medial palpebral ligament	Lateral palpebral raphe	Facial nerve [VII]	Closes the eyelids gently
—Orbital part	2 Nasal part of frontal bone; frontal process of maxilla; medial palpebral ligament	Fibers form an uninterrupted ellipse around orbit	Facial nerve [VII]	Closes the eyelids forcefully
Corrugator supercilii	3 Medial end of the superciliary arch	Skin of the medial half of eyebrow	Facial nerve [VII]	Draws the eyebrows medially and downward
Nasal group				
Nasalis				
—Transverse part	4 Maxilla just lateral to nose	Aponeurosis across dorsum of nose with muscle fibers from the other side	Facial nerve [VII]	Compresses nasal aperture
—Alar part	5 Maxilla over lateral incisor	Alar cartilage of nose	Facial nerve [VII]	Draws cartilage downward and laterally opening nostril
Procerus	6 Nasal bone and upper part of lateral nasal cartilage	Skin of lower forehead between eyebrows	Facial nerve [VII]	Draws down medial angle of eyebrows producing transverse wrinkles over bridge of nose
Depressor septi	7 Maxilla above medial incisor	Mobile part of the nasal septum	Facial nerve [VII]	Pulls nose inferiorly



## Muscles of the face

Muscle		Origin	Insertion	Innervation	Function
Oral group					
<b>Depressor anguli oris</b>	1	Oblique line of mandible below canine, premolar, and first molar teeth	Skin at the corner of mouth and blending with orbicularis oris	Facial nerve [VII]	Draws corner of mouth down and laterally
<b>Depressor labii inferioris</b>	2	Anterior part of oblique line of mandible	Lower lip at midline; blends with muscle from opposite side	Facial nerve [VII]	Draws lower lip downward and laterally
<b>Mentalis</b>	3	Mandible inferior to incisor teeth	Skin of chin	Facial nerve [VII]	Raises and protrudes lower lip as it wrinkles skin on chin
<b>Risorius</b>	4	Fascia over masseter muscle	Skin at the corner of the mouth	Facial nerve [VII]	Retracts corner of mouth
<b>Zygomaticus major</b>	5	Posterior part of lateral surface of zygomatic bone	Skin at the corner of the mouth	Facial nerve [VII]	Draws the corner of the mouth upward and laterally
<b>Zygomaticus minor</b>	6	Anterior part of lateral surface of zygomatic bone	Upper lip just medial to corner of mouth	Facial nerve [VII]	Draws the upper lip upward
<b>Levator labii superioris</b>	7	Infra-orbital margin of maxilla	Skin of upper lateral half of upper lip	Facial nerve [VII]	Raises upper lip; helps form nasolabial furrow
<b>Levator labii superioris alaeque nasi</b>	8	Frontal process of maxilla	Alar cartilage of nose and upper lip	Facial nerve [VII]	Raises upper lip and opens nostril
<b>Levator anguli oris</b>	9	Maxilla below infra-orbital foramen	Skin at the corner of mouth	Facial nerve [VII]	Raises corner of mouth; helps form nasolabial furrow
<b>Orbicularis oris</b>	10	From muscles in area; maxilla and mandible in midline	Forms ellipse around mouth	Facial nerve [VII]	Closes lips; protrudes lips
<b>Buccinator</b>	11	Posterior parts of maxilla and mandible; pterygomandibular raphe	Blends with orbicularis oris and into lips	Facial nerve [VII]	Presses the cheek against teeth; compresses distended cheeks





## Muscles of the face

Muscle	Origin	Insertion	Innervation	Function
Other muscles or groups				
Anterior auricular	1 Anterior part of temporal fascia	Into helix of ear	Facial nerve [VII]	Draws ear upward
Superior auricular	2 Epicranial aponeurosis	Upper part of auricle	Facial nerve [VII]	and forward Elevates ear
Posterior auricular	3 on side of head Mastoid process of	Convexity of concha of ear	Facial nerve [VII]	Draws ear upward
Occipitofrontalis				
—Frontal belly	4 temporal bone Skin of eyebrows	Intogalea aponeurotica	Facial nerve [VII]	and backward Wrinkles forehead;
—Occipital belly	5 Lateral part of superior nuchal line of occipital bone and mastoid process of temporal bone	Intogalea aponeurotica	Facial nerve [VII]	raises eyebrows Draws scalp backward

## Extrinsic (extra-ocular) muscles

Muscle		Origin	Insertion	Innervation	Function
Levator palpebrae superioris	1	Lesser wing of sphenoid anterior to optic canal	Anterior surface of tarsal plate; a few fibers to skin and superior conjunctival fornix	Oculomotor nerve [III]—superior branch	Elevation of upper eyelid
Superior rectus	2	Superior part of common tendinous ring	Anterior half of eyeball superiorly	Oculomotor nerve [III]—superior branch	Elevation, adduction, medial rotation of eyeball
Inferior rectus	3	Inferior part of common tendinous ring	Anterior half of eyeball inferiorly	Oculomotor nerve [III]—inferior branch	Depression, adduction, lateral rotation of eyeball
Medial rectus	4	Medial part of common tendinous ring	Anterior half of eyeball medially	Oculomotor nerve [III]—inferior branch	Adduction of eyeball
Lateral rectus	5	Lateral part of common tendinous ring	Anterior half of eyeball laterally	Abducent nerve [VI]	Abduction of eyeball
Superior oblique	6	Body of sphenoid, superior and medial to optic canal	Outer posterior quadrant of eyeball (superior surface)	Trochlear nerve [IV]	Depression, abduction, medial rotation of eyeball
Inferior oblique	7	Medial floor of orbit posterior to rim; maxilla lateral to nasolacrimal groove	Outer posterior quadrant of eyeball (inferior surface)	Oculomotor nerve [III]—inferior branch	Elevation, abduction, lateral rotation of eyeball




## Intrinsic muscles of the eye

Muscle		Location	Innervation	Function
Ciliary	1	Muscle fibers in the ciliary body	Parasympathetics from the oculomotor nerve [III]	Constricts ciliary body, relaxes tension on lens, lens become more rounded
Sphincter pupillae	2	Circularly arranged fibers in the iris	Parasympathetics from the oculomotor nerve [III]	Constricts pupil
Dilator pupillae	3	Radially arranged fibers in the iris	Sympathetics from the superior cervical ganglion (T1)	Dilates pupil





## Muscles of the middle ear

Muscle		Origin	Insertion	Innervation	Function
Tensor tympani	1	Cartilaginous part of pharyngotympanic tube, greater wing of sphenoid, its own bony canal	Upper part of handle of malleus	Branch from mandibular nerve [V <sub>3</sub> ]	Contraction pulls handle of malleus medially, tensing tympanic membrane
Stapedius	2	Attached to inside of pyramidal eminence	Neck of stapes	Branch of facial nerve [VII]	Contraction pulls stapes posteriorly, preventing excessive oscillation







## Muscles of mastication

Muscle		Origin	Insertion	Innervation	Function
<b>Masseter</b>	<b>1</b>	Zygomatic arch and maxillary process of the zygomatic bone	Lateral surface of ramus of mandible	Masseteric nerve from the anterior trunk of the mandibular nerve [V <sub>3</sub> ]	Elevation of mandible
<b>Temporalis</b>	<b>2</b>	Bone of temporal fossa and temporal fascia	Coronoid process of mandible and anterior margin of ramus of mandible almost to last molar tooth	Deep temporal nerves from the anterior trunk of the mandibular nerve [V <sub>3</sub> ]	Elevation and retraction of mandible
<b>Medial pterygoid</b>	<b>3</b>	Deep head—medial surface of lateral plate of pterygoid process and pyramidal process of palatine bone; superficial head—tuberosity of the maxilla and pyramidal process of palatine bone	Medial surface of mandible near angle	Nerve to medial pterygoid from the mandibular nerve [V <sub>3</sub> ].	Elevation and side-to-side movements of the mandible
<b>Lateral pterygoid</b>	<b>4</b>	Upper head—roof of infratemporal fossa; lower head—lateral surface of lateral plate of the pterygoid process	Capsule of temporomandibular joint in the region of attachment to the articular disc and to the pterygoid fovea on the neck of mandible	Nerve to lateral pterygoid directly from the anterior trunk of the mandibular nerve [V <sub>3</sub> ] or from the buccal branch	Protrusion and side-to-side movements of the mandible




## Anterior triangle of neck (suprathyroid and infrathyroid muscles)

Muscle		Origin	Insertion	Innervation	Function
<b>Stylohyoid</b>	1	Base of styloid process	Lateral area of body of hyoid bone	Facial nerve [VII]	Pulls hyoid bone upward in a posterosuperior direction
<b>Digastric – Anterior belly</b>	2	Digastric fossa on lower inside of mandible	Attachment of tendon between two bellies to body of hyoid bone	Mylohyoid nerve from inferior alveolar branch of mandibular nerve [V <sub>3</sub> ]	Opens mouth by lowering mandible; raises hyoid bone
<b>–Posterior belly</b>	3	Mastoid notch on medial side of mastoid process of temporal bone		Facial nerve [VII]	Pulls hyoid bone upward and back
<b>Mylohyoid</b>	4	Mylohyoid line on mandible	Body of hyoid bone and fibers from muscle on opposite side	Mylohyoid nerve from inferior alveolar branch of mandibular nerve [V <sub>3</sub> ]	Support and elevation of floor of mouth; elevation of hyoid
<b>Geniohyoid</b>	5	Inferior mental spine on inner surface of mandible	Anterior surface of body of hyoid bone	Branch from anterior ramus of C1 (carried along the hypoglossal nerve [XII])	Fixed mandible elevates and pulls hyoid bone forward; fixed hyoid bone pulls mandible downward and inward
<b>Sternohyoid</b>	6	Posterior aspect of sternoclavicular joint and adjacent manubrium of sternum	Body of hyoid bone medial to attachment of omohyoid muscle	Anterior rami of C1 to C3 through the ansa cervicalis	Depresses hyoid bone after swallowing
<b>Omohyoid</b>	7	Superior border of scapula medial to suprascapular notch	Lower border of body of hyoid bone just lateral to attachment of sternohyoid	Anterior rami of C1 to C3 through the ansa cervicalis	Depresses and fixes hyoid bone
<b>Thyrohyoid</b>	8	Oblique line on lamina of thyroid cartilage	Greater horn and adjacent aspect of body of hyoid bone	Fibers from anterior ramus of C1 carried along hypoglossal nerve [XII]	Depresses hyoid bone, but when hyoid bone is fixed raises larynx
<b>Sternothyroid</b>	9	Posterior surface of manubrium of sternum	Oblique line on lamina of thyroid cartilage	Anterior rami of C1 to C3 through the ansa cervicalis	Draws larynx (thyroid cartilage) downward



## Branches of the external carotid artery


Artery	Parts supplied
Superior thyroid artery	1 Thyrohyoid muscle, internal structures of the larynx, sternocleidomastoid and cricothyroid muscles, thyroid gland
Ascending pharyngeal artery	2 Pharyngeal constrictors and stylopharyngeus muscle, palate, tonsil, pharyngotympanic tube, meninges in posterior cranial fossa
Lingual artery	3 Muscles of the tongue, palatine tonsil, soft palate, epiglottis, floor of mouth, sublingual gland
Facial artery	4 All structures in the face from the inferior border of the mandible anterior to the masseter muscle to the medial corner of the eye, the soft palate, palatine tonsil, pharyngotympanic tube, submandibular gland
Occipital artery	5 Sternocleidomastoid muscle, meninges in posterior cranial fossa, mastoid cells, deep muscles of the back, posterior scalp
Posterior auricular artery	6 Parotid gland and nearby muscles, external ear and scalp posterior to ear, middle and inner ear structures
Superficial temporal artery	7 Parotid gland and duct, masseter muscle, lateral face, anterior part of external ear, temporalis muscle, parietal and temporal fossae
Maxillary artery	8 External acoustic meatus, lateral and medial surface of tympanic membrane, temporomandibular joint, dura mater on lateral wall of skull and inner table of cranial bones, trigeminal ganglion and dura in vicinity, mylohyoid muscle, mandibular teeth, skin on chin, temporalis muscle, outer table of bones of skull in temporal fossa, structures in infratemporal fossa, maxillary sinus, upper teeth and gingivae, infraorbital skin, palate, roof of pharynx, nasal cavity



## Subdivisions of the anterior triangle of the neck—a regional approach

Subdivision		Boundaries	Contents
Submental triangle (unpaired)	1	Mandibular symphysis; anterior belly of digastric muscles; body of hyoid bone	Submental lymph nodes; tributaries forming the anterior jugular vein
Submandibular triangle (paired)	2	Lower border of mandible; anterior belly of digastric muscle; posterior belly of digastric muscle	Submandibular gland; submandibular lymph nodes; hypoglossal nerve [XII]; mylohyoid nerve; facial artery and vein
Carotid triangle (paired)	3	Posterior belly of digastric muscle; superior belly of omohyoid muscle; anterior border of sternocleidomastoid muscle	Tributaries to common facial vein; cervical branch of facial nerve [VII]; common carotid artery; external and internal carotid arteries; superior thyroid; ascending pharyngeal; lingual, facial, and occipital arteries; internal jugular vein; vagus [X], accessory [XI], and hypoglossal [XII] nerves; superior and inferior roots of ansa cervicalis; transverse cervical nerve
Muscular triangle (paired)	4	Midline of neck; superior belly of omohyoid muscle; anterior border of sternocleidomastoid muscle	Sternohyoid, omohyoid, sternohyoid, and thyrohyoid muscles; thyroid and parathyroid glands; pharynx






## Muscles associated with the posterior triangle of the neck


**Parentheses indicate possible involvement**

Muscle		Origin	Insertion	Innervation	Function
<b>Sternocleidomastoid—</b> <b>Sternal head</b>	<b>1</b>	Upper part of anterior surface of manubrium of sternum	Lateral one-half of superior nuchal line	Accessory nerve [XI] and branches from anterior rami of C2 to C3 (C4)	Individually—will tilt head toward shoulder on same side rotating head to turn face to opposite side; acting together, draw head forward
—Clavicular head	<b>2</b>	Superior surface of medial one-third of clavicle	Lateral surface of mastoid process		
<b>Trapezius</b>	<b>3</b>	Superior nuchal line; external occipital protuberance; ligamentum nuchae; spinous processes of vertebrae CVII to TXII	Lateral one-third of clavicle; acromion; spine of scapula	Motor—accessory nerve [XI]; proprioception—C3 and C4	Assists in rotating the scapula during abduction of humerus above horizontal; upper fibers—elevate, middle fibers—adduct, lower fibers—depress scapula
<b>Splenius capitis</b>	<b>4</b>	Lower half of ligamentum nuchae; spinous processes of vertebrae CVII to TIV	Mastoid process, skull below lateral one-third of superior nuchal line	Posterior rami of middle cervical nerves	Together, draw head backward; individually, draw and rotate head to one side (turn face to same side)
<b>Levator scapulae</b>	<b>5</b>	Transverse processes of C1 to CIV	Upper part of medial border of scapula	C3, C4; and dorsal scapular nerve (C4, C5)	Elevates scapula
<b>Posterior scalene</b>	<b>6</b>	Posterior tubercles of transverse processes of vertebrae CIV to CVI	Upper surface of rib II	Anterior rami of C5 to C7	Elevation of rib II
<b>Middle scalene</b>	<b>7</b>	Transverse processes of vertebrae CII to CVII	Upper surface of rib I posterior to the groove for the subclavian artery	Anterior rami of C3 to C7	Elevation of rib I
<b>Anterior scalene</b>	<b>8</b>	Anterior tubercles of the transverse processes of vertebrae CIII to CVI	Scalene tubercle and upper surface of rib I	Anterior rami of C4 to C7	Elevation of rib I
<b>Omohyoid</b>	<b>9</b>	Superior border of scapula medial to scapular notch	Inferior border of body of hyoid bone	Ansa cervicalis; anterior rami of C1 to C3	Depress the hyoid bone



## Prevertebral and lateral muscles


Muscle		Origin	Insertion	Innervation	Function
<b>Rectus capitis anterior</b>	<b>1</b>	Anterior surface of lateral part of atlas and its transverse process	Inferior surface of basilar part of occipital bone	Branches from anterior rami of C1, C2	Flexes head at atlanto-occipital joint
<b>Rectus capitis lateralis</b>	<b>2</b>	Superior surface of transverse process of atlas	Inferior surface of jugular process of occipital bone	Branches from anterior rami of C1, C2	Flexes head laterally to same side
<b>Longus colli – Superior oblique part</b>	<b>3</b>	Anterior tubercles of transverse processes of vertebrae CIII to CV	Tubercle of anterior arch of atlas	Branches from anterior rami of C2 to C6	Flexes neck anteriorly and laterally and slight rotation to opposite side
–Inferior oblique part	<b>4</b>	Anterior surface of bodies of vertebrae TI, TII, and maybe TIII	Anterior tubercles of transverse processes of vertebrae CV and CVI		
–Vertical part	<b>5</b>	Anterior surface of bodies of TI to TIII and CV to CVII	Anterior surface of bodies of vertebrae CII to CIV		
<b>Longus capitis</b>	<b>6</b>	Tendinous slips to transverse processes of vertebrae CIII to CVI	Inferior surface of basilar part of occipital bone	Branches from anterior rami of C1 to C3	Flexes the head



## Constrictor muscles of the pharynx

Muscle		Posterior attachment	Anterior attachment	Innervation	Function
<b>Superior constrictor</b>	1	Pharyngeal raphe	Pterygomandibular raphe and adjacent bone on the mandible and pterygoid hamulus	Vagus nerve [X]	Constriction of pharynx
<b>Middle constrictor</b>	2	Pharyngeal raphe	Upper margin of greater horn of hyoid bone and adjacent margins of lesser horn and stylohyoid ligament	Vagus nerve [X]	Constriction of pharynx
<b>Inferior constrictor</b>	3	Pharyngeal raphe	Cricoid cartilage, oblique line of thyroid cartilage, and a ligament that spans between these attachments and crosses the cricothyroid muscle	Vagus nerve [X]	Constriction of pharynx







## Longitudinal muscles of the pharynx

Muscle		Origin	Insertion	Innervation	Function
<b>Stylopharyngeus</b>	<b>1</b>	Medial side of base of styloid process	Pharyngeal wall	Glossopharyngeal nerve [IX]	Elevation of the pharynx
<b>Salpingopharyngeus</b>	<b>2</b>	Inferior aspect of pharyngeal end of pharyngotympanic tube	Pharyngeal wall	Vagus nerve [X]	Elevation of the pharynx
<b>Palatopharyngeus</b>	<b>3</b>	Upper surface of palatine aponeurosis	Pharyngeal wall	Vagus nerve [X]	Elevation of the pharynx; closure of the oropharyngeal isthmus

## Intrinsic muscles of the larynx

Muscle		Origin	Insertion	Innervation	Function
Cricothyroid	1	Anterolateral aspect of arch of cricoid cartilage	Oblique part—inferior horn of the thyroid cartilage; straight part—inferior margin of thyroid cartilage	External branch of superior laryngeal nerve from the vagus nerve [X]	Forward and downward rotation of the thyroid cartilage at the cricothyroid joint
Posterior crico-arytenoid	2	Oval depression on posterior surface of lamina of cricoid cartilage	Posterior surface of muscular process of arytenoid cartilage	Recurrent laryngeal branch of the vagus nerve [X]	Abduction and external rotation of the arytenoid cartilage. The posterior crico-arytenoid muscles are the primary abductors of the vocal folds. In other words, they are the primary openers of the rima glottidis.
Lateral crico-arytenoid	3	Superior surface of arch of cricoid cartilage	Anterior surface of muscular process of arytenoid cartilage	Recurrent laryngeal branch of the vagus nerve [X]	Internal rotation of the arytenoid cartilage and adduction of vocal folds
Transverse arytenoid	4	Lateral border of posterior surface of arytenoid cartilage	Lateral border of posterior surface of opposite arytenoid cartilage	Recurrent laryngeal branch of the vagus nerve [X]	Adduction of arytenoid cartilages
Oblique arytenoid	5	Posterior surface of muscular process of arytenoid cartilage	Posterior surface of apex of adjacent arytenoid cartilage; extends into aryepiglottic fold	Recurrent laryngeal branch of the vagus nerve [X]	Sphincter of the laryngeal inlet
Thyro-arytenoid	6	Thyroid angle and adjacent cricothyroid ligament	Anterolateral surface of arytenoid cartilage; some fibers continue in aryepiglottic folds to the lateral margin of the epiglottis	Recurrent laryngeal branch of the vagus nerve [X]	Sphincter of vestibule and of laryngeal inlet
Vocalis	7	Lateral surface of vocal process of arytenoid cartilage	Vocal ligament and thyroid angle	Recurrent laryngeal branch of the vagus nerve [X]	Adjusts tension in vocal folds





## Muscles in the floor of the oral cavity

Muscle		Origin	Insertion	Innervation	Function
<b>Mylohyoid</b>	1	Mylohyoid line of mandible	Median fibrous raphe and adjacent part of hyoid bone	Nerve to mylohyoid from the inferior alveolar branch of mandibular nerve [V <sub>3</sub> ]	
<b>Geniohyoid</b>	2	Inferior mental spines of mandible	Body of hyoid bone	C1	Supports and elevates floor of oral cavity; depresses mandible when hyoid is fixed; elevates and pulls hyoid forward when mandible is fixed


## Muscles of the tongue

Muscle		Origin	Insertion	Innervation	Function
<b>Intrinsic</b>					
<b>Superior longitudinal (just deep to surface of tongue)</b>	1	Submucosal connective tissue at the back of the tongue and from the median septum of the tongue	Muscle fibers pass forward and obliquely to submucosal connective tissue and mucosa on margins of tongue	Hypoglossal nerve [XII]	Shortens tongue; curls apex and sides of tongue
<b>Inferior longitudinal (between genioglossus and hyoglossus muscles)</b>	2	Root of tongue (some fibers from hyoid)	Apex of tongue	Hypoglossal nerve [XII]	Shortens tongue; uncurls apex and turns it downward
<b>Transverse</b>	3	Median septum of the tongue	Submucosal connective tissue on lateral margins of tongue	Hypoglossal nerve [XII]	Narrows and elongates tongue
<b>Vertical</b>	4	Submucosal connective tissue on dorsum of tongue	Connective tissue in more ventral regions of tongue	Hypoglossal nerve [XII]	Flattens and widens tongue
<b>Extrinsic</b>					
<b>Genioglossus</b>	5	Superior mental spines	Body of hyoid; entire length of tongue	Hypoglossal nerve [XII]	Protrudes tongue; depresses center of tongue
<b>Hyoglossus</b>	6	Greater horn and adjacent part of body of hyoid bone	Lateral surface of tongue	Hypoglossal nerve [XII]	Depresses tongue
<b>Styloglossus</b>	7	Styloid process (anterolateral surface)	Lateral surface of tongue	Hypoglossal nerve [XII]	Elevates and retracts tongue
<b>Palatoglossus</b>	8	Inferior surface of palatine aponeurosis	Lateral margin of tongue	Vagus nerve [X] (via pharyngeal branch to pharyngeal plexus)	Depresses palate; moves palatoglossal fold toward midline; elevates back of the tongue



## Muscles of the soft palate

Muscle		Origin	Insertion	Innervation	Function
<b>Tensor veli palatini</b>	1	Scaphoid fossa of sphenoid bone; fibrous part of pharyngotympanic tube; spine of sphenoid	Palatine aponeurosis	Mandibular nerve [V <sub>3</sub> ] via the branch to medial pterygoid muscle	Tenses the soft palate; opens the pharyngotympanic tube
<b>Levator veli palatini</b>	2	Petros part of temporal bone anterior to opening for carotid canal	Superior surface of palatine aponeurosis	Vagus nerve [X] via pharyngeal branch to pharyngeal plexus	Only muscle to elevate the soft palate above the neutral position
<b>Palatopharyngeus</b>	3	Superior surface of palatine aponeurosis	Pharyngeal wall	Vagus nerve [X] via pharyngeal branch to pharyngeal plexus	Depresses soft palate; moves palatopharyngeal arch toward midline; elevates pharynx
<b>Palatoglossus</b>	4	Inferior surface of palatine aponeurosis	Lateral margin of tongue	Vagus nerve [X] via pharyngeal branch to pharyngeal plexus	Depresses palate; moves palatoglossal arch toward midline; elevates back of the tongue
<b>Musculus uvulae</b>	5	Posterior nasal spine of hard palate	Connective tissue of uvula	Vagus nerve [X] via pharyngeal branch to pharyngeal plexus	Elevates and retracts uvula; thickens central region of soft palate



---

# INDEX

---

## A

### Abdomen

- arterial supply of viscera, 159
- coronal section, 158
- dermatomes, 207
- imaging, coronal section, 158
- innervation of, 201
- lymphatics, 200
- muscles of, 137–141
- quadrants and regions of, 135
- referred pain diagram, 204–205
- sagittal section, 157
- surface anatomy, 134
- venous drainage of viscera, 182–183
- visceral motor innervation, 203
- visceral sensory innervation, 204–206

### Abdominal aorta, 137, 156, 159, 301

- branches of, 194
- imaging, 196–197
- positioning, 197

### Abdominal esophagus, 160

### Abdominal ostium, 245

### Abdominal viscera, 155

### Abdominal wall

- anterior, 153
- arteries of, 143
- dermatomes, 145
- innervation of, 144–145
- layers of, 136–137
- posterior, 185
- vessels of, 186

superficial veins, 184  
transverse section, 137  
vasculature of, 142

Abducent nerve, 500, 515, 586

Abductor digiti minimi, 359–362, 446, 448–449

Abductor hallucis, 358–362

Abductor pollicis brevis, 446, 448–449, 458

Abductor pollicis longus, 9, 433, 437–438

Abductor pollicis longus tendon, 442, 446–447

Accessory ligament, 66

Accessory nerve, 37, 500–501, 544, 587

Acetabular foramen, 299

Acetabular fossa, 296, 299–300

Acetabular labrum, 300

Acetabular ligament, transverse, 299–300

Acetabular roof, 300

Acetabulum, 214, 216, 222, 260, 296

Achilles tendon, 5

Acoustic meatus

- external, 522–523, 529
- internal, 487, 522–524, 526

Acromioclavicular joint, 62, 387, 390

Acromioclavicular ligament, 390, 399

Acromion, of scapula, 4–7, 20, 36, 39, 387–388

Adductor brevis, 8, 307, 311, 318

Adductor canal, 312

Adductor hallucis, 362

Adductor hiatus, 311–312, 329

Adductor longus, 8, 307–308, 311–312, 318

Adductor magnus, 8–9, 303, 307, 309, 311, 315–316, 318, 329

Adductor magnus tendon, 311

Adductor pollicis, 446, 448–449

Adductor tubercle, 306

Adrenal medulla, 206

Adventitia of great vessels, 93

Afferent lymphatic vessels, 12

Ala of nose, 568–569  
Ala of sacrum, 214, 216, 222–223, 229, 296–297  
Alar cartilage, 568–569  
Alveolar arch, 486, 574  
Alveolar artery  
    anterior superior, 537, 578  
    inferior, 509, 535, 578  
    posterior superior, 537, 578  
Alveolar bone, 577  
Alveolar foramen, 529, 536  
Alveolar nerve  
    anterior superior, 537, 571, 578–579  
    inferior, 530, 533, 578  
    middle superior, 537, 578–579  
    posterior superior, 537, 579  
Alveolar plexus, superior, 537, 578  
Alveolar process, 480  
Alveolar vein  
    anterior superior, 578  
    inferior, 535, 559, 578  
    posterior superior, 578  
Ampulla, 526  
Anal aperture, 229–231, 257–258, 260  
Anal canal, 168, 224, 226, 232  
    coronal section, 233  
    in sagittal plane, 3  
Anal columns, 233  
Anal crypt, 233  
Anal sinus, 233  
Anal sphincter  
    external, 233  
        cutaneous part, 224, 226, 232  
        deep part, 224, 226, 232  
        superficial, 224, 226, 232  
    internal, 224, 226, 232–233  
Anal triangle, 257

Anal valve, 233  
Anastomotic loops, 46  
Anatomical position, 2  
Anatomical snuffbox, 458  
Anconeus, 414, 437  
Angular artery, 508, 512  
Angular gyrus, 496  
Angular vein, 508, 512, 517  
Ankle, 7, 337  
    bones, 295  
    imaging, 340  
    ligaments, 338–339  
Anococcygeal ligament, 230  
Anococcygeal nerves, 254  
Ansa cervicalis, 546–547, 581  
Antebrachial vein, 426, 459  
Anterior, as anatomical direction, 2  
Anterolateral central arteries, 502  
Anteromedial arteries, 502  
Anterosuperior margin of pubic symphysis, 223  
Antihelix, 522  
    crura of, 522  
Antitragus, 522  
Anular ligament, 422, 424–425, 435, 446  
Anulus fibrosus, 32–33  
Aorta  
    abdominal, 74, 137, 156, 159, 301, 314  
        branches of, 194  
        imaging, 196–197  
        positioning, 197  
        retroperitoneal, 188  
    arch of, 10, 63, 74, 88, 99  
    ascending, 10, 74, 89, 94, 102  
    esophageal branches of, 118  
    thoracic, 10, 74, 82, 88–89, 101, 107  
Aortic arch, 502

Aortic hiatus, 73, 186–187  
Aortic nodes, 77, 200, 270–271  
Aorticorenal ganglion, 201, 203  
Aortic plexus, 201  
Aortic valve, 100–101  
    auscultation point for, 106  
Apical foramen, 577  
Apical segment, of lung, 87  
Apicoposterior segment  
    of bronchi, 87  
    of lung, 87  
Appendicular artery, 159  
Appendix, 12, 168  
    in coronal section of abdomen, 158  
    orifice of, 170  
    positions of, 170  
Arachnoid mater, 48–49  
Arachnoid trabeculae, 49  
Arcuate artery, 348, 357  
Arcuate eminence, 487  
Arcuate ligament  
    lateral, 185, 187  
    medial, 73, 185, 187  
    median, 73, 185–186  
Arcuate line, 136, 140, 153  
Arcuate line of ilium, 218, 221–223, 296  
Areola, 4, 68–69  
Arms  
    anterior compartment, 410–411, 433–436  
    arteries, 412, 416, 436, 439  
    bones, 387  
    compartments of, 410  
    imaging, 419, 423, 425, 441  
    lymphatics, 417, 459  
    muscle attachments, 409, 411, 415, 432  
    muscles, 410–411, 414–415, 434–435, 437–438

nerves, 412, 416, 420–421, 426, 436, 439, 460–461  
posterior compartment, 414–416, 437–439  
surface anatomy, 386, 410, 414, 433, 437  
transverse section, 418–419, 440  
veins, 413, 459

Arterial arcades, 167

Arteria rectae, 172

Arteries, 314. *See also individual arteries*

- to abdominal viscera, 159
- abdominal wall, 143
- arm
  - anterior compartment, 412, 436
  - posterior compartment, 416, 439
- to brain, 502, 504
  - imaging, 503
- dural, 494
- eyes, 517
- foot, 356–357, 363–364
- gluteal, 304–305
- hand, 450–452, 456
- hip joint, 301
- infratemporal fossae, 535
- knee, 329
- leg, 344, 348
- nasal cavity, 571
- neck, 548–551
- parotid region, 509
- pelvic, 248
- pterygopalatine fossa, 537
- spleen, 162–163
- stomach, 162–163
- to teeth, 578
- temporal fossae, 535
- thigh, 313
- thoracic wall, 74
- thyroid gland, 566

tongue, 581

Articular cartilage, 328, 425

Articular cavity, 328

Articular disc, 531

Articular facet

- in elbow, 422
- vertebral, 24, 26

Articularis genus, 307

Articular process

- column of, 23
- inferior, 22
- superior, 297

Articular tubercle, 486, 529, 531

Articulus genus, 328

Ary-epiglottic, 563

Ary-epiglottic fold, 555, 557, 562

Arytenoid

- oblique, 557, 563
- transverse, 554, 557, 563

Arytenoid cartilage, 561–562

Ascending aorta, 10

Ascending colon, 154–155, 164, 168

- in coronal section of abdomen, 158

Asterion, 482

Atlanto-axial joint, 23

- lateral, 23

Atlanto-occipital joint, 501, 539

Atrioventricular bundle, 100, 105

Atrioventricular node, 105

Atrioventricular ring, 100

Atrium

- left, 94–95, 98
- right, 63, 94–97, 101, 103

Auditory ossicles, 524

Auricular artery, posterior, 508–509, 548

Auricular muscle

anterior, 507  
posterior, 507  
superior, 507

Auricular nerve, great, 544, 546–547

Auricular site for clavicle, 64

Auricular vein, posterior, 508, 535, 541

Auriculotemporal nerve, 505, 533–535

Auscultation, triangle of, 36–37

Auscultation points, 106

Axial plane, 2–3

Axilla, 68

- walls of, 398–399

Axillary artery, 10, 69, 403–404, 412

Axillary nerve, 13, 397, 405, 407, 416

Axillary nodes, 12, 143

- apical, 69
- central, 69
- lateral, 69
- pectoral, 69
- subscapular, 69

Axillary process, 68–69

Axillary vein, 413

Azygos vein, 11, 82, 119, 187

## B

Back

- cutaneous nerves, 53
- dermatomes, 53
- muscles of, 36–43
  - deep, 40–41
  - intermediate, 39
  - suboccipital region, 43
  - superficial, 37
  - surface, 37
  - transverse section, 42
- surface anatomy of, 20, 36

transverse section of thoracic region, 52

Bare area, of liver, 175

Basal segment, posterior

- of bronchi, 87
- of lung, 87

Basilar artery, 502

Basilar membrane, 526

Basilic vein, 11, 386, 396–397, 413, 426, 459

Basivertebral vein, 47

Benign prostatic hypertrophy, 238

Biceps brachii, 8, 397, 410–411, 433

Biceps brachii tendon, 8, 392, 433–434

Biceps femoris, 9, 302, 307, 309, 315–316, 318, 342, 345

Biceps femoris tendon, 5, 294, 315

Bicipital aponeurosis, 410, 426, 433

Bifid spinous process, 24

Bifurcate ligament, 338–339, 354

Bile duct(s), 165, 175, 179–180

Bladder, 147–148, 150, 192, 224, 226, 239

- apex of, 234
- in coronal section of abdomen, 158
- female, 235
- imaging, 237–238
- innervation of, 276
- in situ, 232
- male, 234
- neck of, 234, 237
- positioning, female, 235
- in sagittal plane, 3
- surface projection
  - female, 235
  - male, 234
- transverse vesical fold, 239

Body, surface of

- anterior view, 4
- posterior view, 5

Bone marrow, 12

Bones. *See also See Skeleton;individual bones*

Bony orbit, 510

Brachial artery, 10, 397, 402–404, 416, 426, 436

Brachialis, 8, 410–411, 426, 433–434

Brachial plexus, 13, 397, 405, 545

cords of, 405–407

Brachial veins, 11, 413

Brachiocephalic nodes, 77

Brachiocephalic trunk, 10, 82–83, 88, 107, 110, 113, 502

Brachiocephalic vein

in axial plane, 3

left, 75, 82, 88, 101, 110, 566

right, 11, 82, 101, 110, 566–567

Brachioradialis, 8, 410, 414, 426, 433, 437–438

Brain, 496–500

arterial supply, 502, 504

imaging, 503

commissures, 497

imaging, 497–499

lobes, 497

Brainstem, 497

Breast, 4, 68–69

Bregma, 485

Bronchial arteries, 82–83, 118

Bronchial cartilage, 86

Bronchial tree, 86

Bronchomediastinal trunk, 77, 553

Bronchopulmonary segments, 87

Bronchus, 83

inferior lobar, 86, 88

left main, 86, 88–89

middle lobar, 88

right main, 89

superior lobar, 86, 88

Buccal artery, 509, 535

Buccal nerve, 505, 533, 579  
Buccinator, 8, 506–507, 530, 556, 582  
Buccopharyngeal fascia, 540, 556, 582  
Buck's fascia, 240, 242  
Bulbospongiosus, 224, 237, 242, 257–258  
Bulbo-urethral duct, 242  
Bulbo-urethral gland, 236, 242, 261  
Bundle branch, left, 105  
Bursae  
    deep infrapatellar, 328  
    glenohumeral joint, 394  
    prepatellar, 328  
    semimembranosus, 328  
    subtendinous, 328  
    suprapatellar, 328

## C

Calcaneal artery  
    lateral, 363–364  
    medial, 363–364  
Calcaneal tendon, 5, 9, 294, 354  
Calcaneal tubercle, 332  
Calcaneal tuberosity, 294–295, 333, 358  
Calcaneocuboid joint, 335  
Calcaneocuboid ligament, 354  
Calcaneofibular ligament, 338–339, 354  
Calcaneometatarsal ligament, 358  
Calcaneonavicular ligament, 339  
Calcaneus, 7, 295, 332–334, 336  
Calcarine sulcus, 496–497  
Calyx  
    major, 190  
    minor, 190  
Camper's layer, 136–137  
Canines, 575  
Capitate, 428, 430, 442

Capitis superior, oblique, 41

Capitulum, 6, 408

Capsule

of lens, 518

of lymph node, 12

Caput medusae, 184

Cardia, of stomach, 160

Cardiac branches (sympathetic), 110

Cardiac impression, 82–83

Cardiac nerves, sympathetic, 126, 547

Cardiac notch, 82–83, 166

Cardiac orifice, 171

Cardiac plexus, 88, 126

deep, 107

superficial, 107

Cardiac skeleton, 100

Cardiac vein(s)

anterior, 102

great, 94–95, 99, 102

middle, 95, 102

posterior, 102

small, 94, 102

Cardial notch, of stomach, 160

Caroticotympanic nerve, 524

Carotid artery

common, 508, 541, 548

in axial plane, 3

left, 10, 74, 88, 101, 110, 113, 502, 550–551, 567

right, 74, 82, 88, 101, 109–110, 402, 502, 550, 567

external, 494, 502, 508–509, 535, 548

left, 10, 502, 566

right, 567

internal, 502, 508, 548

left, 10, 502, 566

right, 502, 567

Carotid canal, 486, 525

Carotid nerve, internal, 537  
Carotid sheath, 540  
Carotid sinus, 502, 548  
Carotid triangle, 538  
Carpal arch, dorsal, 456  
Carpal artery, 439  
Carpal bones, 6, 387, 428  
Carpal ligament, 431  
Carpal tunnel, 442  
    imaging, 443  
Carpometacarpal joint, 428, 431  
Cauda equina, 13, 33–34, 45, 48  
Caudal, as anatomical direction, 2  
Caudate lobe, of liver, 175, 177  
Caudate process, 177  
Caval opening, 73  
Cavernous nerve, 256  
Cavernous sinus, 495, 500, 502  
Cecum, 155, 168, 170–171  
    in coronal section of abdomen, 158  
Celiac ganglion, 201, 203  
Celiac nodes, 200, 270–271  
Celiac trunk, 10, 159  
    branching of, 163  
    distribution of, 162  
    imaging, 163  
    positioning of, 163  
Cement (dental), 577  
Central arteries, 518  
    anterolateral, 502  
Central incisors, 575  
Central nodes, 417  
Central sulcus, 497  
Central tendon of diaphragm, 73, 187  
Central vein, 518  
Cephalic vein, 11, 386, 396–397, 413, 459

Cerebellar artery

- anterior inferior, [502](#), [504](#)
- posterior, [501](#)
- posterior inferior, [504](#)
- superior, [501–502](#), [504](#)

Cerebellar peduncles, [501](#)

Cerebellum, [50](#), [496–497](#), [501](#), [504](#)

Cerebral arterial circle, [502](#)

Cerebral artery

- anterior, [502](#), [504](#)
- middle, [502](#), [504](#)
- posterior, [502](#), [504](#)

Cerebral hemispheres, blood supply, [504](#)

Cervical artery

- ascending, [46](#), [548](#), [550–551](#)
- deep, [46](#), [550–551](#)
- transverse, [37–38](#), [402](#), [404](#), [548](#), [550–551](#), [566–567](#)

Cervical cardiac nerves, [88](#)

Cervical ganglia, [202](#), [546](#)

Cervical nerve(s), [44](#)

- transverse, [544](#), [546](#)

Cervical nodes, [12](#)

- anterior superficial, [552](#)
- deep, [552–553](#)
- posterior lateral, [552](#)
- superficial, [552](#)
- transverse, [552](#)

Cervical pleura, [80](#)

Cervical plexus, [13](#), [546–547](#)

Cervical vertebrae, [21–25](#), [388](#)

Cervical vertebral column, [50](#)

Cervix of uterus, [226](#), [243](#), [245](#), [247](#)

Cervix of vagina, [244](#)

Check ligament, medial, [511](#)

Chest wall

- anterior female, [62](#)

anterior male, 62

Chiasmatic sulcus, 487

Choanae, 569–570

Chordae tendineae, 97, 99

Chorda tympani nerve, 523, 525, 533–534, 581

Choroid, 511, 518

Choroidal artery

- anterior, 502
- posterior lateral, 502

Choroid plexus, 497

Ciliary artery

- anterior, 518
- long posterior, 517–518
- short posterior, 517–518

Ciliary body, 518

Ciliary ganglion, 515, 519

Ciliary muscle, 518

Ciliary nerves, 515

- long, 519
- short, 519

Ciliary process, 518

Cingulate gyrus, 496

Circle of Willis, 502

Circular muscle of esophagus, 556–557

Circular muscle of rectum, 233

Cisterna chyli, 12, 77, 119, 200

Clavicle, 4, 6–7, 62–63, 71, 114, 387

- articular surface for, 389
- joints and ligaments, 390
- muscle attachments, 390

Clavicopectoral triangle, 410

Clavipectoral fascia, 70, 397

Clinoid process

- anterior, 487
- middle, 487
- posterior, 487

## Clitoris

crus of, 243, 264  
dorsal artery of, 248, 268  
dorsal nerve of, 269  
dorsal vein of, 268  
frenulum of, 259  
glans of, 150, 226, 243, 258  
suspensory ligament of, 264

## Clivus, 487

## Cluneal nerves

inferior, 53, 273, 304, 316–317  
medial, 53, 304  
middle, 273  
superior, 273

## C1 nerve, 501, 544, 546

## C2 nerve, 43, 53, 501, 544, 546

## C3 nerve, 43, 53, 544, 546

## C4 nerve, 544, 546

## C5 nerve, 34, 544, 546

## C6 nerve, 34, 544

## C7 nerve, 34, 544

## C8 nerve, 34, 544

## Coccygeal cornu, 296

## Coccygeal curvature, 21

## Coccygeal nerves, 44

## Coccygeal plexus, 254, 267, 273

## Coccygeus, 229, 243, 247

## Coccyx, 6–7, 21–22, 31, 214–218, 220–222, 228–229, 231

## Cochlea, 522, 526

## Cochlear duct, 526

## Cochlear nerve, 522–523, 526

## Colic artery

left, 159, 172  
middle, 159, 166, 172  
right, 159, 166, 172

## Colic flexure, 188

in coronal plane, 3  
right, 168, 188

Colic impression, on spleen, 161

Colic vein  
left, 182–183  
middle, 183  
branch of, 182  
right, 183

Collateral branches, 72

Collateral ligaments, 353–354, 425, 431

Collateral sulcus, 496

Colliculus  
inferior, 497  
superior, 497

Colon  
ascending, 154–155, 159, 164, 166, 168  
in coronal section of abdomen, 158  
descending, 154, 159, 164, 168, 188  
haustra of, 168  
sigmoid, 147, 159, 168, 171, 224, 226, 232  
in coronal plane, 3  
in coronal section of abdomen, 158  
transverse, 155, 159, 165, 168  
in coronal plane, 3  
in coronal section of abdomen, 158

Colonoscopy, 171

Commissural ligament, 445

Communicating artery  
anterior, 502, 504  
posterior, 502, 504

Communicating vein, 541

Compressor urethrae, 235, 261

Conduction system of heart, 105

Condylar process, 482, 574

Condyle  
in elbow

lateral, 7  
medial, 7

in knee  
    lateral, 295, 306  
    medial, 295, 306

occipital, 486

Cone of light, 523

Conjoint tendon, 138, 140, 148, 150

Conjunctiva, 511, 518

Conjunctival fornix, 511

Conjunctival sac, 511

Conoid tubercle, 390

Constrictor  
    inferior, 542, 556–557, 565, 583  
    middle, 530, 542, 556–557, 580, 583  
    superior, 530–531, 556, 580, 583–584

Conus arteriosus, 97

Conus elasticus, 561

Conus medullaris, 13, 45

Coraco-acromial ligament, 390, 392

Coracobrachialis, 8, 410–411

Coracoclavicular ligament, 390

Coracohumeral ligament, 392

Coracoid process, 6, 62, 70–71, 387–388, 397

Cornea, 511, 518

Corniculate cartilage, 561

Corniculate tubercle, 555, 562–563

Cornua, 31

Coronal plane, 2–3

Coronal suture, 482, 485

Coronary artery(ies), 103  
    left, 94, 100, 102, 104  
        anterior interventricular branch, 102–104  
        circumflex branch, 102–104  
        diagonal anterior interventricular branch, 103

left-dominant system, 104

right, 94, 100, 102–103  
    marginal branch, 103  
    posterior interventricular branch, 103  
    sinu-atrial nodal branch, 103  
right-dominant system, 103  
variations, 103–104

Coronary ligament, 174  
    anterior, 175  
    posterior, 175

Coronary sinus, 94, 96, 99, 102

Coronary sulcus, 94, 100–102

Coronary vessels, 102

Coronoid fossa, 408, 422, 425

Coronoid process, 422, 482, 574

Corpus albicans, 244

Corpus callosum, 497

Corpus cavernosum, 224, 236, 240, 242, 262

Corpus luteum, 244

Corpus spongiosum, 224, 236–237, 240, 242, 262

Corrugator supercili, 506

Costal cartilage, 64–65, 72

Costal facet  
    inferior, 32  
    superior, 32  
    transverse, 32

Costal groove, 72

Costal margin, 4, 62, 125, 134, 396

Costal pleura, 80, 114

Costocervical trunk, 46, 548, 550–551  
    left, 74  
    right, 74

Costochondral junction, 67

Costoclavicular ligament, 390

Costodiaphragmatic recess, 63, 79–81

Costomediastinal recess, 79–81

Costotransverse ligament, 32

Costovertebral joint, 66  
Costovertebral ligament, radiate, 32  
Costoxiphoid ligament, 67  
Cranial, as anatomical direction, 2  
Cranial cavity, 487  
Cranial fossa, 487  
Cranial nerves, 500–501, 586–587  
Cremasteric muscle, 137–138, 140, 147–148, 236, 240  
Cremasteric vessels, 148  
Cribriform plate, 487  
Crico-arytenoid  
    lateral, 563  
    posterior, 557, 563  
Cricoid arch, 562, 565  
Cricoid cartilage, 554, 556, 560–563, 565  
Cricopharyngeus, 565, 567  
Cricothyroid, 543, 556, 565  
Cricothyroid articular capsule, 86  
Cricothyroid joint, 560  
Cricothyroid ligament, 538, 565  
Cricothyroid muscle, 563  
Cricotracheal ligament, 560  
Cricovocal membrane, 561  
Crista galli, 487, 568–570  
Crista terminalis, 96  
Crown, of tooth, 577  
Cruciate ligaments, 325–327  
Cruciform ligament, 446  
Crura of antihelix, 522  
Crus of clitoris, 243, 264  
Crus of diaphragm  
    left, 119, 185, 187  
    right, 73, 119, 185, 187  
Crus of penis, 242, 262  
Cubital fossa, 4, 386, 426  
Cubital nodes (suprtrochlear or epitrochlear), 12, 417, 459

Cubital vein, median, 11, 413, 426, 459

Cuboid, 332–334

tuberosity of, 332

Cuneiform

intermediate, 332–334

lateral, 332, 334

medial, 332–334

Cuneiform cartilage, 561

Cuneiform tubercle, 555, 562–563

Cuneocuboid ligament, 354

Cuneonavicular ligaments, 354

Cuneus, 497

Cupula, 80

Cutaneous nerve(s), 17

arm, 402, 416, 420–421, 426, 436, 460–461

femoral lateral, 273

femoral posterior, 254, 273

lateral

of thigh, 198–199

T3-T11, 125

T7-T11, 145

lateral cutaneous branch of, 76

legs, 349

perforating, 254

perineal, 273

sural, 349

thoracic, 125

CI vertebra, 7, 21, 23–25, 501

posterior ramus of, 43

transverse process of, 43

CII vertebra, 7, 21, 23–24, 50, 539

posterior ramus of, 43

spinous process of, 23, 40–41, 43

transverse process of, 43

CIII vertebra, 23, 539

posterior ramus of, 43

spinous process of, 23

CIV vertebra, 23–24, 539

CV vertebra, 22–24, 539

CVI vertebra, 23, 539

CVII vertebra, 6, 539

spinous process of, 71

Cisterna chyli, 270–271

Cystic artery, 159, 163, 181

Cystic duct, 165, 179–180

## D

Dartos fascia, 236, 240

Deciduous teeth, 575

Decussation of pyramids, 501

Deep artery

of penis, 242

of thigh, 10, 301, 314, 317–318

Deep nodes, 12

Deep palmar arch, 10

Deep vein, of thigh, 11, 318

Deltoid, 4–5, 8–9, 37, 396–397, 410, 414, 542

Deltoid fascia, 542

Deltoid ligament of ankle, 338

Deltoid tuberosity, 391

Demifacet for articulation, vertebral, 22

Dens, 24

Denticulate ligament, 49

Dentine, 577

Depressor anguli oris, 506–507

Depressor labii inferioris, 506–507

Depressor septi, 506

Dermatomes

abdominal, 207

abdominal wall, 145

arms, 461

in back, 53

legs, 368–369  
perineal, 273  
thoracic, 125

Descending colon, 154, 159, 168, 188

Detrusor muscle, 232

Diaphragm, 73, 79  
central tendon of, 73, 187  
in coronal plane, 3  
costal, 73  
crus of  
features of, 73  
inferior view, 187  
left dome of, 63  
lumbar part, 73  
positioning of, 187  
right dome of, 63

Diaphragma sellae, 494, 500

Diaphragmatic nodes, 77

Diaphragmatic pleura, 80, 114

Diaphragmatic surface of heart, 94

Diencephalon, 497

Digastric, 543

Digital arteries  
dorsal, 348, 356–357, 458  
palmar, 450–452, 456  
plantar, 363–364

Digital nerves  
dorsal, 457  
palmar, 450, 453, 457–458  
plantar, 363

Digital phalanx, 332

Digital veins  
dorsal, 459  
palmar, 459

Digit minimi, 358

Dilator pupillae, 518

Directions, anatomical, 2, 575  
Distal, as anatomical direction, 2, 575  
Dorsal hood, 365  
Dorsalis pedis artery, 10, 348, 356–357  
Dorsum  
    of foot, 2, 4, 355  
    of hand, 2, 454  
    of nose, 568  
Dorsum sellae, 487, 536  
Ductus deferens, 147–149, 224, 233, 239–240  
    ampulla of, 236, 238–239, 242  
    artery of, 241  
    left, 236  
    positioning, 237  
    right, 236  
Duodenal cap, 164  
Duodenal papilla  
    major, 165, 179  
    minor, 179  
Duodenojejunal flexure, 165, 167, 179  
Duodenum, 159, 164–165  
    ascending part, 164–165  
    in coronal section of abdomen, 158  
    descending part, 164–165, 188  
    imaging, 165, 171  
    inferior part, 164–165  
    *in situ*, 164  
    superior part, 164–165  
    suspensory muscle of, 165  
    vasculature of, 181  
Dural arteries, 494  
Dural nerves, 494  
Dural partitions, 492  
Dural sheath, 511

Ear(s), 523  
  imaging, 527  
  internal, 522–523, 526  
  left, 94, 97, 99, 101  
  middle, 524  
  right, 96–97  
  surface anatomy, 522

Efferent ductules, 241

Efferent lymphatic vessel, 12  
  left, 119, 185, 187  
  right, 73, 119, 185, 187

Ejaculatory duct, 236, 238  
  beginning of, 239  
  opening of, 237

Elbow joint, 7, 387, 422–425

Emissary veins, 535, 578

Enamel (dental), 577

Endocardium, 93

Endometrium, 244

Endoscopy, GI tract, 171

Endothoracic fascia, 72

Epicardium, 124

Epicondyle  
  in elbow  
    lateral, 6–7, 388, 408, 422, 424, 434–435  
    medial, 6–7, 388, 408, 422, 424, 434–435  
  in knee  
    lateral, 295, 306  
    medial, 306

Epicranial aponeurosis, 506–507

Epididymis, 147  
  appendix of, 240  
  body of, 241  
  head of, 149, 236, 241  
  tail of, 241

Epigastric artery

inferior, 142–143, 147, 224, 226, 248–249  
    left, 149, 151  
    right, 148, 150  
superficial, 143, 240, 301, 314  
superior, 73, 142–143, 187  
    right, 74

Epigastric region, 135

Epigastric vein

- inferior, 142, 147, 224, 226, 248–249
  - left, 149, 151
  - right, 148, 150
- superficial, 240, 366
- superior, 142
  - right, 75

Epigastric vessels, inferior, 141

Epiglottis, 554, 557, 560–563, 582

Epiphyseal plate, 300

Episcleral space, 518

Epitrochlear nodes, 417, 459

Epitympanic recess, 523, 525

Epoöphoron, 245

Erectile muscles

- female, 264
- male, 262

Erectile tissue

- female, 264–265
- male, 262–263

Erector spinae, 9, 36, 40–42, 52, 137

Esophageal artery, 159

Esophageal branches, 162

Esophageal hiatus, 73, 185

Esophageal impression, on liver, 175

Esophageal mucosa, 160

Esophageal plexus, 116, 118

Esophageal varices, 184

Esophageal vein, 184

Esophagus, 82, 88, 554–555  
    abdominal, 160  
    in axial plane, 3

Ethmoidal artery  
    anterior, 517, 571  
    posterior, 517, 571

Ethmoidal bulla, 568–569

Ethmoidal cells, 568

Ethmoidal foramen  
    anterior, 510  
    posterior, 510

Ethmoidal nerve, 494, 515, 571

Ethmoid bone, 479, 487–488, 510, 536, 569

Excretory duct of lacrimal gland, 512

Extensor carpi radialis brevis, 414, 437

Extensor carpi radialis brevis tendon, 442

Extensor carpi radialis longus, 9, 414, 437–438

Extensor carpi radialis longus tendon, 442

Extensor carpi ulnaris, 414

Extensor carpi ulnaris tendon, 442

Extensor digiti minimi, 437

Extensor digiti minimi tendon, 442

Extensor digitorum, 9, 414, 437

Extensor digitorum longus, 8, 345–347

Extensor digitorum tendon, 442

Extensor hallucis longus, 8, 347

Extensor hood, 365

Extensor indicis, 9, 438, 442

Extensor pollicis brevis, 9, 437–438

Extensor pollicis brevis tendon, 442

Extensor pollicis longus, 9, 438

Extensor pollicis longus tendon, 442

Extensor retinaculum, 358, 437

Extensor tendons, 294

Extradural fat, 47

Extraperitoneal fascia, 137, 141, 148, 150

Eyeball, 518  
Eyelash, 511  
Eyelid, 511–512  
    inferior, 510  
    superior, 510

Eyes, 6  
    imaging, 519–521  
    movements, 516  
    muscles, 514  
    nerves, 515, 518  
    sagittal section, 511  
    vasculature, 517

## F

Facial artery(ies), 10, 502, 508, 548  
    transverse, 508–509, 512  
Facial canal, prominence of, 524  
Facial lymphatics, 508  
Facial muscles, 506–507  
Facial nerve, 501, 508–509, 513, 523–524, 534, 587  
Facial nodes, 508, 552  
Facial surface anatomy, 510  
Facial vasculature, 508  
Facial vein, 11, 508, 517, 535, 541  
    common, 541  
    deep, 509, 559  
    transverse, 508–509  
Falciform ligament, 141, 153, 166  
False ribs, 64  
Fat, extradural, 47  
Femoral artery, 142–143, 147–148, 150, 240, 317–318, 329  
    lateral circumflex, 304, 314, 317  
        ascending branch of, 301, 313–314  
        descending branch of, 10, 301, 316–317  
        transverse branch of, 10, 301, 313–314  
    left, 194

medial circumflex, 301, 304–305, 314, 316–317

Femoral branch, 198

Femoral cutaneous vein, 366

Femoral head, ligament of, 299–300

Femoral nerve, 13, 198, 305, 312–313

intermediate cutaneous branch, 199

medial cutaneous nerve from, 199

muscular branches, 313

Femoral nodes, 12

Femoral sheath, 312

Femoral triangle, 312

Femoral vein, 11, 142–143, 147–148, 150, 240, 318

Femur, 6–7, 295, 297

distal end, 306

fovea of, 298

greater trochanter of, 228

head of, 298–300

lesser trochanter of, 228

neck of, 297–298, 300

proximal, 298

shaft of, 298

Fibrocartilaginous joint, 67

Fibroelastic membrane, 561

Fibromuscular stroma, 234, 237

Fibrous capsule, of kidney, 190

Fibrous pericardium, 92–93, 124

Fibrous ring, of aortic valve, 100

Fibrous trigone, 100

Fibula, 7, 331

head of, 4, 6, 294–295

proximal end, 306

Fibular artery, 10, 344, 348

circumflex, 329

Fibular collateral ligament, 310, 322

Fibularis brevis, 342, 345–347

Fibularis brevis tendon, 9, 294, 338, 353

Fibularis longus, 8–9, 302, 342, 345–347  
Fibularis longus tendon, 294, 338, 353  
Fibularis tertius, 347  
Fibular nerve, 13  
    common, 316–317, 344, 348  
    deep, 348–349, 356–357  
    superficial, 348–349, 356  
Fibular retinaculum, 338  
Fibular trochlea, 332–333  
Fibular vein, posterior, 11  
Filiform papillae, 582  
Filum terminale, 44–45  
Fimbriae, 244  
Flank  
    left, 135  
    right, 135  
Flexor carpi radialis, 8, 410, 426, 433–434  
Flexor carpi radialis tendon, 433–434, 442, 446–447  
Flexor carpi ulnaris, 9, 414, 426, 433–434  
Flexor carpi ulnaris tendon, 434, 446–447  
Flexor digiti minimi, 446  
Flexor digiti minimi brevis, 359–362, 448–449  
Flexor digitorum brevis, 359–360  
Flexor digitorum longus, 9, 343, 359  
Flexor digitorum longus tendon, 353  
Flexor digitorum profundus, 8, 435, 438  
Flexor digitorum profundus tendons, 433–434, 442, 446–447  
Flexor digitorum superficialis, 433–435  
Flexor digitorum superficialis tendons, 433–434, 442, 446–448  
Flexor hallucis brevis, 359–362  
Flexor hallucis longus, 9, 343, 362  
Flexor hallucis longus tendon, 353  
Flexor pollicis brevis, 446, 448–449  
Flexor pollicis longus, 8, 433–435  
Flexor pollicis longus tendon, 433–434, 442, 446–447  
Flexor retinaculum, 365, 433–434, 442, 446–447

Floating ribs, 64  
Foliate papillae, 582  
Foot  
  arteries, 356–357, 363–364  
  bones of, 295, 332–335  
  dorsum of, 2, 4, 355  
  innervation, 356–357, 363–364  
  joints, 335  
  ligaments, 353–354  
  median longitudinal arch, 333  
  muscle attachments, 352  
  musculature, plantar, 359–362  
  plantar surface of, 2  
  surface anatomy, 355  
  transverse arch, 333  
Foramen lacerum, 486, 574  
Foramen magnum, 486–487, 502  
Foramen ovale, 486–487, 522, 529, 531, 536  
  valve of, 98  
Foramen rotundum, 487, 536  
Foramen spinosum, 486–487, 529, 534–535  
Foramen transversum, 24  
Foregut, innervation of, 203–205  
Fornix, 497  
Fossa ovalis, 96  
  limbus of, 96  
Fourchette, 259  
Fovea centralis, 518  
Fovea of femur, 298  
Free taenia, 170  
Frontal bone, 6, 479–480, 482, 485, 510, 529, 569  
Frontal crest, 487  
Frontalis, 8  
Frontal lobe, 497, 504  
Frontal nerve, 515  
Frontal operculum, 496

Frontal process of maxilla, 480  
Frontal process of zygomatic bone, 528  
Frontal sinus, 554, 568–570  
Frontal suture, 479–480  
Frontobasal artery, lateral, 504  
Frontonasal duct, 569  
Fundiform ligament of penis, 240, 242, 262  
Fundus, of bladder, 234  
Fungiform papillae, 582

## G

Gallbladder, 154–155, 165, 178–179  
body of, 175, 179  
in coronal plane, 3  
in coronal section of abdomen, 158  
neck of, 175, 179  
positioning of, 179  
Ganglion impar, 202, 255–256  
Gastric artery(ies)  
left, 159, 162, 181  
right, 159, 162, 181  
short, 159, 162, 181  
Gastric canal, 160  
Gastric folds, 160  
Gastric impression  
of liver, 175  
of spleen, 161  
Gastric mucosa, 160  
Gastric vein  
left, 182–183  
right, 183  
short, 182–183  
Gastric vessels, short, 161  
Gastrocnemius, 5, 8–9, 294, 302, 307, 309, 342, 345–346  
Gastroduodenal artery, 159, 162–163, 165, 181  
branches of, 162

Gastroesophageal junction, 171  
Gastrointestinal tract, imaging, 171  
Gastro-omental artery  
    left, 159, 161–162, 181  
    right, 159, 162–163  
Gastro-omental vein  
    left, 161, 181–183  
    right, 183  
Gemellus inferior, 9, 303, 315  
Gemellus superior, 9, 303, 307, 315  
Genicular artery  
    descending, 314, 317, 329  
        articular branch, 313–314, 317  
        saphenous branch, 313–314, 317, 329  
    inferior lateral, 314, 316–317, 329, 344  
    inferior medial, 316–317, 329, 348  
    medial genicular, 314  
    superior lateral, 313–314, 316–317, 329, 344  
    superior medial, 316–317, 329, 344  
Geniculate ganglion, 522, 524, 537  
Genioglossus, 554, 580, 582–583  
Geniohyoid, 554, 580, 582  
Genital branch, 198  
Genitofemoral nerve, 198–199  
    femoral branch of, 148, 150, 199, 305  
    genital branch of, 147–149, 151, 153, 240  
Gingiva, 577, 579  
Glabella, 480  
Glans of clitoris, 150, 226, 243, 258  
Glans penis, 4, 20, 214, 236, 242, 252, 262  
Glenohumeral joint, 392–394, 401  
Glenohumeral ligament, 392  
Glenoid cavity, 389  
Glenoid labrum, 400  
Glossoepiglottic fold, 582  
Glossopharyngeal nerve, 500–501, 534, 545–546, 558, 581, 587

Gluteal artery

- inferior, 194, 248, 304–305, 314, 316–317
- superior, 194, 248, 250, 266, 301, 304, 314, 316–317
  - deep branch of, 304–305, 316–317
  - superficial branch, 305, 316–317

Gluteal fold, 5, 215, 217, 294

Gluteal line

- inferior, 296
- posterior, 296

Gluteal nerve

- inferior, 254, 256, 267, 304
- superior, 254–256, 267, 304–305, 317

Gluteal region, 302–304

Gluteal surface, 217, 222, 296

Gluteal tuberosity, 298

Gluteal vein

- inferior, 304
- superior, 249–250, 266, 304
  - right, 195

Gluteus maximus, 9, 257–258, 294, 303–304, 307, 309, 318

Gluteus medius, 9, 303–304, 307, 309

Gluteus minimus, 303, 307

Gonadal vein, left, 182

Gonadal vessels, 192

- left, 186

- right, 186, 192

Gracilis, 8–9, 303, 308–309, 311–312, 318, 342

Gracilis tendon, 311

Granular foveolae, 485

Gray ramus communicans, 78, 255, 405

Greater omentum, 154

Greater trochanter, 6–7

Greater tubercle, 6–7

Great saphenous vein, 11

Great vessels, adventitia of, 93

Groin

left, 135  
right, 135  
Gut tube, 137

## H

Hair cells  
inner, 526  
outer, 526  
Hallucis longus, extensor, 8  
Hamate, 428, 430, 442  
Hamulus, 486  
Hands  
arteries, 450–452, 456  
bones, 387, 428, 430  
dorsal hoods, 455  
dorsum of, 454  
imaging, 429  
joints, 431  
ligaments, 431  
lymphatics, 459  
muscle attachments, 444  
muscles, 448–449  
nerves, 450–451, 453, 457  
surface anatomy, 386, 445, 454  
tendon sheaths of, 446  
veins, 459

Hard palate, 486, 554, 556, 583

Haustra of colon, 168

## Head

nerves, 588  
surface anatomy, 478

Head of fibula, 4

## Heart

anterior surface of, 94  
base of, 95  
chambers of, 101

computed tomography of, 94

conduction system of, 105

in coronal plane, 3

diaphragmatic surface of, 95

innervation of, 107

  visceral afferents, 127

  visceral motor, 126

posterior view of, 94–95

sounds, 106

valves of, 101

vasculature, 102–104

visceral afferents from, 127

Helicotrema, 526

Helix, 522

Hemi-azygos vein, 75, 82, 119, 187

  accessory, 47, 75, 83, 116

Hemorrhoids, 184

Hepatic artery

  common, 10, 159, 162–163, 181

    distribution of, 181

  left, 159, 181

  proper, 158–159, 162, 165

    left branch, 176

    right branch of, 176

  right, 159, 181

Hepatic duct

  common, 165, 176, 179–180

  in coronal section of abdomen, 158

  left, 179–180

  right, 179, 181

Hepatic vein(s), 11, 162, 186, 195

  arrangement of, 176

  in coronal section of abdomen, 158

  entering inferior vena cava, 176

  intermediate, 176

  left, 176

right, 176

Hepatoduodenal ligament, 166

Hepatopancreatic ampulla, 179

Hernias, inguinal, 152

- direct, 152
- indirect, 152

Hesselbach's triangle, 152–153

Hiatus semilunar, 569–570

Hilum, 82, 110

- of spleen, 161

Hindgut, innervation of, 203–205

Hip joint, 7, 295, 299–300

- arterial supply, 301
- ligaments, 311

Hoods, dorsal, of hand, 455

Horizontal fissure, 81–82

Horizontal plane, 2

Humeral artery

- anterior circumflex, 10, 397, 402–404, 412, 416
- posterior circumflex, 397, 402–404, 412, 416

Humeral ligament, 392

- transverse, 398, 401

Humeral nodes, 417

Humeral nutrient artery, 404, 412, 416

Humeral vein

- anterior circumflex, 413
- posterior circumflex, 413

Humeroradial joint, 422

Humero-ulnar joint, 422

Humerus, 6–7, 36–37, 70, 387–388

- distal end, 408
- greater tubercle, 391
- head of, 391
- lesser tubercle, 391
- middle facet, 391
- neck of, 391

proximal, 391  
superior facet, 391

Hyaline cartilage, 32

Hyaloid canal, 518

Hymen, 259

Hyoepiglottic ligament, 560–561, 582

Hyoglossus, 556, 580–581

Hyoid bone, 539, 554, 562–563

Hypochondrium

- left, 135
- right, 135

Hypogastric nerve, 274

- left, 255
- right, 201–202, 255–256

Hypogastric plexus, 201, 256

- inferior, 203, 255–256, 274
- superior, 201–202, 256, 274

Hypoglossal canal, 486–487

Hypoglossal nerve, 500–501, 544, 547, 581, 587

Hypophyseal arteries, 502

Hypophyseal fossa, 487, 536, 569

Hypothalamic sulcus, 497

Hypothalamus, 497

Hypothenar eminence, 386, 445, 448

Hypothenar muscles, 8, 436

## I

Ileal artery, 166, 172

Ileal vein, 166, 182–183

Ileocecal fold, 170

Ileocecal fold flaps, 170

Ileocecal junction, 170

- in coronal section of abdomen, 158

Ileocolic artery, 159, 172

- in coronal section of abdomen, 158

Ileocolic vein, 183

in coronal section of abdomen, 158

Ileum, 166–168, 170

in coronal section of abdomen, 158

imaging, 167

Iliac artery

common, 224, 226, 313–314

left, 10, 253

retroperitoneal, 188

right, 186, 192, 194, 248–249

deep circumflex, 142–143, 149, 151, 194, 248, 301, 314

external, 143, 148, 150, 194, 224, 226, 248–249, 301, 313

left, 10, 192

retroperitoneal, 188

right, 266

internal, 194, 200, 224, 226, 248, 266, 301

anterior trunk, 266

left, 10, 192

right, 192, 250

superficial circumflex, 142–143, 301, 314

Iliac crest, 5, 7, 20, 36, 39–41, 214–218, 222, 228–229, 297

tuber of, 296

Iliac fossa, 198, 214, 216, 218, 296–297

Iliac nodes, 12

common, 200, 270–271

external, 200, 270–272

internal, 200, 270–272

Iliac spine

anterior inferior, 222–223, 297

anterior superior, 4, 134, 220, 222–223, 228–229, 295, 297

posterior inferior, 296

posterior superior, 7, 40, 222, 228–229, 295–297

Iliac tuberosity, 296

Iliacus, 147, 153, 166, 185, 224, 226, 233, 307–308, 310, 312–313

Iliacus fossa, 312

Iliac vein(s)

common, 195, 224, 226, 253

left, 11, 192  
right, 249  
deep circumflex, 142, 149  
external, 11, 148, 150, 184, 224, 226, 248–249  
    left, 186, 192, 195  
    right, 192, 195, 266  
internal, 11, 224, 226, 249, 253, 266  
    anterior trunk, 266  
    left, 250  
    right, 195  
superficial circumflex, 142, 366

Iliococcygeus, 229–231, 233, 247, 260, 262, 264

Iliocostalis, 40, 71

Iliocostalis cervicis, 40, 71

Iliocostalis lumborum, 40

Iliocostalis thoracis, 40

Iliofemoral ligament, 228, 301

Iliohypogastric nerve, 53, 144, 198, 305  
    anterior cutaneous branch of, 145, 199  
    lateral cutaneous branch of, 144, 199

Ilio-inguinal nerve, 144, 148, 150, 198–199, 240, 273, 305

Iliolumbar artery, 194, 248, 250  
    iliac branch of, 194

Iliolumbar ligament, 220

Iliolumbar vein, 250

Iliopsoas, 8, 307, 310, 318

Iliopubic eminence, 218

Iliotibial tract, 8–9, 294, 302, 308, 318, 329

Ilium, 6, 296  
    arcuate line, 218, 222–223  
    gluteal surface of, 215, 222

Imaging, of spinal cord, 50–51

Incisive canal, 569

Incisive fossa, 486, 574, 583

Incisive nerve, 533, 578

Incisors, 575

Incus, 523–525

ligament of, 525

Inferior, as anatomical direction, 2

Infraclavicular nodes, 417

Infraglenoid tubercle, 389

Infraglottic space, 562

Infrahyoid muscles, 540

Infraorbital artery, 509, 512, 537, 578

Infraorbital fissure, 536

Infraorbital foramen, 480, 482, 510, 536

Infraorbital groove, 510

Infraorbital nerve, 512, 537, 571, 578

Infraorbital vein, 509, 517, 578

Infrapatellar bursa, 328

Infraspinatus muscle, 9, 37–39, 52, 400–401, 414

Infraspinous fossa, 389

Infratemporal bones, 529

Infratemporal crest, 529

Infratemporal fossae, 528, 530–531

arteries, 535

nerves, 534

veins, 535

InfratrocLEAR artery, 512

InfratrocLEAR nerve, 505, 512, 515

InfratrocLEAR vein, 512

Inguinal canal, 146, 148–149, 150–151, 236

Inguinal hernias, 152

direct, 152

indirect, 152

Inguinal ligament, 138, 143, 148, 150, 153, 185, 214, 216, 221, 240, 310, 312

surface, 134

Inguinal nodes, 12

deep, 270–271

inferior superficial, 270–271

superficial, 367

superolateral superficial, 271

superomedial superficial, 270–271

Inguinal region

female, 146–147, 150–151

male, 146–147, 148–149

Inguinal ring

deep, 146, 148–149, 150–151, 153

superficial, 138, 146, 148, 150, 236, 240

Inguinal triangle, 153

right, 152

Inion, 484

Insula, 504

Interarytenoid fold, 562

Interarytenoid notch, 555, 557, 562

Intercarpal ligament, 428, 431

Interchondral joint, 67

Interclavicular ligament, 390

Intercondylar fossa, 328

Intercondylar line, 306

Intercostal artery(ies), 72, 78, 143

anterior, 74

collateral branch of, 74

left supreme, 75, 118

posterior, 46, 74

collateral branch of, 74

left, 46

right, 46

right supreme, 74

supreme, 550–551

Intercostal membrane, external, 70, 72

Intercostal muscle, 68, 72

external, 8–9, 52, 71–72, 398

innermost, 52, 72

internal, 8, 52, 71–72

Intercostal nerve(s), 13, 32, 72, 76, 78, 119, 204

anterior cutaneous branch of, 76, 125, 145

lateral cutaneous branch of, 76, 144

sixth thoracic, 69  
small collateral branch of, 76  
thoracic, 69

Intercostal nodes, 77

Intercostal space, 64

Intercostal vein, 72  
left superior, 75  
posterior, 47

Intercostal vessels, 142

Intercostobrachial nerve, 405–406, 420

Intercuneiform ligaments, 354

Intergluteal cleft, 5, 20, 215, 217

Intermaxillary suture, 574

Intermediate nerve, 522–524

Interossei muscles, 362

Interosseous artery  
anterior, 436  
common, 412, 436, 439  
posterior, 436, 439  
recurrent, 416, 436, 439

Interosseous membrane, 328, 435

Interosseous nerve, 436, 439

Interphalangeal joints, 335, 431, 455

Intersphincteric groove, 233

Interspinalis cervicis, 43

Interspinous ligament, 35

Interthalamic adhesion, 497

Intertragic notch, 522

Intertransversarius, 41

Intertrochanteric crest, 295, 297–298, 301

Intertrochanteric line, 295, 297–298

Intertubercular plane, 135

Intertubercular sulcus, 388, 391

Interureteric fold, 235

Interventricular septum, 124

Interventricular sulcus, anterior, 94, 101

Interventricular vein, anterior, 102  
Interventricular vessels, anterior, 99  
Intervertebral disc, 21, 24, 32  
    LV-SI, 220–221  
Intervertebral disc problems, 33–34  
Intervertebral disc protrusion, 33  
Intervertebral foramen, 26, 32, 48  
Intervertebral vein, 47  
Intestinal nodes, 12  
Intestinal trunk, 200  
Intestine  
    large, 12, 168  
        imaging, 169  
        surface projections, 168  
    small, 154–155, 188  
        in coronal plane, 3  
        lymph nodes in, 12  
        in sagittal plane, 3  
Intra-articular ligament, 66  
Intraparietal sulcus, 496  
Investing layer, 540  
Iridocorneal angle, 518  
Iris, 510–511  
Ischial ramus, 296–297  
Ischial spine, 7, 214–223, 229–231, 295, 297  
Ischial tuberosity, 7, 215, 217, 222, 231, 257–258, 260, 296, 299, 301, 303  
Ischio-anal fossa, 153, 233  
Ischiocavernosus, 242, 257–258, 262  
Ischiococcygeus, 229–231  
Ischiofemoral ligament, 228, 301  
Ischiopubic arch, 261  
Ischiopubic ramus, 222, 231  
Ischium, 6, 296  
    ramus of, 214–218, 222

- Jejunal artery, 166, 172  
Jejunal vein, 166, 182–183  
Jejunum, 166–167, 188  
    in coronal section of abdomen, 158  
    imaging, 167
- Joint(s)  
    acromioclavicular, 62, 387, 390  
    ankle, 7, 337  
    atlanto-axial, 23  
    atlanto-occipital, 501, 539  
    calcaneocuboid, 335  
    carpometacarpal, 428, 431  
    clavicular, 390  
    costovertebral, 66  
    cricothyroid, 560  
    elbow, 7, 387, 422–425  
    fibrocartilaginous, 67  
    foot, 335  
    in hand, 431  
    hip, 7, 295, 299–300  
    humeroradial, 422  
    humero-ulnar, 422  
    interchondral, 67  
    interphalangeal, 335, 431, 455  
    knee, 7, 320–321, 324–327  
    lumbosacral, 220  
    manubriosternal, 64, 67  
    metacarpophalangeal, 431  
    metatarsophalangeal, 294, 335  
    midcarpal, 428  
    radio-ulnar, 422, 427  
    sacro-iliac, 6, 31, 216, 221, 223, 229, 296–297  
    shoulder, 7, 387–388  
    spinal, 35–36  
    sternoclavicular, 62, 388, 390  
    sternocostal, 64, 66–67

subtalar, 335  
synovial, 66–67  
talocalcaneonavicular, 335  
tarsometatarsal, 335  
temporomandibular, 530–532  
tibiofibular, 320  
wrist, 7, 387, 427–429  
xiphisternal, 64, 67  
zygapophyseal, 24, 28–29  
Jugular foramen, 486–487  
Jugular notch, 62, 64, 524  
Jugular trunk, 77, 553  
Jugular tubercle, 487  
Jugular vein  
    anterior, 11, 541  
    external, 11, 508, 535, 541, 559  
    internal, 11, 75, 77, 82, 110, 508–509, 535, 541, 559  
        left, 101, 109–110, 566  
        right, 101, 109, 397, 567  
Jugulodigastric node, 508, 552–553  
Jugulo-omohyoid node, 508, 552–553

## K

Kidney(s)  
    anterior surface structures, 188  
    fascia surrounding, 188  
    fat surrounding, 188  
    fibrous capsule of, 190  
    gross structure of, 190  
    hilum of, 190  
    imaging, 191  
    inferior pole of, 190  
    lateral border, 190  
    left, 162, 165, 188  
    medial border, 190  
    posterior surface structures, 188

retroperitoneal position of, 188

right, 162, 165

anterior surface, 190

internal structure, 190

retroperitoneal, 188

superior pole of, 190

surface projection of, 188

vasculature, 192–193

visceral sensory diagram, 206–207

## Knee

arteries, 329

bones of, 295

bursa, 328

capsule, 328–329

ligaments of, 322–323

surface, 329

## Knee joint, 7, 295, 320–321, 324–327

# L

Labial artery

    inferior, [508](#)

    posterior, [268](#)

    superior, [508](#)

Labial vein

    inferior, [508](#)

    posterior, [268](#)

    superior, [508](#)

Labium majus, [226, 259](#)

Labium minus, [150, 226, 258–259](#)

Labyrinthine artery, [502](#)

Lacrimal apparatus, [512](#)

Lacrimal artery, [512, 517](#)

Lacrimal bone, [479, 482, 488, 510, 536](#)

Lacrimal canaliculi, [512](#)

Lacrimal caruncle, [512](#)

Lacrimal crest, [512](#)

Lacrimal fold, [512](#)

Lacrimal gland, [512–513](#)

Lacrimal lake, [510](#)

Lacrimal nerve, [505, 512–513, 515, 537](#)

Lacrimal papilla, [512](#)

Lacrimal punctum, [512](#)

Lacrimal sac, [511](#)

Lacrimal sac fossa, [514](#)

Lactiferous ducts, 68  
Lactiferous sinuses, 68  
Lacunar ligament, 148, 153, 219  
Lambda, 485  
Lambdoid suture, 482, 484–485  
Large intestine, 12, 168–169  
    imaging, 169  
    surface projections, 168  
Laryngeal artery  
    inferior, 567  
    superior, 548  
Laryngeal cartilage, 561  
Laryngeal cavity, 562  
Laryngeal inlet, 554–555, 562  
Laryngeal nerve, 564  
    external, 564  
    internal, 564  
    left recurrent, 107, 110, 558, 564, 566  
    right recurrent, 88, 107, 110, 558, 564, 566  
    superior, 545, 558, 564  
Laryngeal saccule, 562  
Laryngeal vein, superior, 559  
Laryngeal ventricle, 562  
Laryngopharynx, 554–555  
Larynx, 4  
    external features, 560  
    muscles, 563

nerves, 564  
surface anatomy, 560, 565

Lateral, as anatomical direction, 2

Lateral ligament, 530

Latissimus dorsi, 5, 36–38, 137–138, 396–397, 410

Leg  
arteries, 344, 348  
bones, 295  
dermatomes, 368–369  
imaging, 351  
ligaments, 324  
lymphatics, 367  
menisci, 324–325  
muscle attachments, 341  
muscles, 342–343, 345–347  
nerves, 344, 348–349  
superficial muscles, 342  
surface anatomy, 294  
transverse section, 350–351  
veins, 366

Lens, 511, 518

Lesser curvature, of stomach, 160

Lesser omentum, 156, 166

Lesser trochanter, 6–7

Levator anguli oris, 506–507

Levator ani, 153, 224, 226, 229–231, 233, 237, 261–262

Levatores costarum, 41

Levator labii superioris, 506–507  
Levator labii superioris alaeque nasi, 506–507  
Levator palpebrae superioris, 511, 514  
Levator palpebrae superioris tendon, 506, 511–512  
Levator scapulae, 9, 36–39, 542–543  
Levator veli palatini, 524–525, 531, 556–557, 583  
Ligamenta flava, 35  
Ligamentum arteriosum, 92, 94, 97, 109–110, 116  
Ligamentum nuchae, 20, 35–36, 39–40  
Ligamentum venosum, fissure for, 175  
Limbus, of fossa ovalis, 96  
Linea alba, 134, 136–137, 141  
Linea aspera, 295, 297–298  
Lingual artery, 502, 509, 548, 581, 584  
Lingual glands, 584  
Lingual gyrus, 496–497  
Lingual nerve, 530, 534, 578–579, 582, 584  
Lingual tonsil, 12, 554, 582  
Lingual vein  
    deep, 581, 584  
    dorsal, 581  
Lingula, 82–83, 531, 574  
Lip, lower, 582  
Liver, 174, 188  
    anterior medial segment V, 177  
    anterior surface, 174  
    caudate lobe of, 175, 177

in coronal plane, 3  
in coronal section of abdomen, 158  
inferior border of, 166, 174  
lateral segment II, 177  
lateral segment III, 177  
left lobe of, 154–155, 166  
location of, 174  
medial segment IV, 177  
posterior lateral segment VII, 177  
posterior surface of, 175  
quadrate lobe, 175  
right anterior lateral segment VI, 177  
right lobe of, 154–155, 174  
round ligament of, 153, 155, 166, 174  
segments of, 177  
surface projection of, 174  
vessels of, 176  
visceral surface of, 175

L1 nerve, 43, 53, 144, 148, 150,  
anterior ramus, 305  
lateral cutaneous branch of, 144

L2 nerve, anterior ramus, 305

L3 nerve, anterior ramus, 305

L4 nerve, 34

L5 nerve, 34

Lobule, 522

Longissimus, 40, 71

Longissimus capitis, 40, 43  
Longissimus cervicis, 40  
Longissimus thoracis, 40  
Longitudinal axis, 2  
Longitudinal ligament, anterior, 220–221  
Longitudinal muscle  
    of esophagus, 556–557  
    of rectum, 233  
    of tongue, 582  
Longus capitis, 542–543  
Longus colli, 543  
Lumbar arteries, 194  
Lumbar ganglia, 202  
Lumbar meninges, 48  
Lumbar nerves, 34, 44  
Lumbar node, 200, 270–271  
Lumbar plexus, 13, 198  
    cutaneous distribution, 199  
Lumbar triangle, 37  
Lumbar trunk  
    left, 200  
    right, 200  
Lumbar vein, ascending, 119  
Lumbar vertebrae, 21–22, 27–30  
Lumbosacral articular surface, 296  
Lumbosacral joint, 220  
Lumbosacral ligament, 220

Lumbosacral trunk, 198, 254–255, 305

Lumbricals, 359–360, 447–448

Lunate, 428, 430

Lunate surface, 299

Lung(s)

    apex of, 88

    left, 79, 83

    right, 79, 82

Lunule, 100

LI vertebra, 21

LIII vertebra, 22

LIV vertebra, 29–30, 33

LV vertebra, 21, 27–28, 31, 221, 224, 226, 296

Lymphatic drainage, 553

Lymphatic duct, right, 12

Lymphatic system, 12

    in abdomen, 200

    in abdominal wall, 143

    in arms, 417, 459

    facial, 508

    in hands, 459

    in legs, 367

    in neck, 552–553

    in perineum, 272

        female, 271

        male, 270

    in thoracic wall, 77

Lymphatic trunk(s), 69

termination of, 77

## M

Malleolar artery

anterior lateral, 348, 356–357

anterior medial, 348, 356–357

Malleolar fold

anterior, 523, 525

posterior, 523

Malleolus, 4, 6–7

lateral, 4, 6–7, 294–295, 345

Malleus, 523–524

ligament of, 523, 525

Mammary gland, 68

Mammillary body, 496, 501

Mammography, 69

Mandible, 6, 479, 529, 554

alveolar part, 480

angle of, 7, 482, 574

bay of, 480

body of, 482, 574

lateral view, 574

medial view, 574

posterior view, 574

ramus of, 480, 482, 574

superior view, 574

Mandibular canal, 530–531, 582  
Mandibular fossa, 486, 529  
Mandibular nerve, 494, 500–501, 505, 513, 519, 533–534, 537, 578  
Mandibular node, 552  
Mandibular symphysis, 574  
Manubriosternal joint, 64, 67  
Manubrium of sternum, 3, 6, 62, 64, 388, 540  
Marginal artery, 159, 172  
Marginal sulcus, 497  
Marginal vessels, 102  
Masseter, 8, 506–507, 528, 530, 542  
Masseteric artery, 535  
Masseteric fascia, 542  
Masseteric nerve, 533  
Mastoid air cells, 524–525  
Mastoid antrum, 525  
Mastoid nodes, 508, 552  
Mastoid notch, 484, 486  
Mastoid process, 7, 43, 482, 484, 486, 525, 529, 542  
Maxilla, 6, 479–480, 529  
Maxilla bone, 482, 489  
Maxillary artery, 494, 502, 509, 535, 537, 548, 578  
Maxillary nerve, 494, 500, 505, 513, 519, 533–534, 537, 558, 578  
Maxillary sinus(es), 537, 568, 575  
Maxillary vein, 509, 535, 541, 559, 578  
Medial, as anatomical direction, 2  
Median nerve, 13, 397, 405, 407, 412, 426, 436, 457

Mediastinal pleura, 93, 108–109  
Mediastinal plexus, 110  
Mediastinum, 79, 91, 116  
    anterior, 91  
    imaging, 113, 115, 117, 120, 121–122  
    inferior, 91  
    middle, 91  
    posterior, 91, 118–119  
    subdivisions of, 91  
    superior, 91, 108  
        imaging, 111  
        nerves of, 110  
        trachea in, 112  
    transverse section at TIV, 121  
    transverse section at TV, 122  
    vasculature, 109–110  
    transverse section at TIII, 120

Medulla  
    adrenal, 206  
    renal, 190

Medulla oblongata, 496–497

Medullary arteries, segmental, 46

Medullary sinus, 12

Medullary vellum  
    inferior, 497  
    superior, 497

Meningeal artery, 494

middle, 509, 533, 535

recurrent, 517

Meningeal nerve, 533–534

Meninges, 48–49, 492

Meniscus (menisci), 326–327

lateral, 322, 325

medial, 325

Mental artery, 509, 535

Mental foramen, 480, 482, 529, 535, 574–575

Mentalis, 506–507

Mental nerve, 505, 533, 578

Mental protuberance, 480

Mental spines, 574, 580

Mental tubercle, 480

Mental vein, 535

Mesenteric artery(ies), 172

inferior, 10, 159, 162, 172, 186, 192, 194

superior, 10, 159, 162, 172, 181–182, 186, 192, 194, 270

branching, 173

in coronal section of abdomen, 158

positioning of, 173

Mesenteric ganglion

inferior, 203

superior, 201

Mesenteric nodes

inferior, 200, 270–271

superior, 200, 270–271

Mesenteric vein

    inferior, [11, 181–183](#)

    retroperitoneal, [188](#)

    superior, [11, 162, 181–183, 188](#)

        in coronal section of abdomen, [158](#)

Mesenteric vessels, superior, [166](#)

Mesentery, [158, 166](#)

Mesial, as anatomical direction, [575](#)

Meso-appendix, [170](#)

Mesocolon, transverse, [188](#)

Mesosalpinx, [245](#)

Metacarpal artery

    dorsal, [456](#)

    palmar, [450–452](#)

Metacarpal ligaments, [431, 445, 447](#)

Metacarpals, [6, 387, 428, 430](#)

Metacarpal vein, dorsal, [458–459](#)

Metacarpophalangeal joint, [431](#)

Metatarsal arteries

    deep, [348](#)

    dorsal, [357](#)

    plantar, [357, 364](#)

Metatarsal ligaments, [353–354, 358](#)

Metatarsals, [6–7, 295, 332–334](#)

Metatarsophalangeal joint(s), [335](#)

    of great toe, [294](#)

Metencephalon, [496](#)

Midbrain, 501  
Midcarpal joint, 428  
Middle lobe of lung, 82  
Midgut, innervation of, 203–205

Midline raphe, 237, 242, 262

Mitral valve, 98–99, 101  
auscultation position for, 106

Modiolus, 526  
lamina of, 526

Molars, 575  
Mons pubis, 258

Mucosa  
esophageal, 160  
gastric, 160  
of rectum, 233  
tracheal, 86

Mucosal linings of naval cavity, 570

Multifidus, 41, 43

Muscle(s). *See also individual muscles*

abdomen, 137–141  
arm, 410–411, 414–415, 434–435, 437–438  
back, 36–43  
eye, 514  
facial, 506–507  
foot, plantar, 359–362  
gluteal, 302–303  
hand, 448–449

infratemporal fossa, 530–531

knee, 329

larynx, 563

leg, 342–343, 345–347

neck, 542–543

oral cavity, 580

palate, 583

pharynx, 556–557

rotator cuff, 400–401

thigh, 307

thoracic wall, 72

## Muscle attachments

clavicle, 390

foot, 352

hand, 444

lower leg, 341

shoulder, 409

skull, 490–491

thigh, 307, 310–311, 315

upper limb, 394–395, 411, 415, 432

## Muscular triangle, 538

## Musculi pectinati, 96

Musculocutaneous nerve, 13, 397, 405–407, 412, 426

Musculofascial pouch, 236

Musculophrenic artery, 74, 142–143

Musculophrenic vein, right, 75

Musculus uvulae, 557, 583

Mylohyoid, 533–534, 542–543, 580, 582

Mylohyoid line, 574

Myometrium, 244

## N

Naris, 568

Nasal aperture, posterior, 486

Nasal artery

dorsal, 517

external, 571

lateral, 508, 571

Nasal bone, 479–480, 482, 485, 568–569

Nasal cartilage, accessory, 568

Nasal cavity, 512, 554, 568

bones, 569

imaging, 572–573

mucosal linings, 570

nerves, 571

Nasal concha

inferior, 479–480, 568–570

middle, 512, 568–570

superior, 568–570

Nasal crest, 480

Nasalis, 506–507

Nasal meatus

inferior, 512, 570

middle, 570

superior, 570

Nasal nerve(s), 537

external, 505

posterior inferior lateral, 571

posterior superior lateral, 571

Nasal septum, 557, 570

Nasal spine

anterior, 480

posterior, 486, 574

Nasal vein, 571

lateral, 508, 571

Nasal vestibule, 570

Nasion, 480

Nasociliary nerve, 515, 519

Nasofrontal vein, 517

Nasolacrimal duct, 512, 569–570

Nasopalatine nerve, 571, 579, 583

Nasopharynx, 554–555

Navicular, 332–334

Navicular fossa, 236, 242

Neck. *See also Larynx; Pharynx*

arteries, 548–551

bones, 539

compartments, 540

fascia, 540

imaging, 549, 551, 555

lymphatics, 552–553

muscles, 542–543, 556–557

nerves, 544–546

surface anatomy, 478, 538

veins, 541

Nerve(s), 13–17. *See also individual nerves*

abdominal, 201

abdominal wall, 144–145

arm, 426

anterior compartment, 412, 436

cutaneous, 420–421, 460–461

posterior compartment, 416, 439

in back, cutaneous, 53

bladder, 276

cardiac, 107

cranial, 500–501, 586–587

cutaneous, 17

arm, 402, 416, 420–421, 426, 436, 460–461

femoral lateral, 273

femoral posterior, 254, 273

lateral

of thigh, 198–199

T7-T11, 145

lateral cutaneous branch of, 76

legs, 349

perforating, 254

perineal, 273

sural, 349

dural, 494  
eyes, 515, 518  
facial, 508  
foot, 356–357, 363–364  
gluteal, 304–305  
gums, 579  
hand, 450–451, 453, 457  
head, 588  
infratemporal fossae, 535  
lacrimal gland, 513  
larynx, 564  
leg, 344, 348–349  
nasal cavity, 571  
neck, 544–546  
oral cavity, 585  
parasympathetic, 15  
pelvic, 254–255  
perineal, 269  
pharynx, 558  
pterygopalatine fossa, 537  
reproductive system  
    female, 275  
    male, 274  
spinal, 44–45, 47  
    anterior rami of, 254  
    nomenclature of, 44  
sympathetic, 14

teeth, 578–579  
thigh, 313, 316  
thoracic wall, 76  
tongue, 581  
Nipple, 4, 68  
Nodule, in aortic valve, 100  
Nose, 568. *See also entries at Nasal*  
Nuchal line  
    inferior, 484, 486  
    superior, 37, 40, 484, 486  
Nucleus pulposus, 32  
    herniation of, 33–34  
Nucleus solitarius, 127

## O

Oblique fissure, 81–83, 85  
Oblique line, 480  
Oblique muscles (in eyes)  
    inferior, 514, 516  
    superior, 514, 516  
Oblique muscles (in trunk)  
    external, 8–9, 37–39, 42, 71, 136–138, 141–142, 148–149, 150–151, 240  
    internal, 8–9, 42, 136–138, 141–142, 148–149, 150–151, 240  
Oblique vein, of left atrium, 102  
Obliquus capitis inferior, 41, 43  
Obliquus capitis superior, 41, 43  
Obturator artery, 236, 248, 250, 253, 266, 299, 301, 314

posterior branch, 301

Obturator canal, 155, 221, 228–230

Obturator externus, 8, 307, 313

Obturator foramen, 198, 214–218, 220, 222–223, 234, 260, 297

Obturator internus, 9, 153, 228, 230–231, 242, 260, 264, 303, 307  
fascia covering, 229  
tendon of, 228, 260

Obturator membrane, 153, 155, 219, 221, 299

Obturator nerve, 13, 198–199, 254, 256, 267, 273, 305, 313, 318  
cutaneous branch, 199  
muscular branches, 313  
posterior branch, 313

Obturator node, 272

Obturator vein, 236, 249–250, 253, 266

Obtuse margin, 94, 101

Occipital artery 43, 494, 502, 508–509, 548, 581

Occipital bone, 7, 40, 479, 482, 484–485, 487

Occipital condyles, 486, 539

Occipital crest  
external, 484  
internal, 487

Occipitalis, 9

Occipital lobe, 497

Occipital nerve  
greater, 43, 53  
lesser, 544, 546–547  
third, 43, 53

Occipital nodes, 508, 552  
Occipital pole, 496  
Occipital protuberance, external, 7, 35, 37, 484, 486–487  
Occipital vein, 508–509, 541  
Occipitofrontalis, 506–507, 542  
Occipitomastoid suture, 482, 484  
Occipitotemporal gyri, 496  
Oculomotor nerve, 500–501, 515, 519, 586  
Odontoid process, 24  
Olecranon, 5, 7, 386–387, 408, 414, 422, 425  
Olecranon fossa, 408, 425  
Olfactory bulb, 496, 500–501, 571  
Olfactory nerves, 500, 571, 586  
Olfactory tract, 496, 501  
Olive, 501  
Omental appendices, 168  
Omental bursa, 156  
Omental foramen, 166  
Omentum  
    greater, 154  
    lesser, 156  
Omohyoid, 542–543  
Ophthalmic artery 502  
    inferior, 535  
Ophthalmic nerve, 494, 500–501, 505, 513, 515, 519, 533–534, 537  
Ophthalmic vein(s), 509  
    inferior, 517, 535

superior, 517

Opponens digiti minimi, 362, 446, 448–449

Opponens pollicis, 448–449, 458

Optic canal, 487, 510, 536

Optic chiasm, 497, 500–501

Optic disc, 518

Optic nerve, 500–501, 511, 515, 518, 586

Oral, as anatomical direction, 575

Oral cavity, 554

- bones, 574–575, 577
- imaging, 576
- muscles, 580
- nerves, 585
- root of, 584

Oral vestibule, 582

Ora serrata, 518

Orbicularis oculi, 8, 506–507, 511

Orbicularis oris, 8, 506–507, 582

Orbital fissure

- inferior, 480, 510
- superior, 480, 487, 510, 536

Orbital gyri, 496

Orbital nerves, 537

Orbital septum, 506, 511–512

Orbital sulci, 496

Oropharyngeal isthmus, 584

Oropharynx, 554–555, 584

Otic ganglion, 534  
Oval window, 523–524, 526  
Ovarian artery, 10, 150, 251  
    left, 147  
    right, 194  
Ovarian plexus, 201  
Ovarian vein(s), 11, 195, 251  
    left, 147  
Ovarian vessels, 244  
Ovary(ies), 147, 226, 243–245  
    structure of, 244  
    suspensory ligament, 226, 244

## P

Palate, 583–584  
    hard, 486, 554, 556, 583  
    soft, 554–555, 570, 583  
Palatine aponeurosis, 583–584  
Palatine artery, 537  
    greater, 571, 583–584  
    lesser, 537, 583–584  
Palatine bone, 479, 510, 529, 536  
Palatine canal, 536  
Palatine foramen, 486, 574, 583  
Palatine glands, 554, 584  
Palatine nerve, 537  
    greater, 579, 583–584

lesser, 537, 583–584

Palatine rugae, 583

Palatine tonsil, 12, 554, 582–584

Palatine vein, greater, 571

Palatoglossal arch, 554, 582, 584

Palatoglossus, 580–584

Palatopharyngeal arch, 554, 584

Palatopharyngeus, 556–557, 582–584

Palatovaginal canal, 536, 569

Palmar aponeurosis, 434, 445

Palmar arch

- deep, 10
- superficial, 10

Palmar interosseous, 448–449

Palmaris brevis, 445

Palmaris longus, 8, 410, 426, 434

Palmaris longus tendon, 433–434, 442, 445

Palmar ligament, 431, 447–448

Palmar surface, of hand, 2

Palpable bone

- anterior view, 6
- superior view, 7

Palpebral fissure, 512

Palpebral ligament, 506, 512

Pampiniform plexus, 149, 240–241

Pancreas, 156, 178–179, 188

- anterior surface of, 178

body of, 164, 178  
fundus of, 179  
head of, 158, 164, 178  
imaging, 178  
neck of, 164  
positioning of, 180  
retroperitoneal, 188  
tail of, 178  
uncinate process, 178  
vasculature of, 181

## Pancreatic artery

dorsal, 181  
inferior, 181

## Pancreatic duct

accessory, 179  
main, 179

## Pancreatic notch, 178

Pancreaticoduodenal artery  
anterior inferior, 162, 181  
anterior superior, 162  
inferior, 159, 162  
posterior, 159  
posterior inferior, 162, 181  
posterior superior, 162, 181  
superior, 159, 162

## Pancreaticoduodenal vein, 183

Papillary muscle

anterior, 97, 99, 105  
posterior, 97, 99, 105  
septal, 97

Paracentral lobule, 497

Paracolic gutter  
left, 155  
right, 155

Parahippocampal gyrus, 496

Paranasal sinuses, 568

Paranephric fat, 188

Parasternal nodes, 69, 77

Parasympathetic nerves, 15  
in face, 534

Parathyroid gland  
inferior, 565, 567  
superior, 565, 567

Paratracheal nodes, 553

Para-urethral gland, opening of duct, 259

Parietal bone, 7, 479, 482, 484–485, 487

Parietal foramen, 485

Parietal lobe, 497

Parietal peritoneum, 136–137, 141, 148, 224

Parietal pleura, 72, 79–81, 124  
cervical, 92

Parietomastoid suture, 482

Parieto-occipital sulcus, 497

Parotid duct, 506–507

Parotid fascia, 542  
Parotid gland, 506, 508–509, 530  
Parotid nodes, 508, 552  
Parotid region  
    arteries, 509  
    veins, 509  
Pars flaccida, 523  
Pars opercularis, 496  
Pars orbitalis, 496  
Pars triangularis, 496  
Patella, 4, 6, 294, 306  
Patellar ligament, 310, 322, 329  
Patellar retinaculum, 329  
Patellar surface, 306  
Pecten pubis, 214, 218, 223, 296  
Pectineal line, 214, 218, 223, 296  
Pectineus, 8, 307–308, 311–312, 318  
    nerve to, 313  
Pectoral fascia, 68  
Pectoralis major, 3–4, 8, 68–70, 410, 542  
    abdominal part, 138, 396  
    in axial plane, 70  
    clavicular part, 396  
    sternocostal part, 396  
Pectoralis major fascia, 542  
Pectoralis minor, 8, 68, 70–71, 397  
Pectoral nerve

lateral, 70, 397, 405–406  
medial, 70, 397, 405–406

Pectoral nodes, 417

Pectoral region, 71, 396

Pedicle, 22, 30, 45

Pelvic bone, 295–296

Pelvic brim, 223

Pelvic cavity

female, 279–285

floor, 229–231

imaging, 277–285

lateral wall, 228

male, 232, 277–279

Pelvic fascia, 247

Pelvic girdle, 218

imaging, 219

orientation of, 223

Pelvic inlet, 222

Pelvic nerve plexus, 255

Pelvic outlet, 222

Pelvis

arterial supply of, 248

articulated, 214–216, 297

lymphatics, 272

female, 271

male, 270

renal, 188, 190

subpubic angle in

female, 216

male, 214

surface anatomy

female, 216–217

male, 214–215

venous drainage of, 249

viscera

female, 226

imaging, 227

male, 224

imaging, 225

vasculature, 250

Penis, 4, 242

bulb of, 224, 236–237, 262

artery of, 268

vein of, 268

crus of, 242, 262

deep artery of, 242, 268

dorsal arteries of, 240, 247, 252, 266, 268

dorsal nerve of, 267, 269, 273

dorsal veins of, 240, 247, 252, 266

frenulum of, 242

fundiform ligament of, 240, 242, 262

glans, 20, 214, 236, 242, 252, 262

prepuce of, 242

skin of, 242

suspensory ligament of, 224, 242, 262  
venous drainage, 252

Pericardiophrenic artery, 92, 114  
left, 108

Pericardiophrenic vein, 92, 114  
left, 109  
right, 109

Pericardiophrenic vessels, 92

Pericardial cavity, 93

Pericardial layers, 93

Pericardial reflections, 94–95

Pericardial sac, 93

Pericardial sinus  
oblique, 93, 124  
transverse, 93

Pericardium, 92, 109–110  
fibrous, 92–93, 124  
serous, 93, 124

Peridontium, 577

Perineal artery, 266  
transverse branches, 268

Perineal branches, 316

Perineal membrane, 153, 232, 234–235, 237, 242, 261

Perineal muscle  
deep transverse, 232, 236, 261  
superficial transverse, 242, 257–258, 264

Perineal nerve, 267, 269, 273

posterior labial branch, 269  
posterior scrotal branch, 269

Perineal pouch  
deep, 153, 232, 234–235, 237, 243, 261  
motor branches, 269  
muscles of, 261  
superficial, 237

Perineal vein, 249, 266  
transverse branches, 268

Perinephric fat, 188

Perineum  
borders of, 260  
ceiling of, 260  
dermatomes, 273  
female, 260  
lymphatics, 272  
female, 271  
male, 270  
male, 224, 260  
imaging, 225  
nerves of, 269  
surface anatomy  
female, 216–217, 258–259  
male, 214–215, 256, 259  
vasculature of, 268

Periorbita, 511

Perosteum, 511

Peritoneal cavity, 137  
arrangement of abdominal contents, 157  
greater and lesser sacs of, 156  
imaging, 157

Peritoneum, 226, 239  
parietal, 136–137, 141, 148, 224  
visceral, 224

Pes anserinus, 307

Petrosal nerve  
deep, 537  
greater, 513, 522, 537  
lesser, 524

Petrosal sinus, 495

Petrotympanic fissure, 529, 534

Peyer's patch, 12

Phalanges (foot), 6, 295, 332–334

Phalanges (hand), 6, 387, 428, 430

Pharyngeal artery 494, 537  
ascending, 548

Pharyngeal constrictor(s), 554  
superior, 507

Pharyngeal nerve, 537

Pharyngeal raphe, 556

Pharyngeal recess, 554, 570

Pharyngeal tonsil, 12, 554–555, 570

Pharyngeal tubercle, 486, 556

Pharyngobasilar fascia, 556–557, 583

Pharyngo-epiglottic fold, 557

Pharyngotympanic tube, 523–525, 554–557, 570, 574

Pharynx, 554–555

innervation, 558

muscles, 556–557

veins, 558

Phrenic artery

inferior

left, 187, 194

recurrent branch of, 194

right, 194

interior, 192

right, 187

inferior, 187

Phrenic nerve(s), 13, 204, 405, 545–546

left, 92, 187

right, 92, 114

Phrenic vein(s), inferior

left, 195

right, 195

Pia arterial plexus, 46

Pia mater, 48–49

Pillar cells, 526

Pineal gland, 497, 501

Piriform aperture, 480

Piriform fossa, 555

Piriformis, 9, 228–231, 243, 260, 303–305, 307

Piriform recess, 562  
Pisiform, 428, 430, 442  
Pisohamate ligament, 431, 434, 447  
Pisometacarpal ligament, 431, 434, 447  
Pituitary gland, 496–497, 500  
Planes, anatomical, 2  
Plantar aponeurosis, 358  
Plantar artery  
    deep, 348, 356, 364  
    lateral, 363–364  
    medial, 363–364  
Plantar calcaneonavicular ligament, 353  
Plantar cuboideonavicular ligament, 353  
Plantar cuneonavicular ligament, 353  
Plantar interossei, 361–362  
Plantaris, 9, 307, 309, 342–343  
Plantar ligament, 338, 353  
    long, 353–354  
Plantar lymph vessels, 367  
Plantar metatarsal ligaments, 353  
Plantar nerve  
    lateral, 349, 363–364  
    medial, 349, 363–364  
Plantar surface, of foot, 2  
Plantar tarsometatarsal ligaments, 353  
Platysma, 506–507, 542, 582  
Pleural cavity(ies), 79

left, 79

Pleural recesses, surface projections of, 81

Pons, 496–497, 501

Pontine arteries, 502

Popliteal artery 10, 316–317, 329, 344, 348

Popliteal fossa, 5, 330

Popliteal ligament, 322

Popliteal nodes, 12, 367

Popliteal vein, 11, 344, 367

Popliteus, 9, 307, 343

Popliteus tendon, 322

Porta hepatis, 175

Portal hypertension, venous enlargement in, 184

Portal triad, 176

Portal vein, 11, 164, 176, 181

    in coronal section of abdomen, 158

    formation of, 183

    left branch, 176

    right branch, 176

Portosystemic anastomoses, 184

Postcentral gyrus, 496

Postcentral sulcus, 496

Posterior, as anatomical direction, 2

Posterior cord, 407

Posterior segment, of lung, 87

Posterior triangle, 538

Posterolateral arteries, 502

Posteromedial arteries, 502  
Postremal chamber, 518  
Praaortic nodes, 200, 270–271  
Preauricular nodes, 508, 552  
Precuneus, 497  
Prelaryngeal nodes, 553  
Premolars, 575  
Pre-occipital notch, 496  
Prepatellar bursa, 328  
Prepuce of penis, 242  
Presymphyseal node, 270  
Pretracheal layer, 540  
Pretracheal nodes, 553  
Pretracheal space, 540  
Prevertebral layer of neck, 540  
Prevertebral plexus, 14, 203, 255  
Princeps pollicis artery, 451–452  
Procerus, 506–507  
Processus vaginalis, ligamentous remnant of, 241  
Profunda brachii artery, 10, 397, 402–404, 412, 416  
Pronator quadratus, 8, 433–435, 446  
Pronator teres, 8, 410, 426, 433–434, 438  
Prostate, 153, 224, 232, 234, 237–239  
    anterior region, 238  
    capsule of, 234, 237  
    central zone, 238  
    glandular elements, 237

imaging, 237–239  
peripheral zone, 238  
transitional zone, 238  
venous drainage, 252

Prostatic ducts, openings of, 237

Prostatic fascia, 247

Prostatic plexus, 247, 252, 256

Prostatic sinus, 237

Prostatic urethra, 224, 234, 237

Prostatic utricle, 237

Proximal, as anatomical direction, 2

Psoas major, 29, 42, 137, 147, 153, 185, 187–188, 270, 313

Psoas minor, 185, 270

Pterion, 482

Pterygoid(s), 556

lateral, 530–532, 534

medial, 530–531, 534

Pterygoid artery, 535

Pterygoid canal, 486, 536–537

Pterygoid fossa, 486

Pterygoid hamulus, 529, 531, 536, 569, 574

Pterygoid plate, 536

medial, 556

Pterygoid plexus of veins, 509, 517, 559, 578

Pterygoid process, 574

Pterygomandibular raphe, 507, 531, 556, 582, 584

Pterygomaxillary fissure, 529

Pterygopalatine canal, 536

Pterygopalatine fossa, 529, 536–537, 558

Pterygopalatine ganglion, 513, 537

Pubic crest, 218, 221–223, 296

Pubic ligament, inferior, 231, 260

Pubic ramus

- inferior, 214–216, 218, 222–223, 233, 296–297, 299
- superior, 214–218, 296–297

Pubic region, 135

Pubic symphysis, 4, 6, 134, 139, 214–218, 220–224, 226, 228–231, 297

- anterosuperior margin, 223

Pubic tubercle, 134, 137, 214, 216, 218, 220, 222–223, 228, 234, 296–297, 299

Pubic vessels, 148

Pubis, 6

- body of, 215, 217

Pubocervical ligament, 247

Pubococcygeus, 229–231, 233, 247, 260, 262, 264

Pubofemoral ligament, 301

Puboprostatic ligament, 234, 247

Puborectalis, 229, 231, 233, 260, 262, 264

Pubovesical ligament, 235

Pudendal artery, 266

- external
  - deep, 240, 301, 314
  - superficial, 142–143, 301
- internal, 248, 253, 266, 268, 301, 305
- left, 247

right, 252

Pudendal canal, 233

Pudendal nerve, 248, 254–256, 267, 269, 276, 304

Pudendal vein, 266

- external, 366
- internal, 184, 249, 253, 266, 268

- left, 247
- right, 252

- superficial external, 142, 240

Pulmonary artery(ies), 82–83, 98–99

- left, 88–89, 94–95, 109–110
- right, 88, 94–95

- branches of, 101, 109–110

Pulmonary ligament, 80, 82–83

Pulmonary plexus, 88

- posterior, 88

Pulmonary trunk, 63, 74, 89

Pulmonary valve, 97, 101

Pulmonary vein(s), 82–83, 88, 98–99, 109

- left, 88, 94–95, 101, 109–110
- right, 93–95, 101, 110, 114

Pulmonary vessels, 88

- imaging, 89–90

Pulp cavity, 577

Pupil, 510

Pyloric antrum, 160, 164

- in coronal section of abdomen, 158

Pyloric canal, 160

Pyloric orifice, 160, 179

Pyloric sphincter, 171

Pylorus, 160, 171

Pyramid, 501

Pyramidal eminence, 523

Pyramidalis, 140, 149, 151

Pyramid in renal medulla, 190

## **Q**

Quadrangular membrane, [561](#)

Quadrangular space, [416](#)

Quadrat lobe, of liver, [175](#)

Quadratus femoris, [9](#), [303–304](#), [307](#), [315](#)

Quadratus lumborum, [41–42](#), [137](#), [185–188](#), [194](#)

Quadratus plantae, [360](#), [362](#)

Quadriceps femoris, [307](#), [310](#), [345](#)

Quadriceps femoris tendon, [322](#), [346](#)

## **R**

Radial artery, [10](#), [412](#), [426](#), [436](#), [439](#), [458](#)

Radial collateral artery, [403–404](#), [412](#), [416](#), [436](#)

Radial collateral ligament, [424](#)

Radial fossa, [408](#)

Radial groove, [391](#)

Radialis indicis artery [450–452](#), [458](#)

Radial nerve, [13](#), [397](#), [402](#), [407](#), [412](#), [416](#), [426](#), [439](#)

Radial notch, [408](#), [422](#), [427](#)

Radial recurrent artery, [412](#), [416](#), [436](#)

Radial recurrent vein, [413](#)

Radial styloid process, [427](#)

Radial tuberosity, [422](#), [427](#)

Radial vein, [11](#)

Radiate ligament, [66](#)

Radicular artery

anterior, 46

posterior, 46

Radicular vein

anterior, 47

posterior, 47

Radiocarpal ligament, 431

Radio-ulnar joint, 422, 427

Radio-ulnar ligament, 431

Radius, 6–7, 387, 427, 435

borders of, 427

head of, 7, 422, 427

neck of, 427

proximal end, 408

Rami communicantes, 32, 45

Ramus of ischium, 214–218, 222

Ramus of mandible, 480, 482, 574

Rectal artery

inferior, 248, 252–253, 268

middle, 194, 248, 250, 253

superior, 159, 172, 192, 250, 253

Rectal fascia, 233

Rectal nerve, inferior, 267, 269

cutaneous branches, 273

Rectal neurovascular bundle, 253

Rectal vein

inferior, 249, 252–253, 268

middle, 184, 249–250, 252–253

superior, 183, 250, 253

Rectal venous plexus

external, 233, 253

internal, 233, 253

perimuscular, 253

Rectal vessels, superior, 188

Recto-uterine pouch, 226, 245, 247

Rectovaginal septum, 247

Rectovesical pouch, 224

Rectovesical septum, 247

Rectum, 147, 159, 168, 171, 224, 233

circular muscle of, 233

coronal section, 233

inferior transverse fold, 233

in situ, 232

longitudinal muscle, 233

middle transverse fold of, 233

mucosa of, 233

positioning of, 233

in sagittal plane, 3

surface projection, female, 233

venous drainage of, 253

Rectus

inferior, 511, 514, 516

lateral, 511, 514, 516

medial, 511, 514, 516

superior, 511, 514, 516

Rectus abdominis, 8, 136–137, 140–142, 149, 151

position of tendinous intersection, 134

Rectus capitis anterior, 543

Rectus capitis lateralis, 543

Rectus capitis posterior major, 41, 43

Rectus capitis posterior minor, 41, 43

Rectus femoris, 8, 302, 307–308, 310, 312, 318

Rectus sheath, 8

anterior wall, 136, 141

organization of, 141

posterior wall, 136–137, 141, 153

Referred pain diagram, abdominal, 204–205

Regional vertebrae, 22

Renal artery

left, 10, 192, 194, 270

right, 192, 194

Renal column, 190

Renal cortex, 190

Renal impression

on liver, 175

on spleen, 161

Renal medulla, 190

Renal papilla, 190

Renal pelvis, 188, 190

Renal sinus, 190

Renal vasculature, 192–193

Renal vein(s), 195

left, 147, 192

right, 192

Reproductive system

female, 243–246

innervation, 275

male, 236–242

innervation, 274

Rete testes, 241

Reticular fiber, 12

Retina, 511, 518

Retinal artery, central, 517

Retromandibular vein, 508–509, 535, 541, 559, 578

Retromolar fossa, 574

Retromolar triangle, 574

Retropharyngeal space, 540

Retropubic space, 224

Rhomboid major, 9, 36–38, 52, 400, 414

Rhomboid minor, 9, 36–38, 400

Rib(s)

I, 6, 63–65

II, 64–65

III, 64

IV, 64

V, 64–65

VI, 64

VII, 64

VIII, 64

IX, 64  
X, 64  
XI, 63–64, 73, 188  
XII, 63–65, 73, 187–188  
anatomy of, 65  
articulations of, 66–67  
demifacets for articulation of, 22  
false, 64  
floating, 64  
head of, 65  
neck of, 65  
placement of, 63  
true, 64

Rima glottidis, 562  
Rima vestibuli, 562  
Risorius, 506–507, 542  
Root canal, 577  
Rotator cuff muscles, 400–401  
Rotatores thoracis, 41  
Round window, 523–524, 526

## S

Saccule, 526, 563  
Sacral artery(ies)  
    lateral, 46, 194, 248, 250  
    median, 186, 194, 248, 253  
Sacral canal, 218, 222, 230, 296

Sacral cornua, 31, 217, 296

Sacral crest

    lateral, 31

    median, 31

Sacral curvature, 21

Sacral dimple, at posterior iliac spine, 5, 20, 217

Sacral foramina, 31

    anterior, 216, 297

    posterior, 215, 217, 228, 296–297

Sacral ganglia, 202

Sacral hiatus, 215, 217, 296–297

Sacral meninges, 48

Sacral nerve(s), 34, 44, 198

Sacral node

    lateral, 270–272

    median, 272

    middle, 270

Sacral plexus, 13, 254

Sacral promontory, 3, 223

Sacral vein

    lateral, 249–250

    median, 195, 249, 253

Sacrococcygeal ligaments, 220–221, 230

Sacro-iliac joint, 6, 31, 216, 221–223, 229, 296–297

Sacro-iliac ligament

    anterior, 220–221

    interosseous, 221

posterior, 220–221, 228

Sacrospinous ligament, 220–221, 228, 230, 303, 305

Sacrotuberous ligament, 221–222, 228, 230–231, 260–262, 264, 303, 305

Sacrum, 6–7, 21–22, 31, 214–218, 220, 222–223, 228–230, 295–296  
ala of, 214, 222–223, 229, 297  
articular surface of, 221

Sagittal axis, 2

Sagittal plane, 2–3

Sagittal sinus, 495

Sagittal suture, 484–485

Salivary glands, 580

Salpingopharyngeal fold, 554–555

Salpingopharyngeus, 556–557, 583

Saphenous hiatus, 366–367

Saphenous nerve, 13, 312–313, 348, 356  
from femoral nerve, 199

Saphenous vein  
accessory, 366  
great, 11, 270–271, 312, 318, 366  
small, 11, 366

Sartorius, 8, 294, 302, 307–310, 312, 318, 342, 346  
nerve to, 313

Sartorius tendon, 310

Scala tympani, 526

Scala vestibuli, 526

Scalene(s), 8, 540  
anterior, 396, 542–543

middle, 396–397, 543

posterior, 396, 542–543

Scalp, 492

Scaphoid, 428, 430, 458

Scaphoid fossa, 486, 574

Scapula, 6–7, 387–388

acromion of, 5–6, 20, 36, 39

anterior view, 389

in axial plane, 3, 70

inferior angle of, 5, 7, 20, 36–37, 63, 389

lateral border of, 389

lateral view, 389

medial border of, 5, 389

muscles of, 400–401

spine of, 5, 20, 36–38, 387

superior angle of, 7, 36, 63, 389

in transverse section of thoracic vertebral column, 52

Scapular artery

circumflex, 403–404, 412, 416

dorsal, 37, 402, 550

Scapular ligament, 388, 402

Scapular nerve, dorsal, 37–38, 405–407

Scarpa's layer, 136–137, 240

Sciatic foramen

greater, 220–221, 228, 255, 303

lesser, 220–221, 228

Sciatic nerve, 13, 254, 304–305, 316–318

muscular branch, 316–317

Sciatic notch

greater, 215, 217, 296

lesser, 218

Sclera, 510–511, 518

Scleral venous sinus, 518

Scrotal artery, posterior, 252, 266, 268

Scrotal nerve, posterior, 267

Scrotal raphe, 259

Scrotal vein, posterior, 252, 266, 268

Scrotum, 4, 214, 240

septum of, 240

skin of, 240

Secretory lobules, of mammary gland, 68

Segmental muscles, 41

Semicircular canal

anterior, 522–523, 526

lateral, 522–523, 526

posterior, 522–523, 526

Semilunar cusp, 97, 100

Semilunar line, 134

Semimembranosus, 302, 307, 309, 315–316, 318, 342

Semimembranosus bursa, 328

Semimembranosus tendon, 315, 322

Seminal colliculus, 237–238

Seminal vesicle, 236, 238–239, 242

imaging, 238

positioning, 237

Seminiferous tubule, 241

Semispinalis capitis, 9, 39–40, 43

Semispinalis cervicis, 43

Semispinalis thoracis, 41

Semitendinosus, 9, 302–303, 309, 315–316, 318, 342

Semitendinosus tendon, 315

Septal cartilage, 568–569

Septomarginal trabecula, 97, 105

Septum pellucidum, 497

Serous pericardium, 93

  visceral layer of, 124

Serratus anterior, 8, 38–39, 52, 70–71, 138, 398, 400

  in axial plane, 70

Serratus posterior inferior, 39, 71

Serratus posterior superior, 39, 71

Sesamoids, 333–334, 361, 430

Shoulder

  bones, 388

  muscle attachments, 409

  vessels and nerves, 402

Shoulder joint, 7, 387–388

Sigmoid arteries, 159, 172

Sigmoid colon, 147, 159, 168, 224, 226, 232

  in coronal section of abdomen, 158

  in transverse plane, 3

Sigmoid sinus, 495

Sigmoid vein, 183

Sinu-atrial node, 105

SI vertebra, body of, 221

Skeleton

anterior view of, 6

cardiac, 100

posterior view of, 7

Skull

anterior view, 480–481

arteries, 494

bones, 479

cavity, 487

imaging, 481, 483

inferior view, 486

lateral view, 482–483

muscle attachments, 490–491

posterior view, 484

roof, 485

superior view, 485

venous sinuses, 495

Small intestine, 154–155, 166

in coronal plane, 3

lymph nodes in, 12

in sagittal plane, 3

S1 nerve, 53

S3 nerve, 53

Soft palate, 554–555, 570, 583

Soleal line, 295

Soleus, 8–9, 343, 345–346

Somatic afferents, 127

Somatic sensory fiber, 127

Spermatic cord, 138–139, 147–148, 236  
positioning, 241

Spermatic fascia  
external, 149, 240  
internal, 149

Spheno-ethmoidal recess, 570

Sphenoidal sinus, 500, 554, 568–570

Sphenoid bone, 479, 486–487, 529, 536, 574

Sphenomandibular ligament, 530–531

Sphenopalatine artery, 535, 537, 571

Sphenopalatine foramen, 536, 569, 571

Sphenopalatine vein, 535, 571

Sphenoparietal sinus, 495

Sphenoparietal suture, 482

Sphenosquamous suture, 482

Sphincter pupillae, 518

Sphincter urethrovaginalis, 235, 261

Spinal artery  
anterior, 46, 49, 504  
posterior, 46, 49, 501, 504  
left, 46  
right, 46  
segmental, 46

Spinal cord, 23, 26, 32, 45

cervical enlargement of, 45, 50

in cranium, 500

features of, 45

imaging of, 50–51

lumbosacral enlargement of, 45

segmental supply of, 46

vasculature of, 46

venous drainage of, 47

Spinal ganglion, 127

Spinalis, 40

Spinalis cervicis, 43

Spinalis thoracis, 40

Spinal joints and ligaments, 35–36

Spinal nerves, 34, 44–45, 76

anterior rami of, 254

meningeal branches, 49

Spinal vein

anterior, 47

posterior, 47

Spiral ganglion, 526

Spiral ligament, 526

Spiral organ, 526

Spiral valve, 180

Splanchnic nerve(s), 114, 202

greater, 116, 119, 187, 201–203

least, 119, 201–202, 276

lesser, 119, 187, 201–202, 276  
lumbar, 201–203, 276  
pelvic, 201–203, 254–256, 274, 276  
sacral, 202–203, 255–256, 276  
thoracic, 202

Spleen, 155, 159, 162, 188  
in abdominal cavity, 161  
arteries of, 162–163  
in coronal section of abdomen, 158  
hilum of, 161  
imaging of, 161  
location of, 161  
surface projection of, 161  
surfaces of, 161

Splenic artery, 10, 159, 161–162, 181

Splenic vein, 11, 161, 181–183

Splenic vessels, 181

Splenius capitis, 9, 36–40, 43, 71, 542

Splenius cervicis, 9, 39–40, 71

Splenorenal ligament, 161

Squamous suture, 482

Stapedius muscle nerve, 524

Stapedius tendon, 524

Stapes, 523–524

Sternal angle, 62

Sternal notch, 4

Sternoclavicular joint, 62, 388, 390

Sternocleidomastoid, 4, 8–9, 43, 506, 540, 542–543

Sternocostal joint, 64, 66–67

Sternocostal ligaments, 67

Sternohyoid, 542–543

Sternothyroid, 543

Sternum, 64

    in axial plane, 70

    body of, 6, 62, 72

    manubrium of, 3, 6, 62, 64, 72, 388, 540

Stomach, 154, 162, 188

    arteries of, 162–163

    body of, 160, 171

    in coronal plane, 3

    in coronal section of abdomen, 158

    external features, 160

    fundus of, 171

    imaging, 160

    internal features, 160

    positioning of, 160

    surface projection of, 160

Straight sinus, 495

Striate artery middle, 502

Styloglossus, 531, 556, 581

Stylohyoid, 542–543

Stylohyoid ligament, 539, 556–557, 580

Styloid process, 482, 486, 525, 529, 531, 542, 556–557

    radial, 427

Stylomandibular ligament, 530–531  
Styломastoid foramen, 486, 524  
Stylopharyngeus, 556–557, 580, 583  
Subarachnoid space, 48  
Subclavian artery, 46, 70, 404, 548  
    left, 10, 74, 83, 88, 101, 109–110, 113, 502, 550–551, 566  
        in axial plane, 3  
    right, 10, 74, 82, 88, 101, 109–110, 397, 502, 550, 566–567  
Subclavian groove, 390  
Subclavian nerve, 405  
Subclavian trunk, 77, 553  
Subclavian vein, 413  
    left, 11, 75, 101, 110, 541, 559  
    right, 11–12, 77, 82, 101, 109–110, 567  
Subclavicular nodes, 552  
Subclavius, 70–71, 116, 397  
Subcostal artery 143, 194  
Subcostal muscles, 72  
Subcostal nerve, T12, 76, 144  
    anterior cutaneous branch of, 125, 145  
    lateral cutaneous branch of, 125, 144  
Subcostal plane, 135  
Subcostal vein, left, 75  
Subepicardial fat, 93  
Sublingual caruncle, 584  
Sublingual fold, 584  
Sublingual gland, 534, 580, 582, 584

Sublingual fossa, 574  
Submandibular duct, 580, 582, 584  
Submandibular fossa, 574  
Submandibular ganglion, 534, 581  
Submandibular gland, 534  
Submandibular nodes, 12, 508, 552–553, 582  
Submental nodes, 508, 552–553  
Submental vein, 541  
Subparotid node, 552  
Subphrenic recess, 156  
Subpopliteal recess, 328  
Subpubic angle  
    female, 216  
    male, 214  
Subscapular artery, 403–404, 412  
Subscapular fossa, 389  
Subscapularis, 52, 400–401  
Subscapular nerve, 405, 407  
Subscapular nodes, 417  
Subtalar joint, 335  
Subtendinous bursa, 328  
Sulcus terminalis, 94–95  
Superciliary notch, 480  
Superficial temporal artery, 10  
Superior, as anatomical direction, 2  
Superolateral nodes, 367  
Superomedial nodes, 367

Supinator, 8–9, 426, 434, 438  
Supinator crest, 408  
Supraclavicular nerve(s), 420, 544, 546–547  
    intermediate, 125  
    lateral, 125  
    medial, 125  
Supracondylar line  
    lateral, 306  
    medial, 306  
Supracondylar ridge, 408  
Supraduodenal artery, 159, 162, 165, 181  
Supraglenoid tubercle, 389  
Supramandibular triangle, 538  
Supramarginal gyrus, 496  
Supramastoid crest of temporal bone, 528  
Supra-orbital artery, 508, 512, 517  
Supra-orbital foramen, 482  
Supra-orbital nerve, 505, 512–513, 515, 537  
Supra-orbital notch, 480, 510  
Supra-orbital vein, 508, 512, 517  
Suprapatellar bursa, 328  
Suprapatellar fat, 328  
Suprarenal artery  
    inferior  
        left, 192  
        right, 192, 194  
    middle, 186

left, 192  
right, 194

superior  
    left, 192, 194  
    right, 192, 194

Suprarenal gland, 162  
    left, 186, 188, 192, 195  
    right, 186, 188, 192, 194

Suprarenal impression, on liver, 175

Suprarenal vein(s)  
    left, 192, 195  
    right, 192, 195

Suprascapular artery, 402, 404, 416, 548, 550–551, 566–567

Suprascapularis, 397

Suprascapular nerve, 402, 405

Suprascapular notch, 388–389

Supraspinatus muscle, 9, 38–39, 397, 400

Supraspinous fossa, 388–389

Supraspinous ligament, 35, 220

Suprasternal space, 540

Supratrochlear artery, 508, 512, 517

Supratrochlear nerve, 505, 512, 515

Supratrochlear nodes, 417, 459

Supratrochlear vein, 508, 512, 517

Sural arteries, 316, 344

Sural nerve, 13, 317, 344, 349

Surface anatomy

of abdomen, 134  
of arm, 410, 414, 433, 437  
of back, 20, 36  
of body  
    anterior view, 4  
    posterior view, 5  
of ears, 522  
of face, 510  
of foot, 355  
of gluteal region, 302  
of hand, 445, 454  
of head, 478  
of knee, 329  
of larynx, 560, 565  
of lower limbs, 294  
of mediastinum, 91  
of neck, 478, 538  
of pelvis and perineum  
    female, 216–217, 258–259  
    male, 214–215, 257, 259  
of superior mediastinum, 108  
of thorax, 62  
of upper limbs, 386

Suspensory ligament  
    of clitoris, 264  
    of eye, 511  
    of ovary, 226, 244

- of penis, 68, 224, 242, 262
- Sustentaculum tali, 332–333, 338
- Sutural bone, 484
- Sympathetic cardiac nerves, 126
- Sympathetic ganglia, 32, 201
  - cervical, 126, 405
  - fifth thoracic, 88
  - third thoracic, 107
- Sympathetic nerves, 14
- Sympathetic trunk, 78, 119, 546–547
  - left, 107, 256
  - left lumbar, 255
  - right, 88, 107, 256
- Synovial membrane
  - in lower limbs, 299–300
  - in upper limbs, 392, 424
- Synovial sheaths, in hand, 446

## T

- Taenia, free, 170
- Taenia coli, 166, 168
- Talocalcaneal ligament, 338–339, 354
- Talocalcaneonavicular joint, 335
- Talofibular ligament, 338–339
  - anterior, 354
- Talonavicular ligament, 338, 354
- Talus, 6, 332–334, 336

Tarsal artery

    lateral, 348

    medial, 348

Tarsal bones, 6

Tarsal gland, 511

Tarsal muscle, superior, 511

Tarsal sinus, 333

Tarsal tunnel, 365

Tarsometatarsal joints, 335

Tarsometatarsal ligaments, 354

Tarsus

    inferior, 511–512, 514

    superior, 511–512

Tectorial membrane, 526

Teeth, 575

    anatomy, 577

    crown of, 577

    imaging, 576–577

    neck of, 577

    nerves, 578–579

    root of, 577

    vasculature, 578

Tegmen tympani, 487, 525

Temporal artery

    deep, 535

    middle, 535

    superficial, 502, 508–509, 512, 535, 548, 578

Temporal bone(s), 479, 482, 487, 529, 574

  mastoid process of, 43

Temporal fossae, 528, 530–531

  arteries, 535

  nerves, 534

  veins, 535

Temporal gyri, 496

Temporalis, 8, 506, 528, 530

Temporal line

  inferior, 528

  superior, 528

Temporal lobe, 497

Temporal nerves, deep, 533–534

Temporal sulcus, superior, 496

Temporal vein

  deep, 535

  superficial, 11, 508–509, 512, 535, 541, 559, 578

Temporomandibular joint, 530–532

Tendinous arch, of levator ani, 229–230, 233

Tendinous intersection, 140

Tensor fasciae latae, 8, 294, 302–304, 307–309, 318

Tensor tympani muscle, 524

Tensor tympani tendon, 523, 525

Tensor veli palatini, 530–531, 556, 583

Tentorium cerebelli, 494, 500

Teres major, 9, 37–39, 52, 400–401, 414–415

Teres minor, 9, 38–39, 400–401, 414

Testes, 20, 147, 241

  appendix of, 240

  lobules of, 240

Testicular artery, 10, 148, 164, 240–241

  right, 147, 194

Testicular plexus, 201

Testicular vein(s), 11, 148, 164, 195

Thalamus, 497, 501

Thenar eminence, 386, 445, 448

Thenar muscles, 8, 436, 442

Thigh

  arteries, 313–314, 316

  bones of, 295

  compartments of, 308–309

  deep artery of, 301, 314, 318

  deep vein of, 11, 318

  lateral cutaneous nerve of, 198–199

  muscle attachments, 307, 310–311, 315

  musculature, 308–311, 315

  nerves, 313, 316

  transverse section, 318–319

Thoracic aorta, 10, 74, 82, 88–89, 101, 107

Thoracic aperture

  inferior, 63

  superior, 63

Thoracic artery

  internal, 10, 69, 74, 92, 143, 548, 550–551

mammary branches of, 69  
lateral, 69–70, 403–404, 412  
superior, 403–404, 412

Thoracic cavity, 79  
    left, 116–117  
    right, 114–115

Thoracic curvature, 21

Thoracic duct, 12, 77, 124, 187, 553

Thoracic ganglia, 202

Thoracic meninges, 48–49

Thoracic nerves, 44, 397, 405, 547

Thoracic vein(s)  
    internal, 75, 109  
    lateral, 142

Thoracic vertebrae, 21–22, 26–27, 74

Thoracic visceral plexus, 14

Thoracic wall, 72  
    anterior, 71  
    arteries of, 74  
    lateral, 71  
    lymphatics of, 77  
    posterior, 71  
    veins, 75

Thoraco-acromial artery, 70, 403, 412  
    acromial branch, 397, 404  
    clavicular branch, 397, 404  
    deltoid branch, 397, 404

pectoral branch of, 69, 404

Thoracodorsal artery, 403–404

Thoracodorsal nerve, 407

Thoracoepigastric vein, 142

Thoracolumbar fascia, 37, 39, 42

Thorax

- bony framework of, 63–64
- dermatomes and cutaneous nerves of, 125
- surface anatomy, 62
- transverse section, 124

Thymus gland, 12, 108

Thyro-arytenoid, 563

Thyrocervical trunk, 548, 550–551, 566

Thyro-epiglottic, 563

Thyro-epiglottic ligament, 561

Thyrohyoid, 542–543

Thyrohyoid ligament, 560, 563

Thyrohyoid membrane, 556, 560, 562–563, 565

Thyroid artery

- inferior, 548, 550–551, 566–567
- superior, 502, 548, 566–567

Thyroid cartilage, 554, 556, 560–561, 563, 565

- inferior horn of, 86
- left lamina of, 86
- superior horn of, 86

Thyroid gland, 553–554, 565

- isthmus of, 565

left lobe, 565, 567  
right lobe, 565  
vasculature, 566

Thyroid notch, 538, 560, 565  
superior, 86

Thyroid prominence, 538, 560, 565

Thyroid tubercle, 560

Thyroid vein(s)  
inferior, 109, 566  
middle, 566  
superior, 566

Tibia, 4, 6–7, 294, 331  
proximal end, 306

Tibial artery  
anterior, 10, 313–314, 316–317, 329, 344, 348, 356–357  
posterior, 10, 313–314, 329, 344, 357, 364

Tibial collateral ligament, 310, 322

Tibialis anterior, 8, 302, 345–347

Tibialis anterior tendon, 353

Tibialis posterior, 343

Tibialis posterior tendon, 353–354

Tibial nerve, 13, 316–317, 344, 363–364

Tibial recurrent artery, anterior, 314

Tibial tuberosity, 4, 6, 294, 306

Tibial vein  
anterior, 11  
posterior, 11

Tibiofibular joint, 320  
Tibiofibular ligament, 338–339  
T10 nerve, 144  
T12 nerve, 76, 144  
    lateral cutaneous branch of, 144  
Tongue, 534, 554, 581  
    apex of, 582  
    arteries, 581  
    frenulum of, 584  
    inferior surface, 584  
    root of, 555, 557  
    veins, 581  
Tonsils, 12, 554–555, 570, 582–584  
Torus levatorius, 554  
Torus tubularis, 554–555, 570  
Trabecula, 12  
Trabeculae carneae, 97, 99  
Trachea, 79, 88, 110, 554–555  
    in axial plane, 3  
    bifurcation of, 113  
    positioning of, 63  
    in superior mediastinum, 112  
Tracheal bifurcation, 86  
Tracheal cartilages, 86  
Tracheal mucosa, 86  
Tracheal nodes, 12, 77  
Tracheobronchial nodes, 114

Tragus, 522

Transversalis fascia, 42, 136–137, 140–142, 148

Transverse colon, 155, 159, 165

- in coronal plane, 3
- in coronal section of abdomen, 158

Transverse fasciculi, 358

Transverse plane, 2

Transverse ridges, of sacrum, 296

Transverse sinus, 495

Transversospinales muscles, 41–42

Transversus abdominis, 8, 40, 42, 136–137, 141–142, 148, 185

- aponeurosis of, 137, 139

Transversus thoracis muscles, 72

Trapezium, 428, 430, 442

Trapezius, 5, 8–9, 36–37, 396–397, 410, 414, 506

Trapezoid, 428, 430, 442

Trapezoid line, 390

Triangle, lumbar, 37

Triangle of auscultation, 36–37

Triangular interval, 401, 416

Triangular ligament, right, 174–175

Triceps brachii, 9, 396, 400–401, 410, 414–415, 433–434, 437

Tricuspid valve, 96–97, 100–101

- auscultation point for, 106

Trigeminal ganglion, 500–501, 537

Trigeminal impression, 487

Trigeminal nerve, 13, 500–501, 513, 519, 534, 537, 586

cutaneous distribution, 505  
mandibular division, 533  
Trigone, 232, 234–235, 237, 242  
Triquetrum, 428, 430, 442  
Triticeal cartilage, 560  
Trochanter  
    greater, 6–7, 228, 294–295, 297–298, 300–301, 303, 310  
    lesser, 6–7, 228, 295, 297–298, 300–301, 303  
Trochanteric fossa, 298  
Trochlea, 6, 408, 514  
Trochlear nerve, 500–501, 515, 586  
Trochlear notch, 408  
True ribs, 64  
Tuberculum sellae, 487, 536  
Tunica albuginea, 241–242, 244  
Tunica vaginalis, 236, 240–241  
    parietal layer of, 149, 151  
    visceral layer of, 149, 151  
TI vertebra, 21, 26, 63, 539  
    spinous process of, 5  
TII vertebra, 64  
TIII vertebra, 26–27  
TV vertebra, 22  
TIX vertebra, 26  
TXII vertebra, 21, 26–27, 63–64  
    spinous process of, 5, 20, 63  
Tympanic membrane, 523, 526

Tympanic nerve, 524  
Tympanic plate, 529  
Tympanic plexus, 524, 534  
Tympanomastoid fissure, 529

## U

Ulna, 6–7, 387, 427  
    proximal end, 408  
    tuberosity of, 422  
Ulnar artery, 10, 412, 426, 436, 439  
Ulnar collateral artery, 403–404, 412, 416, 439  
Ulnar collateral ligament, 431  
Ulnar collateral vein, 413  
Ulnar nerve, 13, 397, 405–407, 412, 426, 436, 439, 453  
Ulnar notch, 427  
Ulnar recurrent artery, 412, 416, 436, 439  
Ulnar vein, 11  
Ulnocarpal ligament, 431  
Umbilical artery, 248, 250, 253  
Umbilical fold  
    lateral, 149  
    left, 153  
    left bilateral, 141  
    medial, right, 153  
    median, 153  
Umbilical ligament  
    medial, 149, 151

median, 141, 149, 151  
right, 141

Umbilical region, 135

Umbilicus, 4, 134

Umbo, 523

Uncinate process, 24, 178, 569

Uncovertebral joint, 24

Uncus, 496–497

Urachus, 151, 224, 226, 232, 234

Ureter(s), 226  
left, 147, 162, 164, 186, 234–235, 239  
retroperitoneal, 188  
right, 162, 234–235, 239  
retroperitoneal, 188  
surface projection of, 188  
visceral sensory diagram, 206–207

Ureteric orifice, 232, 234–235, 237

Urethra, 238  
female, 226, 235  
membranous, 224, 237  
penile, 238  
prostatic, 224, 234, 237  
in sagittal plane, 3  
spongy, 224, 236, 242

Urethral orifice, external, 20  
female, 258  
male, 242, 259

## Urethral sphincter

external, 20, 226, 232, 234–235, 237–238, 261

internal, 232

## Urogenital hiatus, 229–231, 260

## Urogenital triangle, 257

## Uterine artery, 250–251

## Uterine tube, 147, 150, 226, 243–244

ampulla of, 244

folds of, 244

infundibulum of, 244

isthmus of, 244

## Uterine vein, 250–251

## Uterosacral ligament, 226, 245, 247

## Uterus, 147, 150, 244–245

body of, 226, 243

external os, 226, 243

fundus of, 244–245

imaging, 246

innervation, 275

internal os, 244

round ligament of, 146–147, 150, 226, 243–245

in sagittal plane, 3

surface projections, 244

vasculature of, 251

## Utricle

auricular, 526

prostatic, 237

Utriculosaccular duct, 526

Uvula, 554–555, 557, 583

## V

Vagal ganglion, inferior, 127, 564

Vagal trunk, 118

anterior, 201–203

posterior, 201–203

Vagina, 226

fornix, posterior, 226

posterior fornix, 243

in sagittal plane, 3

Vaginal artery, 248, 250–251

Vaginal orifice, 226, 235, 258

Vaginal wall, 244

Vagus nerve, 587

cardiac branches of, 110

carotid body branch, 545

in cranium, 500–501

dorsal motor nucleus, 126

inferior ganglion of, 558

left, 88, 107, 110, 118, 203, 564

parasympathetic cardiac branches, 126

pharyngeal branch, 545

in pharynx, 558

right, 88, 107, 110, 118, 203, 564

thoracic cardiac branch of, 107

Vallate papilla, 557, 582

Vallecula, 554, 582

Valve(s)

aortic, 100–101

auscultation point for, 106

of foramen ovale, 98

heart, 101

of inferior vena cava, 96

of lymph node, 12

mitral, 98–99, 101

auscultation point for, 106

pulmonary, 97, 101

tricuspid, 97

auscultation point for, 106

Vasa recta, 167, 172

Vasculation. *See also Arteries; Vein(s)*

Vastus intermedius, 307, 310, 318

Vastus lateralis, 8, 294, 302–303, 307–310, 318, 329, 342, 345–346

Vastus medialis, 8, 294, 307–308, 310, 318, 329, 346

Vein(s). *See also individual veins*

arm, 413, 459

eyes, 517

facial, 508

hands, 459

infratemporal fossae, 535

leg, 366

nasal cavity, 571

neck, 541  
parotid region, 509  
pelvic, 249  
pharynx, 558  
of prostate and penis, 252  
rectal, 253  
teeth, 578  
temporal fossae, 535  
thoracic wall, 75  
thyroid gland, 566  
tongue, 581

## Vena cava

inferior, 11, 75, 82, 94, 96–99, 101, 162, 188, 195  
abdominal, imaging, 196  
imaging, 196  
valve of, 96  
superior, 11, 63, 74, 82, 89, 94–99, 101, 566

## Venous arch, dorsal, 294, 366

Venous plexus, rectal  
external, 233  
internal, 233

## Venous sinuses, dural, 495

## Ventricle

left, 63, 93–95, 98–99, 101  
right, 74, 94, 96, 97, 103, 105

## Vertebra(e). *See also individual vertebrae*

cervical, 21–25

lumbar, 21–22, 27–30

regional, 22

thoracic, 21–22, 26–27, 74

Vertebral artery, 10, 43, 46, 404, 501–502, 548, 550–551

left, 502

right, 502

Vertebral canal, 33

Vertebral column, 7

anterior view, 21

cervical, 50

lateral view, 21

posterior view, 21

splanchnic nerves and, 202

upper thoracic, 50

Vertebral foramen, 22

Vertebral plexus, anterior

external, 47

internal, 47

Vertebral spinous process, 20

Vertebra prominens, 5, 20, 23

Vertical axis, 2

Vesical artery

inferior, 248, 250

superior, 248, 250

Vesical fascia, 232, 234

Vesical plexus, 249, 252

Vesical vein

inferior, 249–250, 253  
superior, 247, 249–250, 253

Vesico-uterine pouch, 226, 247

Vesicular appendix, 245

Vestibular, as anatomical direction, 575

Vestibular aqueduct, 526

Vestibular fold, 562

Vestibular gland, greater, 243, 264  
opening of duct, 259

Vestibular ligament, 561

Vestibular nerve, 522–523, 526

Vestibule, 526

Vestibulocochlear nerve, 500–501, 522–523, 526, 587

Visceral pleura, 79, 124

Vitreous chamber, 518

Vocal fold, 554, 562

Vocalis, 563

Vocal ligament, 561, 563

Vocal process of arytenoid, 561, 563

Vomer, 479, 486, 488, 568–569, 574

Vorticose veins, 517

## W

White ramus communicans, 78, 126

Wrist crease, 445

Wrist joint, 7, 387, 427–429

## X

Xiphisternal joint, 64, 67

Xiphoid process, 4, 6, 62–64, 134

## Z

Zona orbicularis, 300–301

Zonular fibers, 518

Zygapophyseal joint, 24, 28–29, 220–221

  capsule of, 35

Zygomatic arch, 528–529

Zygomatic bone, 6, 479, 482, 485, 510, 529, 536

Zygomatic nerve, 537

Zygomaticofacial artery, 508

Zygomaticofacial bone, 482

Zygomaticofacial nerve, 505, 533, 537

Zygomaticofacial vein, 508

Zygomaticotemporal artery, 508

Zygomaticotemporal nerves, 505, 513, 533, 537

Zygomaticotemporal vein, 508

Zygomatic process of frontal bone, 480, 528

Zygomatic process of maxilla, 480

Zygomatic process of temporal bone, 482

Zygomaticus major, 506–507

Zygomaticus minor, 506–507